

November 30, 2004

Chapter 18.2-18.5

Text Coherence

Overview

- First Order Predicate Logic
- Text coherence
- Coherence resolution
- Inference
- Inference-based coherence resolution
- Discourse structure

First Order Predicate Logic

- Representation of sentence meanings, assuming someone else has figured out lexical meanings
- → The meaning of life is life'
- Represent predicate-argument relations, boolean connectives between predicates, universal and existential quantification.
- Rules of reasoning over FOPL statements are well-studied

FOPL: Building blocks

- Predicate names
- Variables
- Boolean connectives: \wedge , \vee , \Rightarrow , \neg
- Quantifiers: \forall , \exists

FOPL: Quantifier scope

- Quantifiers bind particular variables, and take scope over everything to the right of them in an expression (modulo parentheses)
- Quantifiers bind every instance of their variables in their scope.
- Variables outside the scope of any quantifier are ‘free’

FOPL: Examples

- A dog barked: $\exists x, e_i \text{ dog}(x), \text{ barked}(e_i, x), \text{ past}(e_i)$
- All dogs bark: $\forall x \exists e_i \text{ dog}(x) \Rightarrow \text{ bark}(e_i, x)$
- Kim's friend left: $\exists x, e_i \text{ friend-of}(x, k), \text{ leave}(e_i, x), \text{ past}(e_i)$
- Everyone loves someone: $\forall x \exists e_i, y \text{ love}(e_i, x, y)$
 $\exists y \forall x \exists e_i \text{ love}(e_i, x, y)$

Text coherence

- John hid Bill's car keys. He was drunk.
- #John hid Bill's car keys. He likes spinach.

Coherence relations (1 of 2)

- **Result:** Infer that the state or event asserted by S_0 causes or could cause the state or event asserted by S_1 .
- **Explanation:** Infer that the state or event asserted by S_1 causes or could cause the state or event asserted by S_0 .
- **Parallel:** Infer $p(a_1, a_2, \dots)$ from the assertion of S_0 and $p(b_1, b_2, \dots)$ from the assertion of S_1 , where a_i and b_i are similar, for all i .

Coherence relations (2 of 2)

- **Elaboration:** Infer the same proposition P from the assertions of S_0 and S_1 .
- **Occasion:** A change of state can be inferred from the assertion of S_0 , whose final state can be inferred from S_1 , or a change of state can be inferred from the assertion of S_1 , whose initial state can be inferred from S_0 .

Coherence resolution

- Determine the relationships between sentences or discourse segments
- Discover inferences that should be made
- Useful for IR, text summarization, pronoun resolution

Inference

- Sound inference, e.g., modus ponens (deduction):

$$\frac{\alpha \Rightarrow \beta \quad \alpha}{\beta}$$

- Unsound inference, e.g., abduction:

$$\frac{\alpha \Rightarrow \beta \quad \beta}{\alpha}$$

- Associate ‘unsound’ conclusions with some kind of weight or cost, and make the DEFEASIBLE.

Inference-Based Coherence Resolution

- Establish axioms
 - Pertaining to coherence relations
 - Encoding world knowledge
- Represent discourse segments in the same formalism as the axioms
- Establish coherence by creating a chain of reasoning linking the sentence interpretations that is rooted the assertion of a coherence relation
- In the process, posit unprovable assumptions
- → inference

Coherence relation axioms

$$[1] \quad \forall e_i, e_j \text{ Explanation}(e_i, e_j) \Rightarrow \text{CoherenceRel}(e_i, e_j)$$

$$[2] \quad \forall e_i, e_j \text{ Result}(e_i, e_j) \Rightarrow \text{CoherenceRel}(e_i, e_j)$$

...

$$[3] \quad \forall e_i, e_j \text{ cause}(e_j, e_i) \Rightarrow \text{Explanation}(e_i, e_j)$$

$$[4] \quad \forall e_i, e_j \text{ cause}(e_i, e_j) \Rightarrow \text{Result}(e_i, e_j)$$

...

World knowledge axioms

- [5] $\forall x, y, e_i$ drunk(e_i, x) \Rightarrow
 $\exists e_j, e_k$ diswant(e_j, y, e_k) \wedge drive(e_k, x) \wedge cause(e_i, e_j)
- [6] $\forall x, y, e_j, e_k$ diswant(e_j, y, e_k) \wedge drive(e_k, x) \Rightarrow
 $\exists z, e_l, e_m$ diswant(e_l, y, e_m) \wedge have(e_m, x, z) \wedge
carkeys(z, x) \wedge cause(e_j, e_l)
- [7] $\forall x, y, z, e_l, e_m$ diswant(e_l, y, e_m) \wedge have(e_m, x, z) \Rightarrow
 $\exists e_n$ hide(e_n, y, x, z) \wedge cause(e_l, e_n)
- [8] $\forall e_i, e_j, e_k$ cause(e_i, e_j) \wedge cause(e_j, e_k) \Rightarrow
cause(e_i, e_k)

Translation of two statements

[9] $\exists e_1, ck \text{ hide}(e_1, j, b, ck) \wedge \text{carkeys}(ck, b)$

[10] $\exists e_2 \text{ drunk}(e_2, h)$

Reasoning from coherence to the statements

- [A] Assume coherence, i.e., $\text{Coherence-Rel}(e_1, e_2)$
- [B] Infer $\text{Explanation}(e_1, e_2)$ [1],[A]
- [C] Infer $\text{cause}(e_2, e_1)$ [3],[B]
- [D] Infer $\text{cause}(e_2, e_3) \wedge (e_3, e_1)$ [8],[C]
- [E] Infer $\text{cause}(e_2, e_4) \wedge (e_4, e_3)$ [8],[D]
- [F] Infer $\text{diswant}(e_3, j, b) \wedge \text{have}(e_5, b, ck)$ [9],[D],[7]

Reasoning from coherence to the statements

[G] Infer $\text{diswant}(e_3, j, e_6) \wedge \text{drive}(e_6, b)$ [9],[8],[F]

[H] Infer $\text{drunk}(e_2, b)$ [5],[8],[G]

- But [H] equals [10], if $b = h$ (pronoun resolution)
- Chain included [1],[9], and [10], so the discourse was coherent.
- Along the way, we inferred things not explicitly stated in the discourse: John did not want Bill to drive; This is why John hid Bill's keys.

Reasoning from coherence to the statements

- Serious search problem
- ... managing the size of the search space
- ... choosing the best possibility
- Hobbs et al (1993) deal with this by assigning assumption costs to each inference.

Discourse structure

- Always looking for coherence between adjacent pairs of sentences would give incorrect results.
- Instead, search for structure in discourse, and look for coherence between adjacent discourse segments.
- ‘Parsing’ discourse structure (a side effect of the above) is useful for summarization, IR, etc. Possibly also for pronoun resolution.

Overview

- Leftovers: Centering Theory
- Leftout: FOPL
- Text coherence
- Coherence resolution
- Inference
- Inference-based coherence resolution
- Discourse structure