

G-Protein (Transducin) Plays A Central Role In Phototransduction.

Hurley, J. B. (1980) Isolation and recombination of bovine rod outer segment cGMP phosphodiesterase and its regulators. *Biochem. Biophys. Res. Comm.* **92**:505.

Fung, B. K.-K., Hurley, J. B. and Stryer, L. (1981) Flow of information in the light triggered cyclic nucleotide cascade of vision. *Proc. Natl. Acad. Sci. USA* **78**:152.

Hurley, J. B., Barry B. and Ebrey, T. G. (1981) Isolation of an inhibitory protein for the cyclic guanosine 3':5' monophosphate phosphodiesterase of rod outer segments. *Biochm. Biophys. Acta* **675**:359.

Stryer, L., Hurley, J. B. and Fung, B.K.-K. (1981) Transducin: An amplifier protein in vision. *Trends in Biol. Sci.* **6**:245.

Abood, M., Hurley, J. B., Pappone, M.-C., Bourne, H. R. and Stryer, L. (1982) Functional homology between signal coupling proteins. Cholera toxin inactivates the GTPase activity of transducin. *J. Biol. Chem.* **257**:10540.

Hurley, J. B., Fong, H.K.-K., Teplow, D. B., Dreyer, W. J. and Simon, M.I. (1984) Isolation and characterization of a cDNA clone for the γ subunit of bovine retinal transducin. *Proc. Natl. Acad. Sci. USA* **81**:6948.

Hurley, J. B., Simon, M.I., Teplow, D. B., Robeshaw, J. D. and Gilman, A. G. (1984) Homolgies between signal transducing G proteins and *ras* gene products. *Science* **226**:860.

Lochrie, M. A., Hurley, J. B., and Simon, M. I. (1985) Sequence of the α subunit of photoreceptor G protein: Homologies between transducin, *ras*, and elongation factors. *Science* **228**:96.

Fung, H.K.-K., Hurley, J. B., Hopkins, R. S., Miake-Lye, R., Johnson, M. S., Doolittle, R. F. and Simon, M. I. (1986) Repetitive segmental structure of the transducin β subunit: Homology with the CDC4 gene and identificaiton of related mRNAs. *Proc. Natl. Acad. Sci. USA* **83**:2162.

Raport, C. J., Dere, B. and Hurley, J. B. (1988) Characterization of the mouse rod transducin α subunit gene. *J. Biol. Chem.* **264**:7122-7128.

Neubert, T., Johnson, R.S., Walsh, K.A. and Hurley, J.B. (1992) The rod transducin α subunit amino terminus is heterogeneously fatty acylated. *J. Biol. Chem.* **267**:18274-18277.

Johnson, R.S., Ohguro, H., Palczewski, K., Hurley, J.B., Walsh, K.A., and

Neubert, T.A. (1994). Heterogeneous N-acylation is a tissue- and species-specific posttranslational modification. *J. Biol. Chem.* **269**:21067-21071.