

Efficient and Adaptive Estimation for Semiparametric Models

Peter Bickel, Chris Klaassen, Ya'acov Ritov, and Jon A. Wellner

Changes and Corrections

October 1997

- Page 11, line 11: delete “a σ -finite measure”.
- Page 13, lines 4-5: Delete the sentence: “Note that hypothesis (ii) is exactly the continuity of $\dot{s}(\theta)$ in the sense of definition A.5.3.”
- Page 15, line -9: change “A.5.2” to “A.5.3”.
- Page 16, line 10: change $1_{[s(\theta)>0]}^2$ to $1_{[s(\theta)>0]}$.
- Page 40, (e) +3: replace “(8)” by “(e)”.
- Page 47, line -1: replace “or equivalently” by “implying”.
- Page 54, line 7: change “ $\dot{\gamma}(s_0) \neq 0$ or s_0 ” to “ $\dot{\gamma}(s_0) \notin [s_0]$ ”.
- Page 56, line 10: replace the first \supset by $=$.
- Page 56, line -7: change L_2 to $L_2 -$.
- Page 64, line 1: delete the word “locally”. Thus part B. of theorem 3.3.2 will read: “B. $\Delta_0 = 0$ if and only if T_n is asymptotically linear with influence function \dot{l} , and then T_n is efficient.”
- Page 135, line 7: Change $\dot{l}_2 = 2 - TE(U|T)$ to $\dot{l}_2 = 2 + TE(U|T)$.
- Page 163, line -9: The term to the right of the equals sign should read $\sqrt{\alpha(u)}K(u, v)$.
- Page 175, line 3: insert after “function”: “in the case of one unknown marginal distribution”.
- Page 185, line 10: insert “(” at the beginning of the display; and change \mathbb{Z}_n to \mathbb{Z}_n' twice.
- Page 186, line 18: change $(K - K)$ to $(\pi K - \pi K)$.
- Page 190, line -10: change “A.9.3” to “A.9.2”.
- Page 196, line -8: Change $+\eta$ to $-\eta$.
- Page 197, line -12: change $(\cdot - t) \wedge 0$ to $(\cdot - t) \vee 0$.
- Page 197, line -6: change lower limit of integral from x to t .
- Page 198, line -3: change the display to read

$$= \frac{c(x, t) - \overline{G}(t)c(x, 0)}{\overline{F}(t)},$$

- Page 205, line -1: change (9) to (8).
- Page 209, line -1: change $h(Z)$ in the denominator to $h(z)$.
- Page 395, line 12: replace \sqrt{n} by \sqrt{n} .
- Page 395, (20) and (21): change “,” to “;” between θ_n and G .
- Page 397, line 12: delete “+1” after the *first* subscript λ_n .
- Page 397, (e): The sum in the left side should be multiplied by the factor $\frac{1}{\sqrt{n-\mu_n}}$. Hence the display should appear as

$$\frac{1}{\sqrt{n-\mu_n}} \sum_{i=\mu_n+1}^n [\tilde{\psi}_{n1}(X_i; \theta_n) - \psi_n(X_i)] = o_{P(\theta_n, G)}(1).$$

- Page 397, (f): This display should be:

$$\sqrt{n} \left\{ \theta_n - \theta_0 + \frac{1}{n - \mu_n} \sum_{i=\mu_n+1}^n [\psi_n(X_i) - \psi(X_i; \theta; G)] \right\} = o_{P_{(\theta, \sigma)}}(1).$$

- Page 400, line -9: Insert: “Proposition 1 is due to Bickel (1982).”
- Page 400, line -2: change “7.2.2” to “7.3.2”.
- Page 401, line 2: change “7.2.2” to “7.3.2”.
- Page 401, (39): change the factor $\hat{I}_n/2$ to $1/2$ (note the $/\hat{I}_n$ at the end of the line!).
- Page 416, line 6: change L_p to $L_p -$.
- Page 461, line 12: after (1988). insert “With a slightly different definition of regularity this phenomenon has been proved already by Pitman (1979); see his Theorem 3.8, page 19.”
- Page 475, line -4: change f^* to f_* .
- Page 483, line -8: change \mathbf{A} to \mathcal{A} .
- Page 492, line 19: change \mathbb{X}_m to \mathbb{X}_n .
- Page 494, line -8: change \mathbf{M}_B to \mathcal{M}_b .
- Page 495, line 6: change $\cap_{n=1}^{\infty}$ to $\cup_{m=n}^{\infty}$.
- Page 497, line 16: change $\{x: k(x, \epsilon) \leq K\}$ to $\{x \in M_0: k(x, \epsilon) \leq K\}$.
- Page 500, line 1: change $P_n = \prod_{i=1}^n P_n$ to $P_n = \prod_{i=1}^n P_{ni}$.
- Page 500, line 2: change $Q_n = \prod_{i=1}^n Q_n$ to $Q_n = \prod_{i=1}^n Q_{ni}$.
- Page 513, line 6: change “ K compact” to “ K compact”.
- Page 542, line -13: insert “Pitman, E.J.G. (1979). *Some Basic Theory for Statistical Inference*, Chapman and Hall, London.”
- Page 554, line 9: change “192” to “193”.
- Page 560: change “Stein’s estimator, 23” to “Stein’s estimator, 22”.

We owe thanks to Brad McNeney, Lars Korsholm, Peter Sasieni, and Anton Schick, for pointing out needed changes and corrections.