



## **9. Writing Functions**

**Ken Rice**  
**Tim Thornton**

University of Washington

*Seattle, July 2019*

# In this session

---

One of the most powerful features of R is the user's ability to expand existing functions and write custom functions. We will give an introduction to writing functions in R.

- Structure of a function
- Creating your own function
- Examples and applications of functions

# Introduction

---

Functions are an important part of R because they allow the user to customize and extend the language.

- Functions allow for reproducible code without copious/error prone retyping
- Organizing code into functions for performing specified tasks makes complex programs tractable
- Often necessary to develop your own algorithms or take existing functions and modify them to meet your needs

# Structure of a function

---

Functions are created using the `function()` directive and are stored as R objects.

Functions are defined by;

1. A function name with assignment to the `function()` directive. (Function names can be almost anything. However, the usage of names of existing functions should be avoided.)
2. The declaration of arguments/variables 'passed' to the function
3. Finally, giving the operations (the function body) that perform computations on the provided arguments

# Structure of a function

---

The basic structure of a function is:

```
my.func <- function(arg1, arg2, arg3, ...) {  
  <commands>  
  return(output.object)  
}
```

- Function arguments (`arg1, arg2, ...`) are the objects 'passed' to the function and used by the function's code to perform calculations.
- The `<commands>` part describes what the function will do to `arg1, arg2`
- After doing these tasks, `return()` the output of interest. (If this is omitted, output from the last expression evaluated is returned)

# Calling a function

---

Functions are called by their name followed by parentheses containing possible argument names.

A call to the function generally takes the form;

```
my.func(arg1=expr1, arg2=expr2, arg3=exp3, ...)
```

or

```
my.func(expr1, expr2, expr3, ...)
```

- Arguments can be ‘matched’ by name or by position (recall Session 2, and use of defaults when calling functions)
- A function *can* also take no arguments; entering `my.func()` will just execute its commands. This can be useful, if you do *exactly* the same thing repeatedly
- Typing just the function name *without* parentheses prints the definition of a function

# Function body – more details

---

- The function body appears within {curly brackets}. For functions with just one expression the curly brackets {} are not required – but they may help you read your code
- Individual commands/operations are separated by new lines
- An object is returned by a function with the `return()` command, where the object to be returned appears inside the parentheses. Experts: you can `return()` from any place in the function, not just in the final line
- Variables that are created inside the function body exist *only* for the lifetime of the function. This means they are not accessible outside of the function, in an R session

## Example: returning a single value

---

Here's a function for calculating the coefficient of variation (the ratio of the standard deviation to the mean) for a vector;

```
coef.of.var <- function(x){  
  meanval <- mean(x,na.rm=TRUE) # recall this means "ignore NAs"  
  sdval   <- sd(x,na.rm=TRUE)  
  return(sdval/meanval)  
}
```

Translated, this function says “if you give me an object, that I will call `x`, I will store its `mean()` as `meanval`, then its `sd()` as `sdval`, and then return their ratio `sdval/meanval`.”

Doing this to the `airquality`'s 1973 New York ozone data;

```
> data(airquality) # make the data available in this R session  
> coef.of.var(airquality$Ozone)  
[1] 0.7830151
```



## Example: returning multiple values

---

A function can return multiple objects/values by using `list()` – which collects objects of (potentially) different types.

The function below calculates estimates of the mean and standard deviation of a population, based on a vector (`x`) of observations;

```
popn.mean.sd <- function(x){
  n          <- length(x)
  mean.est   <- mean(x,na.rm=TRUE)
  var.est    <- var(x,na.rm=TRUE)*(n-1)/n
  est       <- list(mean=mean.est, sd=sqrt(var.est))
  return(est)
}
```

- The in-built `var()` applies a bias correction term of  $n/(n-1)$ , which we don't want here
- Easier to write a new function than correct this every time

## Example: returning multiple values

---

Applying our `popn.mean.sd()` function to the daily ozone concentrations in New York data;

```
> results <- popn.mean.sd(airquality$Ozone)
> attributes(results) #list the attributes of the object returned
$names
[1] "mean" "sd"
> results$mean
[1] 42.12931
> results$sd
[1] 32.8799
```

- Elements of lists can also be obtained using *double* square brackets, e.g. `results[[1]]` or `results[[2]]`.
- Can also use `str()` to see what's in a list

# Declaring functions within functions

---

Usually, functions that take arguments, execute R commands, and return output will be enough. But functions can be declared and used inside a function;

```
square.plus.cube <- function(y) {  
  square <- function(x) { return(x*x) }  
  cube   <- function(x) { return(x^3) }  
  return(square(y) + cube(y))  
}
```

Translated; “if you given me a number, that I will call *y*, I will define a function I call *square* that takes a number that *it* calls *x* and returns *x*-squared, then similarly one I call *cube* that cubes, then I will return the sum of applying *square* to *y* and *cube* to *y*”.

```
> square.plus.cube(4)  
[1] 80
```

## Example: function returning a function

---

And functions can also return other functions, as output;

```
make.power <- function(n){  
  pow <- function(x){x^n}  
  pow  
}
```

Translated; “if you given me a number, that I will call `n`, I will define a function that takes a number that *it* calls `x` and raises `x` to the `n`th power, and I will return this function”.

```
cube <- make.power(3)  
square <- make.power(2)  
> cube(3)  
[1] 27  
> square(3)  
[1] 9
```


# Example: functions as arguments

---

Functions can take other functions as arguments. This is helpful with finding *roots* of a function; values of  $x$  such that  $f(x) = 0$ .

The *Newton-Raphson* method finds roots of  $f(x) = 0$  by the following iteration procedure:

$$x_{n+1} = x_n - \frac{f(x_n)}{f'(x_n)}$$



## Example: functions as arguments

---

A function to implement the Newton-Raphson method, given input of arguments, a place to start, and convergence tolerance:

```
newton.raphson <- function(f,fprime,x0,thresh){
  myabsdiff <- Inf
  xold      <- x0
  while(myabsdiff>thresh){ # have we converged yet? If no, move;
    xnew      <- xold-f(xold)/(fprime(xold))
    myabsdiff <- abs(xnew-xold)
    xold      <- xnew
  }
  return(xnew)
}
```

- Inf is (positive) infinity – here, it ensures we go round the loop at least once
- Recall we saw `while()` loops in Session 6
- We could also use `repeat()` here


# Example: functions as arguments

We'll find the roots of  $f(x) = x^2 + 3x - 5$ , using Newton-Raphson.  
We need the derivative of  $f(x)$ :  $f'(x) = 2x + 3$

```
myf      <- function(x){ x^2 + 3*x - 5 }  
myfprime <- function(x){ 2*x + 3 }
```

We use the `newton.raphson()` function with initial value of 10 and a convergence threshold of 0.0001 to obtain a root:

```
> newton.raphson(f=myf,fprime=myfprime,x0=10,thresh=0.0001)  
[1] 1.192582
```



How did we do?

$$\frac{-b \pm \sqrt{b^2 - 4ac}}{2a} = \frac{-3 \pm \sqrt{3^2 + 4 \times 5}}{2} \approx -4.19, 1.19$$

(Try other values of  $x_0$  to find the other root)

# Tips for writing functions

---

- Avoid rewriting the same code... use functions!
- Modularize as much as possible: write function that call other functions. (Start with the low-level ones)
- Test your functions: use data/arguments for which you know the results to verify that your functions are working properly
- Later on: provide documentation, including detailed comments describing the procedures being conducted by the functions, especially for large, complex programs
- Use *meaningful* variable and function names



# Summary

---

- User-defined functions are easy to create in R, with `my.fun <- function(argument list)`
- Arguments of a function are allowed to be practically any R object including lists, numeric vectors, data frames, and functions
- In functions calls, arguments are matched by name or by position
- An object can be returned by a function with `return()`. If `return()` is not invoked, the last evaluated expression in the body of a function will be returned.
- `list()` can be used for returning multiple values