

## References since last update (I included only those which I have used)

- Banks, D.J., S/F. Porcella, K.D. Barbian, J.M. Martin, and J.M. Musser. 2003. Structure and distribution of an unusual chimeric genetic element encoding macrolide resistance in phylogenetically diverse clones of group A *Streptococcus*. *J. Infect. Dis.* 188:1891-1908.
- Banks, D.J., S/F. Porcella, K.D. Barbian, S.B. Beres, L.E. Philips, J.M. Voyichh, F.R. DeLeo, J.M. Martin, G.A. Somerville, and J.M. Musser. 2004. Progress toward characterization of the group a *Streptococcus* metagenome: Complete genome sequence of a macrolide-resistant serotype M6 strain. *J. Infect. Dis.* 190:727-738.
- Bartkus, J.M., A. Juni, K. Ehresmann, C. A. Miller, G. N. Sanden, P. K. Cassiday, M. Saubolle, B. Lee, J. Long, A. R. Harrison, Jr., and J. M. Besser. 2003. Identification of a mutation associated with erythromycin resistance in *Bordetella pertussis*: Implications for surveillance of antimicrobial resistance. *J. Clin Microbiol.* 41:1167-1172.
- Besier, S., K-P. Hunfeld, I. Giesser, V. Schafer, V. Brade, and T. A. Wichelhaus. 2003. Selection of ketolide resistance in *Staphylococcus aureus*. *Int. J. Antimicrob. Agents.* 22:87-88.
- Biskri, L., and D. Mazel. 2003. Erythromycin esterase gene *ere(A)* is located in a functional gene cassette in an unusual class 2 integron. *Antimicrob. Agents Chemother.* 47: 3326-.
- Bozdogan, B., S. Galopin, and R. Leclercq. 2004. Characterization of a new *erm*-related macrolide resistance gene present in probiotic strains of *Bacillus clausii*. *App. Environ. Microb.* 70:280-284.
- Bozdogan B., P.C. Appelbaum, L. Ednie, I.N. Grivea, and G.A. Syrogiannopoulos. 2003. Development of macrolide resistance by ribosomal protein L4 mutation in *Streptococcus pyogenes* during micocamycin treatment of an eight-year-old Greek child with tonsillopharyngitis. *Clin. Microbiol. Infect.* 9:966-969
- Brenciani, A., K.K. Ojo, A. Monachetti, S. Menzo, M.C. Roberts, P.E. Varaldo, and E. Giovanetti. Distribution and molecular analysis of *mef(A)*-containing elements in tetracycline-susceptible and – resistant *Streptococcus pyogenes* clinical isolates with efflux-mediated erythromycin resistance. *J. Antimicrob. Chemother.* 54:991-998, 2004.
- Brook, I and K. Shah. 2003. Effect of amoxicillin or clindamycin on the adenoids bacterial flora. *Otolary. Head Neck Surg.* 129:5-10.
- Bryskier, A., and A. Denis. 2001. Ketolides: novel antibacterial agents designed to overcome resistance to erythromycin A within gram-positive cocci. P. 97-140. In *Macrolide antibiotics* (eds) W. Schonfeld, and H.A. Kirst. Birkhauser Verlag, Basel-Boston-Berlin.
- Carfartan, G., Gerardin, P., Turck, D., Husson, M-O. 2004. Effect of subinhibitory concentrations of azithromycin on adherence of *Pseudomonas aeruginosa* to bronchial mucins collected from cystic fibrosis patients. *J. Antimicrob. Chemother.* 53: 686-688.
- Camps, M., G. Arrizabalaga, and J. Boothroyd. 2002. An rRNA mutation identifies the apicoplast as the target for clindamycin in *Toxoplasma gondii*. *Mol. Microbiol.* 43:1309-1328.
- Canu A., B. Malbruny, M. Coquemont, T.A. Davies, P.C. Appelbaum, and R. Leclercq. 2002. Diversity of ribosomal mutations conferring resistance to macrolides, clindamycin, streptogramin, and telithromycin in *Streptococcus pneumoniae*. *Antimicrob Agents Chemother.* 46:125-131.
- Clark, J. P.; Langston, E. 2003. Ketolides: a new class of antibacterial agents for treatment of community-acquired respiratory tract infections in a primary care setting. *Mayo Clinic Proc.* 78:1113-1124.
- Cousin, S.L., Jr, W.L. Whittington, and M.C. Roberts. 2003. Acquired macrolide resistance genes in pathogenic *Neisseria* spp. isolated between 1940 and 1987. *Antimicrob. Agents Chemother.* 47:3877-3880.
- Cousin, S.L., Jr, W.L. Whittington, and M.C. Roberts. 2004. Insertion of a thymine (+T) in the 13 base pair inverted repeat of the *Neisseria gonorrhoeae mtr* promoter region and antibiotic susceptibility. *Internat. J. Antimicrob Agents.* 23:418-419.
- Daly, M., S. Doktor, R. Flamm, and V. Shortridge. 2004. Characterization and prevalence of MefA, MefE,

- and the associated *msr(D)* in *Streptococcus pneumoniae* clinical isolates. *J. Clin Microbiol.* 42:3570-3574.
- Del Grosso, M., A.C. d'Abusco, F. Iannelli, G. Pozzi, and A. Panatosti. 2004. Tn2009, a Tn916-like element containing *mef(E)* in *Streptococcus pneumoniae*. *Antimicrob. Agents Chemother.* 48:2037-2042.
- Del Grosso, M., F. Iannelli, M. Monaco, F. D'Ambrosico, G. Pozzi, A. Pantosti. 2004. Different Properties of *Streptococcus pneumoniae* Isolates Carrying the Two Subclasses of the Efflux Gene *mef(A)*. C2-8204, ICCAC 2004.
- Farrell D.J., S. Douthwaite, I. Morrissey, S. Bakker, J. Poehlsgaard, L. Jakobsen, and D. Felmingham. 2003. Macrolide resistance by ribosomal mutation in clinical isolates of *Streptococcus pneumoniae* from the PROTEKT 1999-2000 study. *Antimicrob Agents Chemother.* 47:1777-1783.
- Furneri, P.M., G. Rappazzo, M. P. Musumarra, P. D. Pietro, L. S. Catania, and L. S. Roccasalva. 2001. Two new point mutations at A2062 associated with resistance to 16-membered macrolide antibiotics in mutant strains of *Mycoplasma hominis*. *Antimicrob. Agents Chemother.* 45 :2958-2960.
- Frenck, R.W., Jr., A. Mansour, I. Nakhla, Y. Sultan, S. Putam, T. Wierzba, M. Morsy, and C. Knirshc. 2004. Short-course azithromycin for the treatment of uncomplicated typhoid fever in children and adolescents. *Clin. Infect. Dis.* 38:951-957.
- Gay, K, and D.S. Stephens. 2001. Structure and dissemination of a chromosomal insertion element encoding macrolide efflux in *Streptococcus pneumoniae*. *J. Infect. Dis.* 184:56-65.
- Garza-Ramos, G., L. Xiong, P. Zhong, and A. Mankin. 2001. Binding site of macrolide antibiotics on the ribosome: New resistance mutation identifies a specific interaction of ketolides with rRNA. *J. Bacteriol.* 184:6898-6907.
- Gupta, A., H. Vlamakis, N. Shoemaker, and A. A. Salyers. 2003. A new *Bacteroides* conjugative transposon that carries an *ermB* gene. *Appl. Environ. Microbiol.* 69:6455-663.
- Giovanetti, E., A. Brenciani, R. Lupidi, M.C. Roberts, and P.E. Varaldo. 2003. The presence of the *tet(O)* gene in erythromycin and tetracycline-resistant strains of *Streptococcus pyogenes*. *Antimicrob. Agents Chemother.* 47:2844-2849.
- Hansen J.L., J.A. Ippolito, N. Ban, P. Nissen, P.B. Moore, and T.A. Steitz. 2002. The structures of four macrolide antibiotics bound to the large ribosomal subunit. *Mol. Cell* 10:117-128.
- Harms, J.M., F. Schluenzen, P. Fucini, H. Bartels, and A.E. Yonath. 2004. Alterations at the peptidyl transferase centre of the ribosome induced by the synergistic action of the streptogramins dalfopristin and quinupristin. *BMC Biology* 2:4.
- Haroche, J., J. Alligent, and N. El Solh. 2002. Tn5406, a new staphylococcal transposon conferring resistance to streptogramin A and related compounds including dalfopristin. *Antimicrob. Agents Chemother.* 46:2337-2343.
- Hsueh, P-R, L-J. Teng, C-M. Lee, W-K. Huang, T-L. Wu, J-H. Wan, D. Yang, J-M. Shyr, Y-C. Chuang, J-J. Yan, J-J. Lu, J-J. Wu, W-C. Ko, F-Y. Chang, Y-C. Yang, Y-J. Lau, Y-C. Liu, H-S. Leu, C-Y. Liu, and K-T. Luh. 2003. Telithromycin and quinupristin-dalfopristin resistance in clinical isolates of *Streptococcus pyogenes*: SMART Program 2001 Data. *Antimicrob. Agents Chemother.* 47:2152-2157.
- Imanumar, Y. K. Yanagihara, Y. Mizuta, M. Seki, H. Ohno, Y. Higashiyama, Y. Miyazaki, K. Tsukamoto, Y. Hirakata, K. Tomono, J. Kadota, and S. Kohno. 2004. Azithromycin inhibits MUC5AC production induced by the *Pseudomonas aeruginosa* autoinducer N-(3-oxododecanoyl) homoserine lactone in NCI-H292 cells. *Antimicrob. Agents Chemother.* 48:3457-3461.
- Jensen L.B., and F.M. Aarestrup. 2001. Macrolide resistance in *Campylobacter coli* of animal origin in Denmark. *Antimicrob. Agents Chemother.* 45:371-372.
- Johnson, S.R., A.L. Sandul, M. Parekh, S.A. Wang, J.S. Knapp, and D.L. Trees. 2003. Mutations causing in vitro resistance to azithromycin *Neisseria gonorrhoeae*. *Int. J. Antimicrob. Agents* 21:414-419.

- Jones, R.N., P. Della-Latta, L.V. Lee, and D.J. Biedenbach. 2002. Linezolid-resistant *Enterococcus faecium* isolated from a patient without prior exposure to an oxazolidinone: report from the SENTRY antimicrobial surveillance program. *Diagn. Microbiol. Infect. Dis.* 42:137-139.
- Jost, G.H., A.C. Field, H.T. Trinh, J. G. Songer, and S. J. Billington. 2003. Tylosin resistance in *Arcanobacterium pyogenes* is encoded by an Erm X determinant. *Antimicrob. Agents Chemother.* 47:3519-3524.
- Jost, G.H., H.T. Trinh, J. G. Songer, and S. J. Billington. 2004. Ribosomal mutations in *Arcanobacterium pyogenes* confer a unique spectrum of macrolide resistance. *Antimicrob. Agents Chemother.* 48:1021-1023.
- Kim, Y-H., C-J. Cha, and C-E. Cerniglia. 2002. Purification and characterization of an erythromycin esterase from an erythromycin-resistant *Pseudomonas* sp. (*ereA*). *FEMS Microbiol. Lett.* 210:239-.
- Kehoe L.E., J. Snidwongse, P. Courvalin, J.B. Rafferty, and I.A. Murray. 2003. Structural basis of Synercid (quinupristin-dalfopristin) resistance in Gram-positive bacterial pathogens. *J Biol Chem.* 278:29963-29970.
- Leclercq, R. 2002. Mechanisms of resistance to macrolides and lincosamides: Nature of the resistance elements and their clinical implications. *Clin. Infect. Dis.* 34:482-492.
- Lee S.Y., Y. Ning, and J.C. Fenno. 2002. 23S rRNA point mutation associated with erythromycin resistance in *Treponema denticola*. *FEMS Microbiol Let.* 207:39-42.
- Li, X.Z., and H. Nikaido. 2004. Efflux-mediated drug resistance in bacteria. *Drugs.* 64:159-204.
- Livermore, D.M. 2003. Linezolid *in vitro*: mechanism and antibacterial spectrum. *J. Antimicrob. Chemother.* 51: ii9-ii16.
- Luna, V.A., M. Heiken, K. Judge, C. Uelp, N. Van Kirk, H. Luis, M. Bernardo, J. Leitao, and M.C. Roberts. 2002. Distribution of the *mef(A)* gene in Gram-positive bacteria from healthy Portuguese children. *Antimicrob. Agents Chemother.* 46:2513-2517.
- MacGowan, A.P. 2003 Pharmacokinetic and pharmacodynamic profile of linezolid in healthy volunteers and patients with gram-positive infections. *J. Antimicrob. Chemother.* 51:ii17-ii25.
- MacGowan, J.E., Jr. 2004. Minimizing antimicrobial resistance: The key role of the infectious disease physician. *Clin. Infect. Dis.* 38:939-942.
- Malbruny, B., A. Canu, B. Bozdogan, B. Fantin, V. Zarrouk, S. Dutka-Malen, C. Feger, and R. Leclercq. 2002. Resistance to quinupristin-dalfopristin due to mutations of L22 ribosomal protein in *Staphylococcus aureus*. *Antimicrob. Agents Chemother.* 46:2200-2207.
- Malbruny B., K. Nagai, M. Coquemont, B. Bozdogan, A.T. Andrasevic, H. Hupkova, R. Leclercq, and P.C. Appelbaum. 2002. Resistance to macrolides in clinical isolates of *Streptococcus pyogenes* due to ribosomal mutations. *J. Antimicrob. Chemother.* 49:935-939.
- Mamelli, L., J-P. Amoros, J-M. Pages, and J-M. Bolla. 2003. A phenylalanine-arginine -naphthylamide sensitive multidrug efflux pump involved in intrinsic and acquired resistance of *Campylobacter* to macrolides *Internat. J. Antimicrob. Agents.* 22:237-
- Marshall, S.H., C.J. Donskey, R. Hutton-Thomas, R.A. Salata, and L.B. Rice. 2002. Gene dosage and linezolid resistance in *Enterococcus faecium* and *Enterococcus faecalis*. *Antimicrob. Agents Chemother.* 46:3334-3336.
- Martel, A., V. Meulenaere, L. A. Devriese, A. Decostere, and F. Haesebrouck. 2003. Macrolide- and lincosamide-resistance in the Gram-positive nasal and tonsillar flora of pigs. *Microbial. Drug Res.* 9:293-297.
- Meka, V.G., S.K. Pillai, G. Sakoulas, C. Wennersten, L. Venkataraman, P.C. Degirolami, G.M. Eliopoulos, R.C. Moellering Jr., and H.S. Gold. 2003. Linezolid resistance in *Staphylococcus aureus* associated with a T2500A mutation in domain V of the 23S rRNA gene and loss of a rRNA gene copy abst C1-1736. In: *Interscience Conference on Antimicrobial Agents and Chemotherapy, Chicago, IL.*

- Misyurina, O.Y., E.V. Chipitsyna, Y.P. Finashutina, V.N. Lazarev, T.A. Akopian, A.M. Savicheva, and V.M. Govorun. 2004. Mutations in a 23S rRNA gene of *Chlamydia trachomatis* associated with resistance to macrolides. *Antimicrob. Agents Chemother.* 48:1347-1349.
- Muller-Serieys, C., J. Andrews, F. Vacheron and C. Cantalloube. 2004. Tissue kinetics of telithromycin, the first keto. Misyurina, O.Y., E.V. Chipitsyna, Y.P. Finashutina, V.N. Lazarev, T.A. Akopian, A.M. Savicheva, and V.M. Govorun. 2004. Mutations in a 23S rRNA gene of *Chlamydia trachomatis* associated with resistance to macrolides. *Antimicrob. Agents Chemother.* 48:1347-1349.
- Mukhtar, T.A., K.P. Koteva, D.W. Hughes, and G.D. Wright. 2001. *Vgb* from *Staphylococcus aureus* inactivates streptogramin B antibiotics by an elimination mechanism not hydrolysis. *Biochem.* 40:8877-8886. *Antibacterial J. Antimicrob. Chemother.* 53:149-157.
- Nash, K.A. 2003. Intrinsic macrolide resistance in *Mycobacterium smegmatis* is conferred by a novel *erm* gene, *erm(38)*. *Antimicrob. Agents Chemother.* 47:3053-.
- Ng, L.K., I. Martin, G. Liu, and L. Bryden, L. 2002. Mutations in 23S rRNA associated with macrolide resistance in *Neisseria gonorrhoeae*. *Antimicrob. Agents Chemother.* 46:3020-.
- Ojo, K. K., C. Ulep, N. Van Kirk, H. Luis, M. Bernardo, J. Leitao, and M.C. Roberts. 2004. The *mef(A)* gene predominates among seven macrolide resistant genes identified in 13 Gram-negative genera from healthy Portuguese children. *Antimicrob. Agents Chemother.* 48:3451-3456.
- Ojo, K.K., H. Luis, M. Bernardo, J. Leitao, and M.C. Roberts. Gram-positive elements carrying the macrolide resistance efflux *mef(A)* and *msr(D)* genes in Gram-negative commensal bacteria. Abstracts of the Forty-fourth Interscience Conference on Antimicrobial Agents and Chemotherapy, no. C2-1891.
- Paterson, D.L., A. W. Pasculle, and K. McCurry. 2003. Linezolid: The first oxazolidinone antimicrobial. *Annals of Internal Med.* 139:863-864.
- Pereyre, S., P. Gonzalez, B. de Barbeyrac, A. Darnige, H. Renaudin, A. Charron, S. Raheison, C. Bebear, and C.M. Bebear. 2002. Mutations in 23S rRNA account for intrinsic resistance to macrolides in *Mycoplasma hominis* and *Mycoplasma fermentans* and for acquire resistance to macrolides in *M. hominis*. *Antimicrob. Agents Chemother.* 46:3142-3150.
- Peric, M., B. Bozdogan, M.R. Jacobs, and P.C. Appelbaum. 2003. Effects of an efflux mechanism and ribosomal mutations on macrolide susceptibility of *Haemophilus influenzae* clinical isolates. *Antimicrob. Agents Chemother.* 47:1017-1022.
- Plante, I. D. Centron, and P.H. Roy. 2003. An integron cassette encoding erythromycin esterase, *ere(A)*, from *Providencia stuartii*. *Antimicrob. Agents Chemother.* 51:787-790.
- Poehlsgaard, J., and S. Douthwaite. 2003. Macrolide antibiotic interaction and resistance on the bacterial ribosome. *Cur. Op. Invest. Drugs.* 4:140-148.
- Prunier, A.L., B. Malbruny, D. Tande, B. Picard, and R. Leclercq. 2002. Clinical isolates of *Staphylococcus aureus* with ribosomal mutations conferring resistance to macrolides. *Antimicrob. Agents Chemother.* 46:3054-3056.
- Rahim, S., S.K. Pillai, H.S. Gold, L. Venkataraman, K. Inglima, and R.A. Press. 2003. Linezolid-resistant, vancomycin-resistant *Enterococcus faecium* infection in patients without prior exposure to linezolid. *Clin. Infect. Dis.* 36:e146-e148.
- Reinert R.R., R. Lutticken, J.A. Sutcliffe, A. Tait-Kamradt, M.Y. Cil, H.M. Schorn, A. Bryskier, and A. Al-Lahham. 2004. Clonal relatedness of erythromycin-resistant *Streptococcus pyogenes* isolates in Germany. *Antimicrob Agents Chemother.* 48:1369-1373.
- Reinert R.R., A. Wild, P. Appelbaum, R. Lutticken, M.Y. Cil, and A. Al-Lahham. 2003. Ribosomal mutations conferring resistance to macrolides in *Streptococcus pneumoniae* clinical strains isolated in Germany. *Antimicrob Agents Chemother.* 47:2319-2322.
- Reynolds, E., J.I. Ross, and J.H. Cove. 2003. *msr(A)* and related macrolide/streptogramin resistance determinants: incomplete transporters? *Int. J. Antimicrob. Agents.* 22:228-236.
- Roberts, M.C. 2004. Distribution of macrolide, lincosamide, streptogramin, ketolide and oxazolidinone

- (MLSKO) resistance genes in Gram-negative bacteria. Special Topics Issue Current Drug Targets. 4:207-215.
- Roberts, M. C. Resistance to macrolide, lincosamide, streptogramin, ketolide and oxazolidinone antibiotics. Molecular Biotechnology. 28:47-62, 2004.
- Rudolph, K. M., A.J. Parkinson and M.C. Roberts. 1998. Molecular analysis by pulsed-field gel electrophoresis and antibiogram of *Streptococcus pneumoniae* serotype 6B isolates from selected areas within the United States. J. Clin. Microbiol. 36:2703-2707.
- Saiman, L., Y. Chen, P. San Gabriel, C. Knirsch. 2002. Synergistic activities of macrolide antibiotics against *Pseudomonas aeruginosa*, *Burkholderia cepacia*, *Stenotrophomonas maltophilia*, and *Alcaligenes xylosoxidans* isolated from patients with cystic fibrosis. Antimicrob. Agents Chemother. 46:1105-1107.
- Saiman, L., B.C.Marshall, N. Mayer-Hamblett, J.L. Burns, A.L. Quittner, D.A. Cibene, S. Coquillette, A.Y. Fieberg, F.J. Accurso, P.W. Campbell III. 2003. Azithromycin in patients with cystic fibrosis chronically infected with *Pseudomonas aeruginosa*: A randomized controlled trial. JAMA 290: 1749-1756.
- Sanai, Y., G.R. Persson, J.R. Starr, H.S. Luis, M. Bernardo, J. Leitao, J and M.C. Roberts, M.C. 2002. Presence and antibiotic resistance of *Porphyromonas gingivalis*, *Prevotella intermedia* and *Prevotella nigrescens* in children. J. Clin. Periodon. 29:929-934.
- Santagati, M., F. Iannelli, M. R., Oggioni, S. Sefani, and F. Pozzi. 2000. Characterization of a genetic element carrying the macrolide efflux gene *mef(A)* in *Streptococcus pneumoniae*. Antimicrob. Agents Chemother. 44:2585-2587.
- Santagati, M., F. Iannelli, C. Cascone, F. Campanile, M. R., Oggioni, S. Sefani, and F. Pozzi. 2003. The novel conjugative transposon Tn1207.3 carries the macrolide efflux gene *mef(A)* in *Streptococcus pyogenes*. Microb. Drug Res. 9:243-247.
- Schlunzen F, J.M. Harms, F. Franceschi, H.A. Hansen, H. Bartels, E. Zarivach, and A. Yonath. 2003. Structural basis for the antibiotic activity of ketolides and azalides. Structure 11:329-338.
- Sugantino M., and S.L. Roderick. 2002. Crystal structure of Vat(D): an acetyltransferase that inactivates streptogramin group A antibiotics. Biochem. 41:2209-2216.
- Special Topics Issue Current Drug Targets. 2004. vol 4. issue 3:169-260. Entire issue on macrolide resistance
- Sutcliffe, J.A., and R. Leclercq. 2003. Mechanisms of resistance to macrolides, lincosamides and ketolides. In Macrolide Antibiotics. In W. Schonfeld, H.A. Kirst (eds) p. 281-317. Birkhauser Verlag, Basel.
- Teng, L-J.; Hsueh, P-R.; Tsai, J-C.; Liaw, S-J.; Ho, S-W.; Luh, K-T.2002, High incidence of cefoxitin and clindamycin resistance among anaerobes in Taiwan. Antimicrob. Agents Chemother. 46:2908-2913.
- Tenson, T.; Lovmar, M; Ehrenbert, M. 2003. The mechanism of action of macrolides, lincosamides and streptogramin B reveals the nascent peptide exit path in the ribosome. J. Mol. Biol. 330:1005-1014.
- Thungapathra, M.; Amita, K.K.; Sinha, K.K.; Chaudhuri, S.R; Garg, P.; Ramamurthy, T.; Nair, G.B.; Ghosh, A. 2002. Occurrence of antibiotic resistance gene cassettes *aac(6')-Ib*, *dfrA5*, *dfrA12*, and *ereA2* in Class I integrons in Non-O1, Non-O139 *Vibrio cholerae* strains in India. Antimicrob. Agents Chemother. 46:2948-2955.
- Tsiodras, S., H.S. Gold, G. Sakoulas, G.M. Eliopoulos, C. Wennersten, L. Vendataraman, R.C. Moellering, and M.J. Ferraro. 2001. Linezolid resistance in a clinical isolate of *Staphylococcus aureus*. Lancet 358:207-208.
- Vester, B.; Douthwaite, S. 2001. Macrolide resistance conferred by base substitutions in 23S rRNA. Antimicrob. Agents Chemother. 45:1-12.
- Waite, K., C. Johnson, B. Gray, K. Edwards, M. Crain, and W. Benjamin, Jr. 2000. Use of clindamycin disks to detect macrolide resistance mediated by *ermB* and *mefE* in *Streptococcus pneumoniae* isolates

- from adults and children. *J. Clin Microbiol.* 38:1731-1734.
- Wang, Y., G.R., Wang, A. Shelby, N.B. Shoemaker, and A.A. Salyers. 2003. A newly discovered *Bacteroides* conjugative transposon, CTnGERM1, contains genes also found in Gram-positive bacteria. *App. Environ. Microbiol.* 69:4594-4603.
- Wilcox, M.H. 2003. Efficacy of linezolid versus comparator therapies in Gram-positive infections. *J. Antimicrob. Chemother.* 51(Suppl S2): ii27-ii35.
- Wilson, P., J.A. Andrews, R. Charlesworth, R. Walesby, M. Singer, D.J. Farrell, and M. Robbins. 2003. Linezolid resistance in clinical isolates of *Staphylococcus aureus*. *J. Antimicrob. Chemother.* 51:186-188.
- Woodford, N., L. Tysall, C. Auckland, M.W. Stockdale, A.J. Lawson, R.A. Walkerm, and D.M. Livermore. 2002. Detection of oxazolidinone-resistant *Enterococcus faecalis* and *Enterococcus faecium* strains by real-time PCR and PCR-restriction fragment length polymorphism analysis. *J. Clin. Microbiol.* 40:298-4300.
- Yagi, B.H.; Zurenko, G.E. 2003, An in vitro time-kill assessment of linezolid and anaerobic bacteria. *Anaerobe* 9:1-3.
- Zarantonelli, L., G. Borthagaray, E. H. Lee, W. Veal, and W. M. Shafer. 2001. Decrease susceptibility to azithromycin and erythromycin mediated by a novel *mtr*(R ) promoter mutation in *Neisseria gonorrhoeae*. *J. Antimicrob Chemother.* 47:651-654.