

Selected New References (2001-2002)

- Bingen, E. R. Leclercq, F. Fitoussi, N. Brahimi, B. Malbrun, D. Deforche, and R. Cohen. 2002. Emergence of group A streptococcus strains with different mechanisms of macrolide resistance. *Antimicrob. Agents Chemother.* 45:3223-3225.
- Boerlin, P., A. P. Burnenes, J. Frey, P. Kuhner, and J. Nicolet. 2001. Molecular epidemiology and genetic linkage of macrolide and aminoglycoside resistance in *Staphylococcus intermedius* of canine origin. *Vet. Microbiol.* 79:155-169.
- Clarebout, G., E. Nativelle, R. Leclercq. 2001. Unusual inducible cross resistance to macrolides, lincosamides, and streptogramins B by methylase production in clinical isolates of *Staphylococcus aureus*. *Microb. Drug Resist.* 7:317-322.
- Chung, W.O., J. Gabany, G. R. Persson, and M.C. Roberts. 2002. Distribution of *erm*(F) and *tet*(Q) genes in four oral bacterial species and genotypic variation between resistant and susceptible isolates. *J Clin Periodon.* 29:152-158.
- Di Modugno, V., M. Guerrini, S. Shah, J. Hamilton-Miller. 2002. Low level resistance to oleandomycin as a marker of *erm*(A) in staphylococci. *J. Antimicrob. Chemother.* 49:425-427.
- Farrow, K. A., D. Lyras, and J. I. Rood. 2001. Genomic analysis of the erythromycin resistance element Tn5398 from *Clostridium difficile*. *Microbiol.* 147:2717-2728.
- Farrow, K. A., D. Lyras, G. Polekhina, K. Koutsis, M. W. Parker, and J. I. Rood. 2002. Identification of essential residues in the *erm*(B) rRNA methyltransferase of *Clostridium perfringens*. *Antimicrob. Agents Chemother.* 46:1253-1261.
- Felmingham, D. 2001. Microbiological profile of telithromycin, the first ketolide antimicrobial. *Clin. Microbiol. & Infect. Dis.* 7(Suppl. 3):2-10.
- Fines, M., M. Gueudin, A. Ramon, and R. Leclercq. 2001. In vitro selection of resistance to clindamycin related to alterations in the attenuator of the *erm*(TR) gene of *Streptococcus pyogenes* UCN1 inducibly resistant to erythromycin. *J. Antimicrob. Chemother.* 48:411-416.
- Fontana, C., M. Favaro, S. Minelli et al. 2002. New site of modification of 23S rRNA associated with clarithromycin resistance of *Helicobacter pylori* clinical isolates. *Antimicrob. Agents Chemother.* 46:3765-3769.

- Giovanetti, E., G. Magi, A. Brenciani et al. 2002. Conjugative transfer of the *erm*(A) gene from erythromycin-resistant *Streptococcus pyogenes* to macrolide-susceptible *S. pyogenes*, *Enterococcus faecalis* and *Listeria innocua*. J. Antimicrob. Chemother. 50:249-252.
- Hammerum, A. M., S.E. Flannagan, D. B. Clewell, and L. B. Jensen. 2001. Induction of transposition of a mobile DNA element containing the *vat*(D) and *erm*(B) gene in *Enterococcus faecium*. Antimicrob. Agents Chemother. 45:3223-3225.
- Leclercq R. 2001. Overcoming antimicrobial resistance: profile of a new ketolide antibacterial, telithromycin. J. Antimicrob. Chemother. 48 (Supp. T1):9-23.
- Liu, M. and S. Douthwaite. 2002. Activity of the ketolide telithromycin is refractory to Erm monomethylation of bacterial rRNA. Antimicrob. Agents Chemother. 46:1629-1633.
- Luna, V.A., M. Heiken, K. Judge, C. Uelp, N. Van Kirk, H. Luis, M. Bernardo, J. Leitao, and M.C. Roberts. 2002. Distribution of the *mef*(A) gene in gram-positive bacteria from healthy Portuguese children. Antimicrob. Agents Chemother. 46:2513-2517.
- Ma A, R. F. Clark A. Brazzale et al. 2001. Novel erythromycin derivatives with aryl groups tethered to the C-6 position are potent protein synthesis inhibitors and active against multidrug-resistant respiratory pathogens. J. Med. Chem. 44:4137-4156.
- Matsuoka, M. Inoue, M. Y. Nakajima, and Y. Endo. 2002. New *erm* gene in *Staphylococcus aureus* Clinical Isolates. Antimicrob. Agents Chemother. 46:211-215.
- McGee, L., K. P. Klugman, A. Wasas, T. Capper, and A. Brink. 2001. Serotype 19F multiresistant pneumococcal clone harboring two erythromycin resistance determinants (*erm*(B) and *mef*(A)) in South Africa. Antimicrob. Agents Chemother. 45:1595-1598.
- Nagai, K., P.C. Appelaum, T. A. Davies et al. 2002. Antimicrob. Agents Chemother. Susceptibilities to telithromycin and six other agents and prevalence of macrolide resistance due to L4 ribosomal protein mutation among 992 pneumococci from 10 Central and Eastern European countries. 46:371-377.
- Noredin, A. M., D. Roberts, K. Nichol et al. 2002. Pharmacodynamic modeling of clarithromycin against macrolide-resistant [PCR-positive *mef*(A) or *erm*(B)] *Streptococcus pneumoniae* simulating clinically achievable serum and epithelial lining fluid free-drug concentrations. Antimicrob. Agents Chemother. 46:4029-4034.
- Roberts M.C. Resistance to tetracycline, macrolide-lincosamide-streptogramin, trimethoprim and sulfonamide drug classes. 2002. Molec. Biotechnology. 20:261-283.

- Rosato A. E., B. S. Lee, and K. A. Nash. 2001. Inducible macrolide resistance in *Corynebacterium jeikeium*. *Antimicrob. Agents Chemother.* 45:1982-1989.
- Ross, K. O., E. A. Eady, E. Carnegie, and J.H. Cove. 2002. Detection of transposon Tn5432-mediated macrolide-lincosamide-streptogramin B (MLS_B) resistance in cutaneous propionibacteria from six European cities. *J. Antimicrob. Chem.* 49:165-168.
- Schmitz, F., J. J. Petridou, N. Astflak, S. Scheuring, K. Kohrer, J. Verhoef, A. C. Fluit and S. Schwarz. 2001. Structural alterations in the translational attenuator constitutively expressed *erm(A)* genes in *Staphylococcus aureus*. *Antimicrob. Agents Chemother.* 45:1603-1604.
- Schonfeld, W., H. A. Kirst (eds). 2002. Milestones in drug Therapy: Macrolide antibiotics. Birkhauser Verlag, Basel, Switzerland. ISBN-3-7643-6186-7
- Schmitz, F. J., J. Petridou, H. Jagusch, N. Astfalk, S. Scheuring, and S. Schwarz. 2002. Molecular characterization of ketolide-resistant *erm(A)*-carrying *Staphylococcus aureus* isolates selected in vitro by telithromycin, ABT-773, quinupristin and clindamycin. *J. Antimicrob. Chemother.* 49:611-617.
- Schwarz, S., C. Kehrenberg, and K.K. Ojo. 2002. *Staphylococcus sciuri* gene *erm(33)*, encoding inducible resistance to macrolides, lincosamides, and streptogramin B antibiotics, is a product of recombination between *erm(C)* and *erm(A)*. *Antimicrob. Agents Chemother.* 46:3621-3623.
- Seral, C. F. J. Castillo, M. C. Rubio-Calvo, A. Fenoll, C. Garcia, and R. Gomez-Lus. 2001. Distribution of resistance genes *tet(M)*, *aph3'-III*, *catpC194* and the integrase gene of Tn1545 in clinical *Streptococcus pneumoniae* harbouring *erm(B)* and *mef(A)* gene in Spain. *J. Antimicrob Chemother* 47:863-866.
- Shoemaker, N.B., H. Vlamakis, K. Hayes, and A.A. Salyers. 2001. Evidence for extensive resistance gene transfer among *Bacteroides* spp. and other genera in the human colon. *App Environ Microb.* 67:561-568.
- Shortridge, V. D., P. Zhong, Z. Cao, J. M. Beyer, L. S. Almer, N. C. Ramer, S. Z. Doktor, and R. K. Flamm. 2002. Comparison of in vitro activities of ABT-773 and telithromycin against macrolide-susceptible and -resistant streptococci and staphylococci. *Antimicrob. Agents Chemother.* 46:783-786.
- Simjee, S. D. G. White, D. D. Wagner et al. 2002. Identification of *vat(E)* in *Enterococcus faecalis* isolates from retail poultry and its transferability to *Enterococcus faecium*. *Antimicrob. Agents Chemother.* 46:3823-3828.
- Wang, B. Y., B. Chi, H. K. Kuramitsu. 2002. Genetic exchange between *Treponema denticola* and *Streptococcus gordonii* in biofilms. *Oral Microbiol. Immun.* 17:108-112.

Zhanel, G.G. and D. J. Hoban. 2002. Ketolides in the treatment of respiratory infections. Expert. Opin. Pharmacother. 3:277-297.