

TABLE I

Different Types of Radiative Transfer Inverse Problems

<p>A. Sensing (temperature-independent) applications</p> <ol style="list-style-type: none"> 1. Optical property estimation: for the mean number of secondaries and the expansion coefficients of the angular scattering function 2. Optical thickness estimation: for the thickness of the medium above a surface of known or unknown albedo (e.g., assuming a Lambertian reflection law) 3. Internal source estimation: for the magnitude and location of sources within the medium 4. Boundary condition estimation: for the angular distribution of incident or reflected radiation at boundaries of the medium that causes a measured distribution at another spatial location <p>B. Energy balance (temperature-dependent) applications</p> <ol style="list-style-type: none"> 1. Heat flux estimation: for only radiative transfer, or radiative transfer plus conduction or convection or both 2. Temperature estimation: for only radiative transfer, or radiative transfer plus conduction or convection or both

TABLE II

Considerations When Developing a Solution to an Inverse Radiative Transfer Problem

<p>A. Radiation detectors</p> <ol style="list-style-type: none"> 1. Field of view <ol style="list-style-type: none"> a. Narrow (collimated) b. Broad (angle integrated) 2. Location <ol style="list-style-type: none"> a. Outside the medium (<i>remote</i>) b. Inside the medium (<i>in situ</i>) <p>B. Source of photons</p> <ol style="list-style-type: none"> 1. Type of illumination <ol style="list-style-type: none"> a. Passive (inherent radiation field) b. Active (induced radiation field) 2. Time dependence <ol style="list-style-type: none"> a. Steady state (e.g., a continuous-working laser) b. Pulsed (e.g., a pulsed laser) 3. Location <ol style="list-style-type: none"> a. On the medium boundary (external) b. Inside the medium (<i>in situ</i>)
--