BIOLOGICAL FRAMEWORKS FOR ENGINEERS

Session #3 [nm: Information Handling and the Genetic Code]

General Objectives:

- ✓ Review central dogma of molecular biology and DNA basics
- ✓ Discuss replication, transcription, and translation and clarify information handling in cells
- ✓ Discuss the possibilities of genetic coding and rationale

<u>Central Framework:</u>

✓ Genetic information stored in DNA, codes for the synthesis of trillions of proteins using a safe, redundant mechanism.

Interactive Activity:

✓ Discussion on information handling parallels between a computer and a cell; worksheet examining the genetic code and sequencing.

Session Outline:


- I. Replication, Transcription, and Translation in Detail
 - A. Central dogma of molecular biology

B. Replication

C. Transcription

D. Translation

II. The Genetic Code



2nd base in codon							
1st base in codon		\Box	O	Α	G		
	U	Phe Phe Leu Leu	Ser Ser Ser Ser	Tyr Tyr STOP STOP	Cys Cys STOP Trp	UCAG	or a pa
	С	Leu Leu Leu Leu	Pro Pro Pro Pro	His His GIn GIn	Arg Arg Arg Arg	UCAG	ord pase in codon
	Α	lle lle lle Met	Thr Thr Thr Thr	Asn Asn Lys Lys	Ser Ser Arg Arg	UCAG	=
	G	Val Val Val Val	Ala Ala Ala Ala	Asp Asp Glu Glu	Gly Gly Gly Gly	∪∪∢g	

The Genetic Code

IN-CLASS DISCUSSION: Parallels between information handling on a computer and in cells

1.	How is the stored information handled and what are the basic units? Computer
	Cell
2.	How is information copied and what are the steps?
	Computer
	Cell
3.	How is information retrieved and what are the steps?
	Computer
	Cell
4.	Using the genetic code table (above), fill in the following. For the amino acid sequence, start with the first ATG of the sense strand. (The sense strand is the one that is in the same orientation as the mRNA strand; the antisense strand is the one that gets copied into mRNA.) It helps to mark off the codons by threes.
DNA	(5') G G A T A G C A T G A A A C C C G C A T A A (3') (sense strand)
	(3') (antisense strand)
mRNA	(5')
amino	acid
5.	A coding region in an mRNA of 1.6 kb would produce a polypeptide of (how many?) amino acids. (kb = kilobases, 1000 bases or nucleotides)