## **Geog 461 Learning Objective Outline**

## LOO 18 Integrated, Watershed Planning Analysis

Integrated analysis across functional themes is important to data analyses for growth management approaches. Taking into consideration values and criteria in two or more functional categories is a cross-category analysis, and essentially an extension of the basic analyses approaches for chapters 5, 6, and 7. We maintain the depth of analysis, but broaden the analysis to consider impacts other than within a single theme.

18.1 What is important for integrating functional themes for GIS data analysis in planning? Nyerges and Jankowski GISDS Chapter 8 Section 8.1 Work plans for integrated, watershed planninglevel analysis

Since the early 1990's, integrated water resource management (IWRM) is receiving increased attention as a modified form of the more traditional approach to planning (Dzurik 2003 p. 102). The difference is that it is not as broad as comprehensive planning, nor as narrow as functional planning. Although there are many similarities to the rational planning model, there are also a number of differences.

In regards to river basin planning, IRWM emphasizes an approach whereby:

- 1. Water resources have various physical aspects (e.g., surface, ground, quantity, quality),
- 2. Water is a system, but it is also a component that interacts with other systems (e.g., interaction between land and water, interaction between river and estuary),
- 3. IWRM can consider interrelationships between water and social and economic development (e.g., role of water in hydropower, industrial production, urban growth),
- 4. IWRM can consider the river not only in terms of the water itself but also the biological resources that rely upon it in its natural state (e.g., fish and wildlife, benthic organisms, plants)
- 5. IWRM can incorporate a river in its full extent, from headwaters to the estuary, and in consideration of the entire range of potential uses over its length
- 6. IWRM can view the resource and its uses from a long-term perspective as well as from a short-term perspective (Dzurik 2003, Mitchell 1990)

Despite the need for integrated water resource management, there are several barriers to implementation. Dzurik (2003 P. 107) summarizes the 24 barriers to integrated environmental management presented by Cairns (1991), and articulates the ten most salient barriers as:

- Integrated management takes time, and time means money; agencies do not fund necessary time for this activity
- Turf battles run rampant in organizations
- Many participants are unwilling to compromise
- Changes in lifestyle required by the integrated resource perspective are strongly resisted by some, not only by individuals but by institutions and corporations
- Society is oriented toward growth rather than maintenance
- Political process is oriented toward polarizing issues rather than integrated management
- Institutions of higher learning do not train people to think in an integrative manner
- Short-term profits are enticing
- An attitude of "what has posterity done for me" is common
- Reluctance to changing ways of doing things

To give an idea of the relationship between water resources and other themes we can overview some of the categories of water use described by Heathcote (1998) (see Table 8.1).

Table 8.1 Water Use Categories Employed in Water Catchment Planning (Adapted from Heathcote 1998, p 62. Table 3.1)

| Water Category                    | Typical use                                   |
|-----------------------------------|---|
| Potable (drinking) water supply   | Municipal water supply                        |
|                                   | Residential water supply (private wells)      |
| Industrial water supply           | Process water supply                          |
|                                   | Cooling waters                                |
| Agriculture                       | Irrigation waters                             |
| -                                 | Livestock waters (milkhouse and cattle wash)  |
| Flood control                     | Impoundment of high flows for delayed release |
| Thermal electric power generation | Cooling waters                                |
| Hydroelectric power generation    | Impoundment of water for power generation     |
| Navigation                        | Recreational boating                          |
| -                                 | Commercial shipping                           |
| Water-based recreation            | Recreational fishing                          |
|                                   | Recreational boating                          |
|                                   | Swimming                                      |
|                                   | Birding                                       |
| Fish and Wildlife habitat         | Aquatic and riparian habitats                 |
|                                   | Protection of community structure             |
|                                   | Protection of rare and endangered species     |
| Water quality management          | Protection of minimum flows                   |
|                                   | Low flow augmentation                         |
|                                   | Assimilation of wastewater discharges         |
|                                   |   |

GISDS Figure 8.1 – Five phases and eight steps in integrated watershed planning process



Watershed Planning Process Workflow

According to Heathcote (1998, p. 187), a simple assessment for identifying impacts related to water use impairments would take the following steps.

- focus on a small number of impaired uses
- use a small number of indicators with which to evaluate improvements in impaired uses
- make a comprehensive inventory of sources
- identify key sources of data
- eliminate infeasible options using systematic evaluation techniques
- use present and future scenarios to capture likely trends over time
- focus on specific outputs, including recommendations for immediate action, for deferred action, and for additional data collection and analysis

The simple assessment described above can be performed using Phase 1, 3, 5, 6, and 7 from the synthesized workflow process of Chapter 3. It is adequate to provide a general characterization of impairments. However, a detailed assessment requires more. A detailed assessment adds phases 2 and 4 - process simulation and change related to impacts on alternatives – to the other phases performed in a simple assessment. In a detailed assessment, the analysis will likely yield

- identification and detailed characterization of specific sources of problem
- quantitative evidence in regard to the performance of different management alternatives
- elucidation of processes, and thus cause-and-effect relationships within the basin
- detailed and quantitative projections about the impact of specific remedial measures on instream hydrology, water quality, and biological systems

A simple assessment commonly involves mapping with existing secondary source data. The more detailed assessment would involve mapping with data captured in the field.