1. [6] TRUE/FALSE: Circle T in each of the following cases if the statement is *always* true. Otherwise, circle F. Let f be a function defined everywhere.

$$\mathrm{T}\quad\mathrm{F}\quad\mathrm{If}\,\lim_{x\to\infty}f(x)=\infty\;\mathrm{and}\,\lim_{x\to\infty}g(x)=\infty,\,\mathrm{then}\,\lim_{x\to\infty}[f(x)-g(x)]=0.$$


T F If f is differentiable at x, then f is continuous at x.

T F 
$$\lim_{x \to 1} \frac{\log_2(x)}{x-1} = \lim_{x \to 1} \frac{(x-1)(\log_2(x))' - (\log_2(x))(x-1)'}{(x-1)^2}$$
 by L'Hospital's Rule.


- T F All local extrema numbers are also critical numbers.
- T F If f has a local minimum or maximum when x = 4, then f'(4) = 0.
- T F If f is such that f'(4) = 0, then there is a local minimum or maximum when x = 4.

Show your work for the following problems. The correct answer with no supporting work will receive NO credit.

- 2. [7] (Exam 2 #2) Sketch a graph and then find a formula of an example function f that satisfies the following conditions:
  - (a) f is not differentiable when x = 1,
  - (b) f is continuous when x = 1,
  - (c) f'(-3) = 1, and
  - (d)  $\lim_{x \to \infty} f(x) = -4$



3. (Exam 1 #3) The graphs of f and g are shown below. Find the exact value (if possible):




$$f(x) = \begin{cases} x+1 & \text{if } x \le 1\\ 1 & \text{if } x = 1\\ -2 & \text{if } 1 < x < 2\\ -(x-3)^2 + 2 & \text{if } 2 \le x \end{cases}$$

$$\lim_{x \to 1^+} f(x)$$

[2] (§2.3 #2f) 
$$\lim_{x \to 3} \sqrt{7 + f(x)}$$

[3] 
$$(\S 3.4 \# 65)$$
  $(f \circ g)'(4)$ 


[3] (PracticeFinal #4) Sketch the graph of g'(x) on the blank set of axes to the right.



$$g(x) = \begin{cases} x^2 - 1 & \text{if } -1 \le x < 2\\ -2x + 7 & \text{if } 2 \le x \le 4.5 \end{cases}$$

$$[1] \text{ (WebHW2\#1)} \\ \lim_{x \to 2} g(x)$$

[3] (Derivative Wks) 
$$(f \cdot g)'(4)$$



4. Find the following limits if they exist. Make sure you show your work and justify your conclusions!

[3] (§2.2 Example 8) 
$$\lim_{x\to 0}\frac{1}{x^2}$$

[4] Quiz 3 #1 
$$\lim_{x \to 0} \frac{\sin(3x)\sin(5x)}{x^2}$$

[4] (PracticeExam1 #4) 
$$\lim_{x \to -\infty} e^x \sin x$$


[3] (Quiz 1 #2) 
$$\lim_{x \to 1} \frac{x^3 - 1}{x^2 - 1}$$


5. Find  $\frac{dy}{dx}$  for each of the following: (Do not simplify!)

[4] (§3.6 #47)  
$$y = (\cos x)^x$$

[3] (PracticeExam2 #8a)  
$$x^2 + 4y^2 = 5$$

6. The equation  $x^2 + 4y^2 = 5$  defines an ellipse shown to the right.





(b) [4] (Derivative Wks #4) Find the points on the ellipse whose tangent lines are parallel to the line 2y + x = 4.


7. [3] (WebHW13 #12) If g(2) = 7 and  $-3 \le g'(x) \le 1$  for  $2 \le x \le 5$ , how small can g(5) possibly be? Briefly justify your answer.

8. Find the most general antiderivative for:

[2] (WebHW16 #1) 
$$y = x - 8$$

[2] (Lecture 
$$3/5$$
)  
$$y = 5^x \ln(5)$$

- 9. The graph of  $y = \frac{1}{x}$  is shown to the right along with the vertical lines x = e and x = 1.
  - (a) [3] (Lecture 3/5) Find  $\int_1^e \frac{1}{x} dx$ ,



(b) [1] (Lecture 3/5) Explain what you found in part (a) in terms of area.

- 10. [5] Choose only *ONE* of the following. Clearly identify which of the two you are answering and what work you want considered for credit.
  - (Word Wks2 #10) A trough is 10 ft long and its ends have the shape of isosceles triangles that are 3 ft across at the top and have a height of 1 ft. If the trough is being filled with water at a rate of 12ft<sup>3</sup>/min, how fast is the water level rising when the water is 6 inches deep?
  - (Exam2 #8) A ladder 10 ft long rests against a vertical wall. If the bottom of the ladder slides away from the wall at a rate of 1 ft/s, how fast is the angle between the lader and the ground changing when the bottom of the ladder is 6ft from the wall?

- 11. [5] Choose only *ONE* of the following. Clearly identify which of the two you are answering and what work you want considered for credit.
  - A breeder has been selling 100 labradoodles a year at \$1500 each. A market survey indicated that for each increase in price by \$100, the number of labradoodles sold will decrease by 5 a year. Similarly for each decrease in price by \$100, the number of labradoodles sold will increase by 5 a year. Use calculus to find out what price the breeder should set so as to maximize his/her revenue?
  - (Word Wks #1) A fence 17 ft tall runs parallel to the tall building at a distance of 9 ft from the building. What is the length of the shortest ladder that will reach from the ground over the fence to the wall of the building?