NAME:

1. [3] TRUE/FALSE: Circle T in each of the following cases if the statement is *always* true. Otherwise, circle F. Let a and b be constants.

T F
$$\int_a^b f(x) - g(x)dx = \int_a^b f(x)dx - \int_a^b g(x)dx$$

T F
$$\int_a^b f(x)g(x)dx = \int_a^b f(x)dx \int_a^b g(x)dx$$

T F
$$\int_{-1}^{1} \frac{1}{x^2} dx = \frac{-1}{x} \Big|_{-1}^{1} = \frac{-1}{1} - \frac{-1}{-1} = -2$$

Show your work for the following problems. The correct answer with no supporting work will receive NO credit (this includes multiple choice questions).

2. [4] Carefully write down the first Fundamental Theorem of Calculus.

3. [4] Find the equation of the line that is tangent to the graph of $y = \ln x$ at $x = e^b$ for some constant b.

$$f(x) = \begin{cases} -\sqrt{4 - x^2}; & \text{if } -2 \le x \le 2\\ x - 2; & \text{if } 2 < x \end{cases}$$

- 4. Refer to the above definition of f(x) to answer the following questions.
 - (a) [2] Carefully graph f(x) on the set of axis provided.

- (b) [3] Use your above graph to find $\int_{-2}^{4} f(x)dx$.
- (c) [4] Sketch the graph of $\int_{-2}^{x} f(t)dt$ above and clearly mark it as such.

5. [3] Find $\frac{d}{dx} \int_0^{x^2} \sqrt{1+r^3} \, dr$

6. [5] Set up the definite integral what gives the area of the region bounded by y+1=x and the parabola $\frac{1}{2}y^2-3=x$. Do *not* evaluate the integral.

7. [6 each] Evaluate *ONLY TWO* of the following. Indicate clearly which two you want graded by completely striking the problem you do not want graded.

(a)
$$\int_{-\frac{\pi}{2}}^{\frac{\pi}{2}} \frac{x^2 \sin x}{1 + x^6} \, dx$$

(b)
$$\int x^3 \sqrt{x^2 + 1} \, dx$$

(c)
$$\int \frac{e^x}{1 + e^{2x}} dx$$

8. [10] Kobayashi has won the hot dog-eating world championship six times. Recently he challenged a giant bear to a 3 minute hot dog-eating contest. Kobayashi found that the rate he can eat hot dogs goes down as time goes by and can be modeled by $k(t) = \frac{12}{(t+1)^2} + 24$, were t is measured in minutes. The bear isn't quite as used to the system and seems to start with a slower rate that gets larger well modeled by $b(t) = 8(t^3 + 20)$. Find out how many hot dogs Kobayashi and the bear eat and determine who won the context.