

OFFICE HOURS - FALL 2023

"Tuesdays:
- 2:30 to 3:30 pm - CP 229


Fridays
- 11:00 am to 12:00 pm - ONLINE via Zoom
Or email for appointment

> Office Hours set based on Student Demographics survey feedback

October 31, 2023

TCSS42/562/50ftware Engineering for Cloud Computing [Fall 2023]
School of Engineering and Inchooling, University of Vestivington - Tacoma

1



ONLINE DAILY FEEDBACK SURVEY


■ Daily Feedback Quiz in Canvas – Take After Each Class
■ Extra Credit
for completing
Analysments
Discussions
Zoom
Grades
People
People
Pigs
Files
Quizzes
Quizzes
Quizzes
Quizzes
Cultaborations
UW Ubraries
UW Resources

1 TCSS 562 - Online Daily Feedback Survey - 10/5
Analdium will Cost 1 at 115 tippe | 10m Cost 4 m 25 pm | 1/3 m 1
TCSS 562 - Online Daily Feedback Survey - 10/5
Analdium will Cost 1 at 115 tippe | 10m Cost 4 m 25 pm | 1/3 m 1
TCSS 562 - Online Daily Feedback Survey - 10/5
School of Engineering and Technology, University of Washington - Tacoma

1 TCSS 562 - Online Daily Feedback Survey - 10/5
School of Engineering and Technology, University of Washington - Tacoma

1 TCSS 562 - Online Daily Feedback Survey - 10/5
School of Engineering and Technology, University of Washington - Tacoma

3



5

MATERIAL / PACE

Please classify your perspective on material covered in today's class (55 respondents):

1-mostly review, 5-equal new/review, 10-mostly new

Average - 6.11 (↓ - previous 6.30)

Please rate the pace of today's class:

1-slow, 5-just right, 10-fast

Average - 5.31 (↓ - previous 5.70)

Response rates:

TCSS 462: 32/44 - 72.73%


TCSS 562: 23/25 - 92.0%


October 31, 2023

TCSS462/562/Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington-Taccoma

6

Slides by Wes J. Lloyd L10.1





 TERM PROJECT PROPOSALS

21 Total term project proposals received
Status to be provided:
proposals accepted
proposals - revisions requested

Application Use Cases (summary to be provided):
TLQ pipelines
image processing pipelines
NLP pipeline
Other

TCSS42/562/561/Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Taxoma

9

AWS CLOUD CREDITS UPDATE

AWS CLOUD CREDITS ARE NOW AVAILABLE FOR TCSS 462/562

Credit sprovided on request with expiry of Sept 30, 2024

Credit codes must be securely exchanged

Request codes by sending an email with the subject "AWS CREDIT REQUEST" to wiloyd@uw.edu

Codes can also be obtained in person (or zoom), in the class, during the breaks, after class, during office hours, by appt

57 credit requests fulfilled as of Oct 30 @ 11:59p


Codes not provided using discord

OBJECTIVES - 10/31

Questions from 10/26
Tutorials Questions
Tutorial 6 - Serverless Databases
AWS Overview and demo
Tutorial 4 Demo
Ch. 5: Cloud Enabling Technology


11 12

Slides by Wes J. Lloyd L10.2




TUTORIAL 3 - DUE OCT 30 Best Practices for Working with Virtual Machines on Amazon EC2 http://faculty.washington.edu/wlloyd/courses/tcss562/tutori als/TCSS462_562_f2023_tutorial_3.pdf Creating a spot VM Creating an image from a running VM ■ Persistent spot request Stopping (pausing) VMs ■ EBS volume types Ephemeral disks (local disks) Mounting and formatting a disk Disk performance testing with Bonnie++ Cost Saving Best Practices October 31, 2023

13 14




TUTORIAL 5 - DUE NOV 13 Introduction to Lambda II: Working with Files in S3 and CloudWatch Events https://faculty.washington.edu/wlloyd/courses/tcss562/tutorials/TCSS462_562_f2023_tutorial_5.pdf Customize the Request object (add getters/setters) • Why do this instead of HashMap ? Import dependencies (jar files) into project for AWS S3 Create an S3 Bucket Give your Lambda function(s) permission to work with S3 Write to the CloudWatch logs Use of CloudTrail to generate S3 events Creating CloudWatch rule to capture events from CloudTrail Have the CloudWatch rule trigger a target Lambda function with a static JSON input object (hard-coded filename) Optional: for the S3 PutObject event, dynamically extract the name of the file put to the S3 bucket for processing October 31, 2023



OBJECTIVES - 10/31 Questions from 10/26 ■ Tutorials Questions ■ Tutorial 6 - Serverless Databases AWS Overview and demo ■ Tutorial 4 Demo Ch. 5: Cloud Enabling Technology October 31, 2023

17 18

Slides by Wes J. Lloyd L10.3




ONLINE CLOUD TUTORIALS

From the eScience Institute @ UW Seattle:
https://escience.washington.edu/.
Online cloud workshops
Introduction to AWS, Azure, and Google Cloud
Task: Deploying a Python DJANGO web application
Self-guided workshop materials available online:
https://cloudmaven.github.io/documentation/

AWS Educate provides access to many online tutorials / learning resources:
https://aws.amazon.com/education/awseducate/

19 20



AWS MANAGEMENT CONSOLE

| Company |

21

AWS EC2 ■ Elastic Compute Cloud ■ Instance types: https://ec2instances.info • On demand instance - full price Reserved Instance – contract based where customer guarantees VM rental for a fixed period of time (e.g. 1 year, 3 years, etc.) Deeper discounts with longer term commitments * Spot Instance – portion of cloud capacity reserved for low cost instances, when demand exceeds supply instances are randomly terminated with 2 minute warning Users can make diverse VM requests using different types, zones, regions, etc. to minimize instance terminations Developers can design for failure because often only 1 or 2 VMs in a cluster fail at any given time. They then need to be replaced. - Dedicated host - reserved private HW (server) Instance families General, compute-optimized, memory-optimized, GPU, etc. TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tacoma October 31, 2023 L10.23

AWS EC2 - 2 ■ Storage types Instance storage - ephemeral storage Temporary disk volumes stored on disks local to the VM Evolution: physical hard disk drives (HDDs) Solid state drives (SSDs) Non-volatile memory express (NVMe) drives (closer to DRAM speed) ■ EBS - Elastic block store Remotely hosted disk volumes EFS - Elastic file system Shared file system based on network file system VMs, Lambdas, Containers mount/interact with shared file system Somewhat expensive TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tac October 31, 2023 L10.24


23 24

Slides by Wes J. Lloyd L10.4

> **INSTANCE STORAGE** Also called ephemeral storage Persisted using images saved to S3 (simple storage service) - ~2.3¢ per GB/month on S3 • 5GB of free tier storage space on S3 Requires "burning" an image Multi-step process: Create image files Upload chunks to S3 Register image Launching a VM Requires downloading image components from S3, reassembling them... is potentially slow VMs with instance store backed root volumes not pause-able Historically root volume limited to 10-GB max- faster imaging. October 31, 2023

ELASTIC BLOCK STORE EBS provides 1 drive to 1 virtual machine (1:1) (not shared) ■ EBS cost model is different than instance storage (uses S3) ~10¢ per GB/month for General Purpose Storage (GP2) ■ ~8¢ per GB/month for General Purpose Storage (GP3) 30GB of free tier storage space ■ EBS provides "live" mountable volumes Listed under volumes Data volumes: can be mounted/unmounted to any VM, dynamically at Root volumes: hosts OS files and acts as a boot device for VM In Linux drives are linked to a mount point "directory" Snapshots back up EBS volume data to S3 Enables replication (required for horizontal scaling) EBS volumes not actively used should be snapshotted, and deleted to save EBS costs.. TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tace October 31, 2023 L10.26

25 26



EBS VOLUME TYPES - 3 Provisioned IOPS (IO1) Legacy, associated with GP2 Allows user to create custom disk volumes where they pay for a specified IOPS and throughput 32,000 IOPS, and 500 MB/sec throughput per volume MAX Throughput Optimized HDD (ST1) Up to 500 MB/sec throughput 4 5 f per GB/month Cold HDD (SC1) Up to 250 MB/sec throughput ■ 2.5 ¢ per GB/month Magnetic Up to 90 MB/sec throughput per volume ■ 5 ¢ per GB/month October 31, 2023 L10.28


27

ELASTIC FILE SYSTEM (EFS) ■ EFS provides 1 volume to many client (1: n) shared storage Network file system (based on NFSv4 protocol) ■ Shared file system for EC2, Fargate/ECS, Lambda Enables mounting (sharing) the same disk "volume" for R/W access across multiple instances at the same time Different performance and limitations vs. EBS/Instance store ■ Implementation uses abstracted EC2 instances ~ 30 ¢ per GB/month storage - default burstable throughput Throughput modes: Can modify modes only once every 24 hours Burstable Throughput Model: Baseline - 50kb/sec per GB Burst - 100MB/sec pet GB (for volumes sized 10GB to 1024 GB) Credits - .72 minutes/day per GB TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tar October 31, 2023 L10.29

ELASTIC FILE SYSTEM (EFS) - 2 Information subject to revision ■ Burstable Throughput Rates Throughput rates: baseline vs burst Credit model for bursting: maximum burst per day Baseline Aggregate
Throughput (MiB/s)
Burst Aggregate
Throughput Maximum Burst Duration System Size (GiB) Can Burst (Per Day) (MiB/s) (Min/Day) 10 0.5 100 7.2 0.5% 256 12.5 100 180 12.5% 512 25.0 100 360 25.0% 1024 50.0 100 720 50.0% 1536 75.0 150 720 50.0% 2048 100.0 200 720 50.0% 3072 150.0 300 720 50.0% 4096 200.0 400 720 50.0% October 31, 2023 L10.30


29 30

Slides by Wes J. Lloyd L10.5



ELASTIC FILE SYSTEM (EFS) - 4 Performance Comparison, Amazon EFS and Amazon EBS Amazon EFS Amazon EBS Provisioned IOPS Per-operation latency Low, consistent latency. Lowest, consistent latency. 10+ GB per second. Up to 2 GB per second Throughput scale Storage Characteristics Comparison, Amazon EFS and Amazon EBS Amazon EBS Provisioned IOPS Amazon EFS Availability Data is stored redundantly across multiple AZs. Data is stored redundantly in a single AZ. Up to thousands of Amazon EC2 instances, from multiple AZs, can connect concurrently to a file A single Amazon EC2 instance in a single AZ can connect to a file Boot volumes, transact NoSQL databases, data warehousing, and ETL. TCSS462/562:(Software Engineering for) Cla School of Engineering and Technology, Univ October 31, 2023

31 32



EC2 VIRTUALIZATION - PARAVIRTUAL

1 st, 2nd, 3rd, 4th generation → XEN-based
5 th generation instances → AWS Nitro virtualization

XEN - two virtualization modes
XEN Paravirtualization "paravirtual"

10GB Amazon Machine Image - base image size limit
Addressed poor performance of old XEN HVM mode

1/O performed using special XEN kernel with XEN paravirtual mode optimizations for better performance
Requires OS to have an available paravirtual kernel
PV VMs: will use common AKI files on AWS - Amazon kernel Image(s)

Look for common identifiers

1CSS42/S61/Software Engineering for Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tacoma

33

EC2 VIRTUALIZATION - HVM

**XEN HVM mode

**Full virtualization - no special OS kernel required

**Computer entirely simulated

**MS Windows runs in "hvm" mode

**Allows work around: 10GB instance store root volume limit

**Kernel is on the root volume (under /boot)

**No AKIs (kernel images)

**Commonly used today (EBS-backed instances)

**October 31, 2023

**TCSSEGJ/SG2:Software Engineering for Chout Computing [fail 2023]

**school of Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering for Chout Computing [fail 2023]

**School of Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma

**USESSEGJ/SG2:Software Engineering and Technology, University of Washington - Taccoma


EC2 VIRTUALIZATION - NITRO


 Nitro based on Kernel-based-virtual-machines
 Stripped down version of Linux KVM hypervisor
 Uses KVM core kernel module
 I/O access has a direct path to the device
 Goal: provide indistinguishable performance from bare metal


| October 31, 2023 | TCSS402/S02_SONWARE Engineering for Cloud Computing [Fall 2023] | School of Engineering and Technology, University of Woodington: Tacoma


35 36


Slides by Wes J. Lloyd L10.6












```
INSPECTING INSTANCE INFORMATION
■ EC2 VMs run a local metadata service

    Can query instance metadata to self discover cloud

 configuration attributes
Find your instance ID:
curl http://169.254.169.254/
curl http://169.254.169.254/latest/
curl http://169.254.169.254/latest/meta-data/
curl http://169.254.169.254/latest/meta-data/instance-id
; echo
■ ec2-get-info command
Python API that provides easy/formatted access to metadata
                 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Taco
  October 31, 2023
```

41 42

Slides by Wes J. Lloyd L10.7



AWS CLI

Launch Ubuntu 16.04 VM
Instances | Launch Instance


Install the general AWS CLI
sudo apt install awscli

Create config file
[default]
aws_access_key_id = <access key id>
aws_access_key_id = <access key id>
aws_secret_access_key = <secret access key>
region = us-east-1

October 31, 2023

ICCSMG2/SG2/SGATbanne Engineering for) Coud Computing [fail 2023]
school of Engineering and Technology, University of Washington-Tacoma

43 44



+5

LEGACY / SERVICE SPECIFIC CLI(S) sudo apt install ec2-api-tools Provides more concise output Additional functionality Define variables in .bashrc or another sourced script: export AWS_ACCESS_KEY={your access key} export AWS_SECRET_KEY={your secret key} ec2-describe-instances ec2-run-instances ec2-request-spot-instances ■ EC2 management from Java: http://docs.aws.amazon.com/AWSJavaSDK/latest/javadoc/index.html Some AWS services have separate CLI installable by package TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tar October 31, 2023 L10.47

AMI TOOLS

Amazon Machine Images tools
For working with disk volumes
Can create live copies of any disk volume
Your local laptop, ec2 root volume (EBS), ec2 ephemeral disk
Installation:
https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ami-tools-commands.html
AMI tools reference:
https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ami-tools-commands.html
Some functions may require private key & certificate files

October 31, 2023

TESS462/S621/Software Engineering for Cloud Computing [Fall 2021]
School of Engineering and Technology, University of Washington - Tacoma

47 48

Slides by Wes J. Lloyd L10.8



PRIVATE KEY, CERTIFICATE FILE

These files, combined with your AWS_ACCESS_KEY and AWS_SECRET_KEY and AWS_ACCOUNT_ID enable you to publish new images from the CLI

Objective:
Configure VM with software stack
Burn new image for VM replication (horizontal scaling)

An alternative to bundling volumes and storing in S3 is to use a containerization tool such as Docker...

Create image script ...

ICCS462/562/562/562/561/56tware Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tacoma

49 50

MAKE A DISK FROM AN IMAGE FILE # create 1200 MB virtual disk = 1,258,291,200 bytes sudo dd if=/dev/zero of=vhd.img bs=1M count=1200 # format the disk using the ext4 filesystem sudo mkfs.ext4 vhd.img # mount the disk at "/mnt" sudo mount -t auto -o loop vhd.img /mnt
check that the disk is mounted df -h # create a hello file (or copy data) to the new virtual disk cd /mnt sudo echo "hello world !" > hello.txt cd # unmount the virtual disk sudo umount /mnt TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Taco October 31, 2023 L10.52


51

compress the disk
bzip2 vhd.img
push the disk image to S3
aws s3 cp vhd.img.bz2 s3://tcss562-f21-images

RESTORE ON THE CLOUD ************** ON THE AWS EC2 VM ************ # with the awscli installed and configured aws s3 cp s3://tcss562-f21-images/vhd.img.bz2 vhd.img.bz2 # uncompress the image bzip2 -d vhd.img.bz2 # we need to calculate the number of sectors for the partition # disk sectors are 512 bytes each # divide the disk size by 512 to determine sectors # sectors = 1258291200 / 512 = 2459648 # create a disk partition for this disk that is # 2459648 sectors in size using the ephemeral drive or # a newly mounted EBS volume that is unformatted sudo fdisk /dev/nvmeln1 October 31, 2023 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tacoma L10.54

53 54

Slides by Wes J. Lloyd L10.9



COPY DATA TO NEW DISK PARTITION # now check if the partition has been created.
it should be listed as /dev/nvmelnlp1: ls /dev/nvme1n1* # now copy the data to the partition sudo dd if=vhd.img of=/dev/nvme1n1p1 mount the disk sudo mount /dev/nvmeln1p1 /mnt # and check if the hello file is there cat /mnt/hello.txt we were able to copy the disk image to the cloud and we never had to format the cloud disk this examples copies a filesystem from a local disk to the cloud disk oftware Engineering for) Cloud Computing [Fall 2023] sering and Technology, University of Washington - Taco TCSS462/562:(S School of Engin October 31, 2023

55 56




COST SAVINGS MEASURES #1: ALWAYS USE SPOT INSTANCES FOR COURSE/RESEARCH RELATED PROJECTS #2: NEVER LEAVE AN EBS VOLUME IN YOUR ACCOUNT THAT IS NOT ATTACHED TO A RUNNING VM ■ #3: BE CAREFUL USING PERSISTENT REQUESTS FOR SPOT INSTANCES #4: TO SAVE/PERSIST DATA, USE EBS SNAPSHOTS AND THEN ■ #5: DELETE EBS VOLUMES FOR TERMINATED EC2 INSTANCES. ■ #6: UNUSED SNAPSHOTS AND UNUSED EBS VOLUMES SHOULD **BE PROMPTLY DELETED!!** #7: USE PERSISTENT SPOT REQUESTS AND THE "STOP FEATURE TO PAUSE VMS DURING SHORT BREAKS October 31, 2023 L10.58




OBJECTIVES - 10/31 ■ Questions from 10/26 ■ Tutorials Questions ■ Tutorial 6 - Serverless Databases AWS Overview and demo ■ Tutorial 4 Demo Ch. 5: Cloud Enabling Technology TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tac October 31, 2023 L10.60


59 60

Slides by Wes J. Lloyd L10.10





61 62



1. BROADBAND NETWORKS
AND INTERNET ARCHITECTURE


Clouds must be connected to a network

Inter-networking: Users' network must connect to cloud's network

Public cloud computing relies heavily on the Internet

Cotober 31, 2023

TCSS462/562-(Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tacoma



PUBLIC CLOUD NETWORKING

Resources can be extended by adding public cloud


Places further dependency on the internet to provide connectivity

October 31, 2023

TCSS402/562-(Software Engineering for) Cloud Computing [ERI 2023]
School of Engineering and Technology, University of Washington-Taxoma

65 66

Slides by Wes J. Lloyd L10.11



CLOUD ENABLING TECHNOLOGY


Adapted from Ch. 5 from Cloud Computing Concepts, Technology & Architecture
Broadband networks and internet architecture
Data center technology
Virtualization technology
Multitenant technology
Web/web services technology

TCSS462/562-(Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tacoma

67



09



CLOUD ENABLING TECHNOLOGY


Broadband networks and internet architecture
Data center technology
Virtualization technology
Multitenant technology
Web/web services technology

TCSS462/562;Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Taccoma

71 72

Slides by Wes J. Lloyd L10.12

68



VIRTUAL MACHINES

 Emulation/simulation of a computer in software

 Provides a substitute for a real computer or server

 Virtualization platforms provide functionality to run an entire operating system

 Allows running multiple different operating systems, or operating systems with different versions simultaneously on the same computer

October 31, 2023

| TCSS462/562/Software Engineering for) Cloud Computing [Fall 2023] | Softood of Engineering and Technology, University of Washington - Taccoma

| Luc 24|

KEY VIRTUALIZATION TRADEOFF ■ Tradeoff space: What is the "right" level of abstraction in the cloud for sharing resources with users? Abstraction **Concerns:** Degree of Overhead Hardware Performance Too little Isolation Abstraction Security TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023] School of Engineering and Technology, University of Washington - Tac October 31, 2023

■ Overhead with too many instances w/ heavy abstractions
■ Too many instances using a heavy abstraction can lead to hidden resource utilization and waste
■ Example: Dedicated server with 48 VMs each with separate instance of Ubuntu Linux
■ Idle VMs can reduce performance of co-resident jobs/tasks
■ "Virtualization" Overhead
■ Cost of virtualization an OS instance
■ Overhead has dropped from ~100% to ~1% over last decade
■ Performance
■ Impacted by weight of abstraction and virtualization overhead

| October 31, 2023 | TCSS462/562/56/twwe Engineering for) Cloud Computing [Fall 2023] | School of Engineering and Technology, University of Washington - Tacoma

75

ABSTRACTION CONCERNS - 2

Isolation
 From others:
 What user A does should not impact user B in any noticeable way

Security
 User A and user B's data should be always separate
 User A's actions are not perceivable by User B

October 31, 2023

| TCSS462/562:ticfhuwe Engineering for Count Computing [fall 2023] | Chool of Engineering and Technology, University of Washington - Tacoma

| Line 77 | Line 72 | Li

TYPES OF ABSTRACTION IN THE CLOUD

VIrtual Machines - original laaS cloud abstraction

OS and Application Containers - seen with CaaS

OS Container - replacement for VM, mimics full OS instance, heavier

OS containers run 100s of processes just like a VM

App Container - Docker: packages dependencies to easily transport and run an application anywhere

Application containers run only a few processes

Micro VMs - FaaS / CaaS

Lighter weight alternative to full VM (KVM, XEN, VirtualBox)

Firecracker

Unlikernel Operating Systems - research mostly


Single process, multi-thread operating system


Designed for cloud, objective to reduce overhead of running too many OS instances

77 78


Slides by Wes J. Lloyd L10.13

74





79 80



COMMON VMMS:
PARAVIRTUALIZATION


TYPE 1 Hypervisor

XEN
Citrix Xen-server (a commercial version of XEN)
VMWare ESXi
KVM (virtualization support in kernel)

Paravirtual I/O drivers introduced
XEN
KVM
Virtualbox


TXSA62/562:Schware Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tacoma


81



83

Slides by Wes J. Lloyd L10.14





TYPE 2 HYPERVISOR ■ Problem: Original x86 CPUs could not trap special instructions Instructions not specially marked Solution: Use Full Virtualization ■ Trap ALL instructions ■ "Fully" simulate entire computer ■ Tradeoff: Higher Overhead Benefit: Can virtualize any operating system without modification October 31, 2023 L10.87

CHECK FOR VIRTUALIZATION SUPPORT https://cyberciti.biz/faq/linux-xen-vmware-kvm-intel-vt-amd-vsupport # check for Intel VT CPU virtualization extensions on Linux grep -color vmx /proc/cpuinfo # check for AMD V CPU virtualization extensions on Linux grep -color svm /proc/cpuinfo ■ Also see 'lscpu' → "Virtualization:" Other Intel CPU features that help virtualization: ept vpid tpr_shadow flexpriority October 31, 2023 L10.88


87

KERNEL BASED VIRTUAL **MACHINES (KVM)** ■x86 HW notoriously difficult to virtualize Extensions added to 64-bit Intel/AMD CPUs Provides hardware assisted virtualization New "guest" operating mode Hardware state switch Exit reason reporting Intel/AMD implementations different Linux uses vendor specific kernel modules October 31, 2023

KVM - 2

89 90

Slides by Wes J. Lloyd L10.15



KVM PARAVIRTUALIZED I/O

* KVM - Virtio

* Custom Linux based paravirtual device drivers

* Supersedes QEMU hardware emulation (full virt.)

* Based on XEN paravirtualized I/O

* Custom block device driver provides paravirtual device emulation

* Virtual bus (memory ring buffer)


* Requires hypercall facility

* Direct access to memory


October 31, 2023

| TESS462/S62/Software Engineering for Cloud Computing [Fall 2021]
| School of Engineering and Technology, University of Washington - Tacoma

91 92



93



FIRECRACKER MICRO VM

Provides a virtual machine monitor (VMM) (i.e. hypervisor) using KVM to create and manage microVMs

Has a minimalist design with goals to improve security, decreases the startup time, and increases hardware utilization

Excludes unnecessary devices and guest functionality to reduce memory footprint and attack surface area of each microVM

Supports boot time of <125ms, <5 MiB memory footprint

Can run 100s of microVMs on a host, launching up to 150/sec


Is available on 64-bit Intel, AMD, and Arm CPUs

Used to host AWS Lambda and AWS Fargate

Has been open sourced under the Apach 2.0 license

95 96

Slides by Wes J. Lloyd L10.16



FIRECRACKER - 2

Security

Runs in user space (not the root user) on top of the Linux Kernel-based Virtual Machine (KVM) hypervisor to create microVMs

Lambda functions, Fargate containers, or container groups can be encapsulated using Firecracker through KVM, enabling workloads from different customers to run on the same machine, without sacrificing security or efficiency

MicroVMs are further isolated with common Linux user-space security barriers using a companion program called "jailer" which provides a second line of defense if KVM is compromised

97 98

UNIKERNELS ■ Lightweight alternative to containers and VMs ■ Custom Cloud Operating System ■ Single process, multiple threads, runs one program ■ Launch separately atop of hypervisor (XEN/KVM) ■ Reduce overhead, duplication of heavy weight OS ■ OSv is most well known unikernel ■ Several others exist has research projects ■ More information at: http://unikernel.org/ ■ Google Trends OSv →

VIRTUALIZATION MANAGEMENT

Virtual infrastructure management (VIM) tools
Tools that manage pools of virtual machines, resources, etc.
Private cloud software systems can be considered as a VIM

Considerations:
Performance overhead
Paravirtualization: custom OS kernels, I/O passed directly to HW w/ special drivers


Hardware compatibility for virtualization

Portability: virtual resources tend to be difficult to migrate cross-clouds

Cotober 31, 2023

TICSS62/S62/Schahare Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tacoma

99



VIM FEATURES


Create/destroy VM Instances
Image repository
Create/Destroy/Update images
Image persistence

Contextualization of VMs
Networking address assignment
DHCP / Static IPs
Manage SSH keys

Ctober 31, 2023
TCS-662/562 (Software Engineering for) Cloud Computing [fall 2023]
School of Engineering and Technology, University of Washington - Tacoma

101 102


Slides by Wes J. Lloyd L10.17



VIM FEATURES - 3

Shared "Elastic" block storage
Facility to create/update/delete VM disk volumes
Amazon EBS
Eucalyptus SC
OpenStack Volume Controller

103




CONTAINER SERVICES

- Public cloud container cluster services
- Azure Kubernetes Service (AKS)
- Amazon Elastic Container Service for Kubernetes (EKS)
- Google Kubernetes Engine (GKE)

- Container-as-a-Service
- Azure Container Instances (ACI - April 2018)
- AWS Fargate (November 2017)
- Google Kubernetes Engine Serverless Add-on (July 2018)
- Google Cloud Run (2019)
- Google Cloud Run jobs (2022)

- October 31, 2023
- ICSS402/562/Software Engineering for Cloud Computing [Fail 2023]
- School of Engineering and Technology, University of Washington - Tacoma

105



4. MULTITENANT APPLICATIONS

Each tenant (like in an apartment) has their own view of the application
Tenants are unaware of their neighbors
Tenants can only access their data, no access to data and configuration that is not their own

Customizable features
UI, business process, data model, access control

Application architecture
User isolation, data security, recovery/backup by tenant, scalability for a tenant, for tenants, metered usage, data tier isolation


Cotober 31, 2023

TCCS402/502/50ftware Engineering for) Cloud Computing [Pall 2023]
School of Engineering and Technology, University of Washington-Tacoma

LID 100

107 108

Slides by Wes J. Lloyd L10.18



CLOUD ENABLING TECHNOLOGY

Adapted from Ch. 5 from Cloud Computing Concepts, Technology & Architecture
Broadband networks and internet architecture
Data center technology
Virtualization technology
Multitenant technology
Web/web services technology

TCSS42/562/50/tware Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington Taccoma

109 110

SOAP - "Simple" object access protocol

First generation web services

WSDL - web services description language

UDDI - universal description discovery and integration

SOAP services have their own unique interfaces

REST - instead of defining a custom technical interface REST services are built on the use of HTTP protocol

HTTP GET, PUT, POST, DELETE

October 31, 2023

ICSS40/562/562/561/SOAD (Conducting (fall 2023)

Shool of Engineering and Technology, University of Visionington - Bocoms

100 111

HYPERTEXT TRANSPORT PROTOCOL (HTTP) An ASCII-based request/reply protocol for transferring information on the web ■ HTTP request includes: request method (GET, POST, etc.) Uniform Resource Identifier (URI) HTTP protocol version understood by the client • headers-extra info regarding transfer request ■ HTTP response from server HTTP status codes: 2xx — all is well ■ Protocol version & status code → 3xx — resource moved Response headers 4xx — access problem Response body 5xx — server error October 31, 2023

111

REST: REPRESENTATIONAL STATE TRANSFER

Web services protocol

Supersedes SOAP - Simple Object Access Protocol

Access and manipulate web resources with a predefined set of stateless operations (known as web services)

Requests are made to a URI

Responses are most often in JSON, but can also be HTML, ASCII text, XML, no real limits as long as text-based

HTTP verbs: GET, POST, PUT, DELETE, ...

// SOAP REQUEST

POST /InStock HTTP/1.1
Host: www.bookshop.org
Content-Type: application/soap+xml; charset=utf-8
Content-Type: application/soap+xml; charset=utf-8
Content-Length: nnn

<?xml version="1.0"?>
<soap:Envelope
xmlns:soap="http://www.w3.org/2001/12/soap-envelope"
soap:encodingStyle="http://www.w3.org/2001/12/soap-encoding">
<soap:Body xmlns:m="http://www.w3.org/2001/12/soap-encoding">
<m:GetBookPrice>
<m:GetBookPrice>
</m:GetBookPrice>
</m:GetBookPrice>
</msightBookPrice>
</msightBookPrice>
</soap:Body
</soap:Envelope>

113 114

Slides by Wes J. Lloyd L10.19

```
// SOAP RESPONSE
POST /InStock HTTP/1.1
Host: www.bookshop.org
Content-Type: application/soap+xml; charset=utf-8
Content-Type: application/soap+xml; charset=utf-8
Content-Length: nnn

<?xml version="1.0"?>
<soap:Envelope
xmlns:soap="http://www.w3.org/2001/12/soap-envelope"
soap:encodingStyle="http://www.w3.org/2001/12/soap-encoding">
<soap:Body xmlns:m="http://www.w3.org/2001/12/soap-encoding">
<m:GetBookPriceResponse>
<m:GetBookPriceResponse>
</m:GetBookPriceResponse>
</m:GetBookPriceResponse>
</msg:Body>
</soap:Envelope>

TCSS462562;Sohware Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington-Tacoma
```

// WEDL Service Definition
Cymal versions*1.0° encodings*1977-8°79
Cymal versions*1.0° encodings*1977-8°79
Large Hilmsenges**1857;//www.ropensers.com/nonpecrs/scamples/DayOfbeak.veil*
miles its="http://www.scamplessers.com/nonpecrs/scamples/DayOfbeak.veil*
miles its="http://www.scamplessers.com/nonpecrs/scamples/DayOfbeak.veil*
miles its="http://www.scamplessers.com/nonpecrs/scamples/DayOfbeak.veil*
miles its="http://www.scamplessers.com/nonpecrs/scamples/DayOfbeak.veil*
miles its="http://www.scamplessers.com/nonpecrs/scamples/
Gastame="hayOfbeak.toput">

115 116

```
REST CLIMATE SERVICES EXAMPLE
USDA
                        // REST/JSON
                        // Request climate data for Washington
 Lat/Long
 Climate
                          'parameter": [
 Service
                             "name": "latitude",
                             "value":47.2529
                             "name": "longitude",
"value":-122.4443
■ Just provide
 a Lat/Long
                    TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2023]
School of Engineering and Technology, University of Washington - Tac
   October 31, 2023
                                                                             L10.117
```

REST - 2

App manipulates one or more types of resources.

Everything the app does can be characterized as some kind of operation on one or more resources.

Frequently services are CRUD operations (create/read/update/delete)

Create a new resource

Read resource(s) matching criterion

Update data associated with some resource

Destroy a particular a resource

Resources are often implemented as objects in OO languages

October 31, 2023

TCSA62/Se2/Software Engineering for/ Cloud Computing [Fall 2023] school of Engineering and Technology, University of Woshington - Tacoma

117

REST ARCHITECTURAL ADVANTAGES

Performance: component interactions can be the dominant factor in user-perceived performance and network efficiency

Scalability: to support large numbers of services and interactions among them

Simplicity: of the Uniform Interface

Modifiability: of services to meet changing needs (even while the application is running)

Visibility: of communication between services

Portability: of services by redeployment

Reliability: resists failure at the system level as redundancy of infrastructure is easy to ensure

October 31, 2023

INCSSECIENTWINE Engineering for) Cloud Computing [Fail 2023]
School of Engineering and Technology, University of Washington - Tocoma

QUESTIONS

Clober 31, 2023

TCSS4607652 (Software Engineering for) Cloud Computing (Fall 20 School of Engineering for) Technology, University of Washington: 1 cms

Ltd 12
6

119 120

Slides by Wes J. Lloyd L10.20