




Τ



2



3



4

Star	CSS 56 ted: Oct 7 a uiz Ins	nt 1:13am		Daily	Feedb	ack S	Surve	y - 10	/5				
		Question 1								0.5 pts			
	On a class		to 10, please classify your perspective on material covered in today's										
	1	2	3	4	5	6	7	8	9	10			
		Mostly Equal Review To Me New and Review						Mostly New to Me					
	Que	estion 2 0.5 pts											
	Pleas	Please rate the pace of today's class:											
	1	2	3	4	5	6	7	8	9	10			
	Slow			J	ust Right				F	ast			
October 29, 2	2024	TC Scl	SS462/5 nool of E	62:(Soft	ware Eng ng and T	gineering	g for) Clo gy, Unive	oud Comersity of \	puting [F Washing	Fall 2024] gton - Tacoma		L10.5	

5

MATERIAL / PACE Please classify your perspective on material covered in today's class (44 respondents): 1-mostly review, 5-equal new/review, 10-mostly new Average - 6.11 (↑ - previous 6.05) Please rate the pace of today's class: 1-slow, 5-just right, 10-fast Average - 5.41 (↓ - previous 5.74) Response rates: TCSS 462: 29/42 - 69.05% TCSS 562: 15/20 - 75.0% October 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

6

FEEDBACK FROM 10/24

- If we use CaaS, is there a difference in how hot starts are handled compared to FaaS?
- In AWS Fargate CaaS, you create a task.
- A task either:
 - Runs a one-time script which has a finite runtime, and is always cold
 - Hosts an always-up service endpoint accessible via TCP port(s)
- A service task is always "hot" once the service is up.
- Are there any best practices/tools to guarantee we're only testing hot starts and avoiding cold start scenarios?
 - Yes, SAAF, the Serverless Application Analytics Framework, is the tool introduced in Tutorial 4 to do this.
 - Reports can be generated, and performance data is aggregated based on function state: cold (newcontainer=1) vs. warm (newcontainer=0)

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.7

7

FEEDBACK - 2

- What's the best place to host a website? Would it be better than having github host a webpage, for example? Is hosting a website also what AWS is often used for, or is AWS more for situations when you need more compute power?
- If I deploy microservices, or any code on AWS as part of a business application, what is it's lifetime? That is, if I keep paying my AWS bill, can that application run for 30 years without me maintaining it?

October 29, 2024


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

10.8

8

SAMPLE QUESTION 1 CPU hyperthreads are equivalent to physical CPUs cores and provide identical performance and throughput. A. True B. False TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

9



10

SAMPLE QUESTION 3

- In Tutorial 4, after creating a new AWS Lambda function in the AWS Management Console, and uploading the Java jar file, what must be done before attempting to call the function using the AWS CLI?
- A. Permission must be granted to write to the CloudWatch logs
- B. The function memory size and timeout needs to be adjusted
- C. The function handler must be updated
- D. A REST 'POST' endpoint must be created using the Amazon API Gateway
- E. All of the above

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.11

11

TERM PROJECT PROPOSALS

- 18 Total term project proposals received
- ** 2 students appear to not be in any project group
- Status to be provided:
 - proposals accepted, or
 - revisions requested
- Application Use Cases (summary to be provided):
 - TLQ pipelines
 - image processing pipelines
 - NLP pipeline
 - Other

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.12

12

AWS CLOUD CREDITS UPDATE

- AWS CLOUD CREDITS ARE NOW AVAILABLE FOR TCSS 462/562
- Credit codes must be securely exchanged
- Request codes by sending an email with the subject "AWS CREDIT REQUEST" to wlloyd@uw.edu
- Please provide email address and AWS account ID for tracking purposes
- Codes can also be obtained in person (or zoom), in the class, during the breaks, after class, during office hours, by appt
 - 50 credit requests fulfilled as of Oct 28 @ 11:59p
- Codes not provided using discord

October 29, 2024 TCSS462/562:

TCSS462/562: (Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.13

13

OBJECTIVES - 10/29

- Questions from 10/24
- Tutorials Questions
- Tutorial 6 Serverless Databases
- Class Activity 2 Horizontal Scaling in the Cloud
- AWS Overview and demo
- Tutorial 4 Demo
- Ch. 5: Cloud Enabling Technology

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.14

14

TUTORIAL 0

- Getting Started with AWS
- https://faculty.washington.edu/wlloyd/courses/tcss562/tutori als/TCSS462_562_f2024_tutorial_0.pdf
- Create an AWS account
- Create account credentials for working with the CLI
- Install awsconfig package
- Setup awsconfig for working with the AWS CLI

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.15

15

TUTORIAL 3 - DUE OCT 31

- Best Practices for Working with Virtual Machines on Amazon EC2
- https://faculty.washington.edu/wlloyd/courses/tcss562/tutori als/TCSS462_562_f2024_tutorial_3.pdf
- Creating a spot VM
- Creating an image from a running VM
- Persistent spot request
- Stopping (pausing) VMs
- EBS volume types

October 29, 2024

- Ephemeral disks (local disks)
- Mounting and formatting a disk
- Disk performance testing with Bonnie++
- Cost Saving Best Practices

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.16

16

TUTORIAL 4 - DUE NOV 5

- Introduction to AWS Lambda with the Serverless Application Analytics Framework (SAAF)
- https://faculty.washington.edu/wlloyd/courses/tcss562/tutori als/TCSS462_562_f2024_tutorial_4.pdf
- Obtaining a Java development environment
- Introduction to Maven build files for Java
- Create and Deploy "hello" Java AWS Lambda Function
 - Creation of API Gateway REST endpoint
- Sequential testing of "hello" AWS Lambda Function
 - API Gateway endpoint
 - AWS CLI Function invocation
- Observing SAAF profiling output
- Parallel testing of "hello" AWS Lambda Function with faas_runner
- Performance analysis using faas_runner reports
- Two function pipeline development task

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.17

17

TUTORIAL 5 - DUE NOV 14


- Introduction to Lambda II: Working with Files in S3 and CloudWatch Events
- https://faculty.washington.edu/wlloyd/courses/tcss562/tutori als/TCSS462_562_f2024_tutorial_5.pdf
- Customize the Request object (add getters/setters)
 Why do this instead of HashMap?
- Import dependencies (jar files) into project for AWS S3
- Create an S3 Bucket
- Give your Lambda function(s) permission to work with S3
- Write to the CloudWatch logs
- Use of CloudTrail to generate S3 events
- Creating CloudWatch rule to capture events from CloudTrail
- Have the CloudWatch rule trigger a target Lambda function with a static JSON input object (hard-coded filename)
- Optional: for the S3 PutObject event, dynamically extract the name of the file put to the S3 bucket for processing

October 29, 2024


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
School of Engineering and Technology, University of Washington - Tacoma

L10.18


18




19



20



21



22

ONLINE CLOUD TUTORIALS

- From the eScience Institute @ UW Seattle:
- https://escience.washington.edu/
- Online cloud workshops
- Introduction to AWS, Azure, and Google Cloud
- Task: Deploying a Python DJANGO web application
- Self-guided workshop materials available online:
- https://cloudmaven.github.io/documentation/
- AWS Educate provides access to many online tutorials / learning resources:
- https://aws.amazon.com/education/awseducate/

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.23

23

LIST OF TOPICS

- AWS Management Console
- Elastic Compute Cloud (EC2)
- Instance Storage: Virtual Disks on VMs
- Elastic Block Store: Virtual Disks on VMs
- Elastic File System (EFS)
- Amazon Machine Images (AMIs)
- EC2 Paravirtualization
- EC2 Full Virtualization (hvm)
- EC2 Virtualization Evolution

- (VM) Instance Actions
- EC2 Networking
- EC2 Instance Metadata Service
- Simple Storage Service (S3)
- AWS Command Line Interface (CLI)
- Legacy / Service Specific CLIs
- AMI Tools
- Signing Certificates
- Backing up live disks
- Cost Savings Measures
- Disk images and S3

October 29, 2024


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.2

24



25



26

AWS EC2 - 2

- Storage types
 - Instance storage ephemeral storage
 - Temporary disk volumes stored on disks local to the VM
 - Evolution: physical hard disk drives (HDDs)
 - Solid state drives (SSDs)
 - Non-volatile memory express (NVMe) drives (closer to DRAM speed)
 - EBS Elastic block store
 - Remotely hosted disk volumes
 - EFS Elastic file system
 - Shared file system based on network file system
 - VMs, Lambdas, Containers mount/interact with shared file system
 - Somewhat expensive

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.27

27

INSTANCE STORAGE

- Also called ephemeral storage
- Persisted using images saved to \$3 (simple storage service)
 - ~2.3¢ per GB/month on S3
 - 5GB of free tier storage space on S3
- Requires "burning" an image
- Multi-step process:
 - Create image files
 - Upload chunks to S3
 - Register image
- Launching a VM
 - Requires downloading image components from S3, reassembling them...
 is potentially slow
- VMs with instance store backed root volumes not pause-able
- Historically root volume limited to 10-GB max- faster imaging...

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
School of Engineering and Technology, University of Washington - Tacoma

L10.28

28

ELASTIC BLOCK STORE

- EBS provides 1 drive to 1 virtual machine (1:1) (not shared)
- EBS cost model is different than instance storage (uses S3)
 - ~10¢ per GB/month for General Purpose Storage (GP2)
 - ~8¢ per GB/month for General Purpose Storage (GP3)
 - 30GB of free tier storage space
- EBS provides "live" mountable volumes
 - Listed under volumes
 - <u>Data volumes</u>: can be mounted/unmounted to any VM, dynamically at any time
 - Root volumes: hosts OS files and acts as a boot device for VM
 - In Linux drives are linked to a mount point "directory"
- Snapshots back up EBS volume data to S3
 - Enables replication (required for horizontal scaling)
 - EBS volumes not actively used should be snapshotted, and deleted to save EBS costs...

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.29

29

EBS VOLUME TYPES - 2

- Metric: I/O Operations per Second (IOPS)
- General Purpose 2 (GP2)
 - 3 IOPS per GB, min 100 IOPS (<34GB), max of 16,000 IOPS
 - 250MB/sec throughput per volume
- General Purpose 3 (GP3 new Dec 2020)
 - Max 16,000 IOPS, Default 3,000 IOPS
 - GP2 requires creating a 1TB volume to obtain 3,000 IOPS
 - GP3 all volumes start at 3000 IOPS and 125 MB/s throughput
 - 1000 additional IOPS beyond 3000 is \$5/month up to 16000 IOPS
 - 125 MB/s additional throughput is \$5/month up to 1000 MB/s throughput

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.30

30

EBS VOLUME TYPES - 3

- Provisioned IOPS (IO1)
 - Legacy, associated with GP2
 - Allows user to create custom disk volumes where they pay for a specified IOPS and throughput
 - 32,000 IOPS, and 500 MB/sec throughput per volume MAX
- Throughput Optimized HDD (ST1)
 - Up to 500 MB/sec throughput
 - 4.5 ¢ per GB/month
- Cold HDD (SC1)
 - Up to 250 MB/sec throughput
 - 2.5 ¢ per GB/month
- Magnetic
 - Up to 90 MB/sec throughput per volume
 - 5 ¢ per GB/month

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.31

31

ELASTIC FILE SYSTEM (EFS)

- EFS provides 1 volume to many client (1:n) shared storage
- Network file system (based on NFSv4 protocol)
- Shared file system for EC2, Fargate/ECS, Lambda
- Enables mounting (sharing) the same disk "volume" for R/W access across multiple instances at the same time
- Different performance and limitations vs. EBS/Instance store
- Implementation uses abstracted EC2 instances
- ~ 30 ¢ per GB/month storage default burstable throughput
- Throughput modes:
- Can modify modes only once every 24 hours
- Burstable Throughput Model:
 - Baseline 50kb/sec per GB
 - Burst 100MB/sec pet GB (for volumes sized 10GB to 1024 GB)
 - Credits .72 minutes/day per GB

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
School of Engineering and Technology, University of Washington - Tacoma

.10.32

32

ELASTIC FILE SYSTEM (EFS) - 2 Information subject to revision Burstable Throughput Rates Throughput rates: baseline vs burst Credit model for bursting: maximum burst per day **Baseline Aggregate Burst Aggregate Maximum Burst** % of Time File System System Throughput (MiB/s) Throughput **Duration** Can Burst (Per Day) Size (GiB) (MiB/s) (Min/Day) 10 0.5 100 7.2 0.5% 256 12.5 100 180 12.5% 512 25.0 100 360 25.0% 1024 50.0 100 720 50.0% 1536 75.0 150 720 50.0% 2048 100.0 200 720 50.0% 3072 150.0 300 720 50.0% 4096 200.0 400 720 50.0% TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] October 29, 2024 L10.33 School of Engineering and Technology, University of Washington - Tacoma

33

ELASTIC FILE SYSTEM (EFS) - 3

Throughput Models


Information subject to revision

- Provisioned Throughput Model
- For applications with:
 - high performance requirements, but low storage requirements
- Get high levels of performance w/o overprovisioning capacity
- \$6 MB/s-Month (Virginia Region)
 - Default is 50kb/sec for 1 GB, .05 MB/s = 30 ¢ per GB/month
- If file system metered size has higher baseline rate based on size, file system follows default Amazon EFS Bursting Throughput model
 - No charges for Provisioned Throughput below file system's entitlement in Bursting Throughput mode
 - Throughput entitlement = 50kb/sec per GB


October 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.34

34



35



36

EC2 VIRTUALIZATION - PARAVIRTUAL

- 1st, 2nd, 3rd, 4th generation → XEN-based
- 5th generation instances → AWS Nitro virtualization
- XEN two virtualization modes
- XEN Paravirtualization "paravirtual"
 - 10GB Amazon Machine Image base image size limit
 - Addressed poor performance of old XEN HVM mode
 - I/O performed using special XEN kernel with XEN paravirtual mode optimizations for better performance
 - Requires OS to have an available paravirtual kernel
 - PV VMs: will use common <u>AKI</u> files on AWS Amazon kernel image(s)
 - Look for common identifiers

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.37

37

EC2 VIRTUALIZATION - HVM

- XEN HVM mode
 - Full virtualization no special OS kernel required
 - Computer entirely simulated
 - MS Windows runs in "hvm" mode
 - Allows work around: 10GB instance store root volume limit
 - Kernel is on the root volume (under /boot)
 - No AKIs (kernel images)
 - Commonly used today (EBS-backed instances)

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.38

38

EC2 VIRTUALIZATION - NITRO


- Nitro based on Kernel-based-virtual-machines
 - Stripped down version of Linux KVM hypervisor
 - Uses KVM core kernel module
 - I/O access has a direct path to the device
- Goal: provide indistinguishable performance from bare metal

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.39


39



40

INSTANCE ACTIONS Stop Costs of "pausing" an instance Terminate Reboot Image management Creating an image EBS (snapshot) Bundle image Instance-store October 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma


41




42



43



44



45

INSPECTING INSTANCE INFORMATION EC2 VMs run a local metadata service Can query instance metadata to self discover cloud configuration attributes Find your instance ID: curl http://169.254.169.254/ curl http://169.254.169.254/latest/ curl http://169.254.169.254/latest/ curl http://169.254.169.254/latest/meta-data/ curl http://169.254.169.254/latest/meta-data/instance-id; echo ec2-get-info command Python API that provides easy/formatted access to metadata

46


SIMPLE STORAGE SERVICE (S3) Key-value blob storage ■ What is the difference vs. key-value stores (NoSQL DB)? Can mount an S3 bucket as a volume in Linux Supports common file-system operations Provides eventual consistency Can store Lambda function state for life of container. TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]

School of Engineering and Technology, University of Washington - Tacoma


October 29, 2024

AWS CLI ■ Launch Ubuntu 16.04 VM Instances | Launch Instance Install the general AWS CLI sudo apt install awscli Create config file [default] aws_access_key_id = <access key id> aws_secret_access_key = <secret access key> region = us-east-1TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma October 29, 2024

48



49



50

LEGACY / SERVICE SPECIFIC CLI(S)

- sudo apt install ec2-api-tools
- Provides more concise output
- Additional functionality
- Define variables in .bashrc or another sourced script:
- export AWS_ACCESS_KEY={your access key}
- export AWS_SECRET_KEY={your secret key}
- ec2-describe-instances
- ec2-run-instances
- ec2-request-spot-instances
- EC2 management from Java:
- http://docs.aws.amazon.com/AWSJavaSDK/latest/javad oc/index.html
- Some AWS services have separate CLI installable by package

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.51

51

AMI TOOLS

- Amazon Machine Images tools
- For working with disk volumes
- Can create live copies of any disk volume
 - Your local laptop, ec2 root volume (EBS), ec2 ephemeral disk
- Installation:

https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ami-tools-commands.html

- AMI tools reference:
- https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ami-tools-commands.html
- Some functions may require private key & certificate files

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

.10.52

52

PRIVATE KEY AND CERTIFICATE FILE

- Install openssl package on VM
- # generate private key file \$openssl genrsa 2048 > mykey.pk
- # generate signing certificate file \$openssl req -new -x509 -nodes -sha256 -days 36500 -key mykey.pk -outform PEM -out signing.cert
- Add signing.cert to IAM | Users | Security Credentials | -- new signing certificate --
- From: http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/set-up-ami-tools.html?icmpid=docs_iam_console#ami-tools-create-certificate

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.53

53

PRIVATE KEY, CERTIFICATE FILE

- These files, combined with your AWS_ACCESS_KEY and AWS_SECRET_KEY and AWS_ACCOUNT_ID enable you to publish new images from the CLI
- Objective:
- 1. Configure VM with software stack
- 2. Burn new image for VM replication (horizontal scaling)
- An alternative to bundling volumes and storing in S3 is to use a containerization tool such as Docker. . .
- Create image script . . .

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

.10.54

54

SCRIPT: CREATE A NEW INSTANCE STORE IMAGE FROM LIVE DISK VOLUME

```
image=$1
echo "Burn image $image"
echo "$image" > image.id
mkdir /mnt/tmp
AWS_KEY_DIR=/home/ubuntu/.aws
export EC2_URL=http://ec2.amazonaws.com
export S3_URL=https://s3.amazonaws.com
export EC2_PRIVATE_KEY=${AWS_KEY_DIR}/mykey.pk
export EC2_CERT=${AWS_KEY_DIR}/signing.cert
export AWS_USER_ID={your account id}
export AWS_ACCESS_KEY={your aws access key}
export AWS_SECRET_KEY={your aws secret key}
ec2-bundle-vol -s 5000 -u ${AWS_USER_ID} -c ${EC2_CERT} -k ${EC2_PRIVATE_KEY}
--ec2cert /etc/ec2/amitools/cert-ec2.pem --no-inherit -r x86_64 -p $image -i
/etc/ec2/amitools/cert-ec2.pem
cd /tmp
ec2-upload-bundle -b tcss562 -m $image.manifest.xml -a ${AWS_ACCESS_KEY} -s ${AWS_SECRET_KEY} --url http://s3.amazonaws.com --location US
ec2-register tcss562/$image.manifest.xml --region us-east-1 --kernel aki-
88aa75e1
                        TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
     October 29, 2024
                       School of Engineering and Technology, University of Washington - Tacoma
```

55

MAKE A DISK FROM AN IMAGE FILE

```
************ ON THE LOCAL COMPUTER *************
# create 1200 MB virtual disk = 1,258,291,200 bytes
sudo dd if=/dev/zero of=vhd.img bs=1M count=1200
# format the disk using the ext4 filesystem
sudo mkfs.ext4 vhd.img
# mount the disk at "/mnt"
sudo mount -t auto -o loop vhd.img /mnt
# check that the disk is mounted
# create a hello file (or copy data) to the new virtual disk
sudo echo "hello world !" > hello.txt
ls -1
# unmount the virtual disk
sudo umount /mnt
                  TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
   October 29, 2024
                                                                    L10.56
                  School of Engineering and Technology, University of Washington - Tacoma
```

56

COMPRESS IMAGE, PUSH TO S3

```
# compress the disk
bzip2 vhd.img

# push the disk image to S3
aws s3 cp vhd.img.bz2 s3://tcss562-f21-images

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
School of Engineering and Technology, University of Washington - Tacoma
```

57

RESTORE ON THE CLOUD

```
************** ON THE AWS EC2 VM ************
 with the awscli installed and configured
# download the image from S3
aws s3 cp s3://tcss562-f21-images/vhd.img.bz2 vhd.img.bz2
# uncompress the image
bzip2 -d vhd.img.bz2
# we need to calculate the number of sectors for the
partition
# disk sectors are 512 bytes each
# divide the disk size by 512 to determine sectors
\# sectors = 1258291200 / 512 = 2459648
# create a disk partition for this disk that is
 2459648 sectors in size using the ephemeral drive or
# a newly mounted EBS volume that is unformatted
sudo fdisk /dev/nvme1n1
                 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
   October 29, 2024
                                                                L10.58
                 School of Engineering and Technology, University of Washington - Tacoma
```

58

```
PARTITION THE DISK
Welcome to fdisk (util-linux 2.34).
Command (m for help): n
Partition type
  p primary (0 primary, 0 extended, 4 free)
  e extended (container for logical partitions)
Select (default p): p
Partition number (1-4, default 1): 1
First sector (2048-97656249, default 2048): 2048
Last sector, +/-sectors or +/-size{K,M,G,T,P} (2048-97656249, default 97656249): 2459648
Created a new partition 1 of type 'Linux' and of size 1.2 GiB.
Command (m for help): t
Selected partition 1
Hex code (type L to list all codes): 83
Changed type of partition 'Linux' to 'Linux'.
Command (m for help): w (to write and exit)
                      TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
   October 29, 2024
                      School of Engineering and Technology, University of Washington - Tacoma
```

59

COPY DATA TO NEW DISK PARTITION

```
# now check if the partition has been created.
# it should be listed as /dev/nvmelnlp1:
ls /dev/nvmeln1*

# now copy the data to the partition
sudo dd if=vhd.img of=/dev/nvmeln1p1

# mount the disk
sudo mount /dev/nvmeln1p1 /mnt

# and check if the hello file is there
cat /mnt/hello.txt

# we were able to copy the disk image to the cloud
# and we never had to format the cloud disk
# this examples copies a filesystem from a local disk
# to the cloud disk

| Cotober 29, 2024 | TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
| School of Engineering and Technology, University of Washington - Tacoma
```

60

FOR MORE INFORMATION

- Example script:
- https://faculty.washington.edu/wlloyd/courses/tcss562/ examples/copy-disk-to-cloud.sh
- URLs:
- https://help.ubuntu.com/community/DriveImaging
- https://www.tecmint.com/create-virtual-harddisk-volume-inlinux/

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.61

61

COST SAVINGS MEASURES


- From Tutorial 3:
- #1: ALWAYS USE SPOT INSTANCES FOR COURSE/RESEARCH RELATED PROJECTS
- #2: NEVER LEAVE AN EBS VOLUME IN YOUR ACCOUNT THAT IS NOT ATTACHED TO A RUNNING VM
- #3: BE CAREFUL USING PERSISTENT REQUESTS FOR SPOT INSTANCES
- #4: TO SAVE/PERSIST DATA, USE EBS SNAPSHOTS AND THEN
- #5: DELETE EBS VOLUMES FOR TERMINATED EC2 INSTANCES.
- #6: UNUSED SNAPSHOTS AND UNUSED EBS VOLUMES SHOULD BE PROMPTLY DELETED !!
- #7: USE PERSISTENT SPOT REQUESTS AND THE "STOP" FEATURE TO PAUSE VMS DURING SHORT BREAKS

October 29, 2024


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.62

62



63



64



65



- Adapted from Ch. 5 from Cloud Computing Concepts, Technology & Architecture
- Broadband networks and internet architecture
- Data center technology
- Virtualization technology
- Multitenant technology
- Web/web services technology

October 29, 2024


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

.10.66


66

1. BROADBAND NETWORKS AND INTERNET ARCHITECTURE Clouds must be connected to a network Inter-networking: Users' network must connect to cloud's network Public cloud computing relies heavily on the Internet Cctober 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

67



68



69

INTERNETWORKING KEY POINTS

- Cloud consumers and providers typically communicate via the internet
- Decentralized provisioning and management model is not controlled by the cloud consumers or providers
- Inter-networking (internet) relies on connectionless packet switching and route-based interconnectivity
- Routers and switches support communication
- Network bandwidth and latency influence QoS, which is heavily impacted by network congestion

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.70

70

CLOUD ENABLING TECHNOLOGY

- Adapted from Ch. 5 from Cloud Computing Concepts, Technology & Architecture
- Broadband networks and internet architecture
- Data center technology
- Virtualization technology
- Multitenant technology
- Web/web services technology

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.71

71

2. DATA CENTER TECHNOLOGY

- Grouping servers together (clusters):
- Enables power sharing
- Higher efficiency in shared IT resource usage (less duplication of effort)
- Improved accessibility and organization
- Key components:
 - Virtualized and physical server resources
 - Standardized, modular hardware
 - Automation support: enable server provisioning, configuration, patching, monitoring without supervision... tool/API support is desirable





October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.72

72





74

CLOUD ENABLING TECHNOLOGY Broadband networks and internet architecture Data center technology Virtualization technology Multitenant technology Web/web services technology TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma


75

3. VIRTUALIZATION TECHNOLOGY Convert a physical IT resource into a virtual IT resource Servers, storage, network, power (virtual UPSs) Virtualization supports: Hardware independence Server consolidation Resource replication Resource pooling Elastic scalability Virtual servers Operating-system based virtualization Hardware-based virtualization TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

76

Provides a substitute for a real computer or server Virtualization platforms provide functionality to run an entire operating system Allows running multiple different operating systems, or operating systems with different versions simultaneously on the same computer TCSS462/S62:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

77



78

ABSTRACTION CONCERNS

- Overhead with too many instances w/ heavy abstractions
 - Too many instances using a heavy abstraction can lead to hidden resource utilization and waste
 - Example: Dedicated server with 48 VMs each with separate instance of Ubuntu Linux
 - Idle VMs can reduce performance of co-resident jobs/tasks
- "Virtualization" Overhead
 - Cost of virtualization an OS instance
 - Overhead has dropped from ~100% to ~1% over last decade
- Performance
 - Impacted by weight of abstraction and virtualization overhead

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.79

79

ABSTRACTION CONCERNS - 2

- Isolation
 - From others:
 What user A does should not impact user B in any noticeable way
- Security
 - User A and user B's data should be always separate
 - User A's actions are not perceivable by User B

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.80

80

TYPES OF ABSTRACTION IN THE CLOUD

- Virtual Machines original laaS cloud abstraction
- OS and Application Containers seen with CaaS
 - OS Container replacement for VM, mimics full OS instance, heavier
 - OS containers run 100s of processes just like a VM
 - App Container Docker: packages dependencies to easily transport and run an application anywhere
 - Application containers run only a few processes
- Micro VMs FaaS / CaaS
 - Lighter weight alternative to full VM (KVM, XEN, VirtualBox)
 - Firecracker
- Unikernel Operating Systems research mostly
 - Single process, multi-thread operating system
 - Designed for cloud, objective to reduce overhead of running too many OS instances

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.81

81

VIRTUAL MACHINES


- Type 1 hypervisor
 - Typically involves a special virtualization kernel that runs directly on the system to share the underlying machine with many guest VMs
 - Paravirtualization introduced to directly share system resources with guests bypassing full emulation
 - VM becomes equal participant in sharing the network card for example
- Type 2 hypervisor
 - Typically involves the Full Virtualization of the guest, where everything is simulated/emulated
- Hardware level support (i.e. features introduced on CPUs) have made virtualization faster in all respects shrinking virtualization overhead


October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma


L10.82

82







84



85




86




87

XEN - 3 Physical machine boots special XEN kernel Kernel provides paravirtual API to manage CPU & device multiplexing Guests require modified XEN-aware kernels Xen supports full-virtualization for unmodified OS guests in hvm mode Amazon EC2 largely based on modified version of XEN hypervisor (EC2 gens 1-4) XEN provides its own CPU schedulers, I/O scheduling October 29, 2024

88





90

CHECK FOR VIRTUALIZATION SUPPORT

- See:
 - https://cyberciti.biz/faq/linux-xen-vmware-kvm-intel-vt-amd-v-support
- # check for Intel VT CPU virtualization extensions on Linux grep -color vmx /proc/cpuinfo
- # check for AMD V CPU virtualization extensions on Linux grep -color svm /proc/cpuinfo
- Also see 'lscpu' → "Virtualization:"
- Other Intel CPU features that help virtualization: ept vpid tpr_shadow flexpriority vnmi

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.91

91

KERNEL BASED VIRTUAL MACHINES (KVM)


- x86 HW notoriously difficult to virtualize
- Extensions added to 64-bit Intel/AMD CPUs
 - Provides hardware assisted virtualization
 - New "guest" operating mode
 - Hardware state switch
 - Exit reason reporting
 - •Intel/AMD implementations different
 - Linux uses vendor specific kernel modules


October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.92

92





94

KVM PARAVIRTUALIZED I/O

- KVM Virtio
 - Custom Linux based paravirtual device drivers
 - Supersedes QEMU hardware emulation (full virt.)
 - Based on XEN paravirtualized I/O
 - Custom block device driver provides paravirtual device emulation
 - Virtual bus (memory ring buffer)
 - Requires hypercall facility
 - Direct access to memory

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.95

95

KVM DIFFERENCES FROM XEN

- KVM requires CPU VMX support
 - Virtualization management extensions
- KVM can virtualize any OS without special kernels
 - Less invasive
- KVM was originally separate from the Linux kernel, but then integrated
- KVM is type 1 hypervisor because the machine boots Linux which has integrated support for virtualization
- Different than XEN because XEN kernel alone is not a full-fledged OS

October 29, 2024


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

10.96

96

KVM ENHANCEMENTS Paravirtualized device drivers Virtio Guest Symmetric Multiprocessor (SMP) support Leverages multiple on-board CPUs Supported as of Linux 2.6.23 VM Live Migration Linux scheduler integration Optimize scheduler with knowledge that KVM processes are virtual machines October 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

97



98

FIRECRACKER MICRO VM

- Provides a virtual machine monitor (VMM) (i.e. hypervisor) using KVM to create and manage microVMs
- Has a minimalist design with goals to improve security, decreases the startup time, and increases hardware utilization
- Excludes unnecessary devices and guest functionality to reduce memory footprint and attack surface area of each microVM
- Supports boot time of <125ms, <5 MiB memory footprint</p>
- Can run 100s of microVMs on a host, launching up to 150/sec
- Is available on 64-bit Intel, AMD, and Arm CPUs
- Used to host AWS Lambda and AWS Fargate
- Has been open sourced under the Apache 2.0 license

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.99

99

FIRECRACKER - 2


- Minimalistic
- MicroVMs run as separate processes on the host
- Only 5 emulated devices are available: virtio-net, virtio-block, virtio-vsock, serial console, and a minimal keyboard controller used only to stop the microVM
- Rate limiters can be created and configured to provision resources to support bursts or specific bandwidth/operation limitations
- Configuration
- A RESTful API enables common actions such as configuring the number of vCPUs or launching microVMs
- A metadata service between the host and guest provides configuration information


October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.100

100






102

VIRTUALIZATION MANAGEMENT Virtual infrastructure management (VIM) tools Tools that manage pools of virtual machines, resources, etc. Private cloud software systems can be considered as a VIM Considerations: Performance overhead Paravirtualization: custom OS kernels, I/O passed directly to HW w/ special drivers Hardware compatibility for virtualization Portability: virtual resources tend to be difficult to migrate cross-clouds Cotober 29, 2024 CCCODER 29, 2024 TCCSC462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

103



104

VIM FEATURES Create/destroy VM Instances Image repository Create/Destroy/Update images Image persistence Contextualization of VMs Networking address assignment DHCP / Static IPs Manage SSH keys Cotober 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

105

VIM FEATURES - 2 Virtual network configuration/management Public/Private IP address assignment Virtual firewall management Configure/support isolated VLANs (private clusters) Support common virtual machine managers (VMMs) XEN, KVM, VMware Support via libvirt library October 29, 2024 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

106

VIM FEATURES - 3 Shared "Elastic" block storage Facility to create/update/delete VM disk volumes Amazon EBS Eucalyptus SC OpenStack Volume Controller

107



108

October 29, 2024


Slides by Wes J. Lloyd L10.54

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma


L10.108


CONTAINER SERVICES Public cloud container cluster services Azure Kubernetes Service (AKS) Amazon Elastic Container Service for Kubernetes (EKS) Google Kubernetes Engine (GKE) Container-as-a-Service Azure Container Instances (ACI - April 2018) AWS Fargate (November 2017) Google Kubernetes Engine Serverless Add-on (July 2018) Google Cloud Run (2019) Google Cloud Run jobs (2022) October 29, 2024 CCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

109



110





112

CLOUD ENABLING TECHNOLOGY Adapted from Ch. 5 from Cloud Computing Concepts, Technology & Architecture Broadband networks and internet architecture Data center technology Virtualization technology Multitenant technology Web/web services technology TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

113

S. WEB SERVICES/WEB Web services technology is a key foundation of cloud computing's "as-a-service" cloud delivery model SOAP - "Simple" object access protocol First generation web services WSDL - web services description language UDDI - universal description discovery and integration SOAP services have their own unique interfaces REST - instead of defining a custom technical interface REST services are built on the use of HTTP protocol HTTP GET, PUT, POST, DELETE

114

HYPERTEXT TRANSPORT PROTOCOL (HTTP) An ASCII-based request/reply protocol for transferring information on the web HTTP request includes: request method (GET, POST, etc.) • Uniform Resource Identifier (URI) HTTP protocol version understood by the client headers—extra info regarding transfer request ■ HTTP response from server HTTP status codes:

- Protocol version & status code →
- Response headers
- Response body

2xx — all is well

3xx — resource moved

4xx — access problem

5xx — server error

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

115

REST: REPRESENTATIONAL STATE TRANSFER

- Web services protocol
- Supersedes SOAP Simple Object Access Protocol
- Access and manipulate web resources with a predefined set of stateless operations (known as web services)
- Requests are made to a URI
- Responses are most often in JSON, but can also be HTML, ASCII text, XML, no real limits as long as text-based
- HTTP verbs: GET, POST, PUT, DELETE, ...

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.116

116

```
// SOAP REQUEST
POST /InStock HTTP/1.1
Host: www.bookshop.org
Content-Type: application/soap+xml; charset=utf-8
Content-Length: nnn
<?xml version="1.0"?>
<soap:Envelope</pre>
xmlns:soap="http://www.w3.org/2001/12/soap-envelope"
soap:encodingStyle="http://www.w3.org/2001/12/soap-
encoding">
<soap:Body xmlns:m="http://www.bookshop.org/prices">
  <m:GetBookPrice>
     <m:BookName>The Fleamarket</m:BookName>
  </m:GetBookPrice>
</soap:Body>
</soap:Envelope>
                 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma
October 29, 2024
                                                                     L10.11
```

```
// SOAP RESPONSE
POST /InStock HTTP/1.1
Host: www.bookshop.org
Content-Type: application/soap+xml; charset=utf-8
Content-Length: nnn
<?xml version="1.0"?>
<soap:Envelope</pre>
xmlns:soap="http://www.w3.org/2001/12/soap-envelope"
soap:encodingStyle="http://www.w3.org/2001/12/soap-
<soap:Body xmlns:m="http://www.bookshop.org/prices">
  <m:GetBookPriceResponse>
     <m: Price>10.95</m: Price>
  </m:GetBookPriceResponse>
</soap:Body>
</soap:Envelope>
                   TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma
  October 29, 2024
```

```
REST CLIMATE SERVICES EXAMPLE
USDA
                    // REST/JSON
                    // Request climate data for Washington
 Lat/Long
 Climate
                     "parameter": [
 Service
 Demo
                         "name": "latitude",
                         "value": 47.2529
                      },
                      {
                         "name": "longitude",
Just provide
                         "value": -122.4443
 a Lat/Long
                      }
                      ]
                    }
                 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024]
  October 29, 2024
                                                                  L10.120
                 School of Engineering and Technology, University of Washington - Tacoma
```

120

REST - 2

- App manipulates one or more types of resources.
- Everything the app does can be characterized as some kind of operation on one or more resources.
- Frequently services are CRUD operations (create/read/update/delete)
 - Create a new resource
 - Read resource(s) matching criterion
 - Update data associated with some resource
 - Destroy a particular a resource
- Resources are often implemented as objects in 00 languages

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.121

121

REST ARCHITECTURAL ADVANTAGES


- Performance: component interactions can be the dominant factor in user-perceived performance and network efficiency
- Scalability: to support large numbers of services and interactions among them
- Simplicity: of the Uniform Interface
- Modifiability: of services to meet changing needs (even while the application is running)
- Visibility: of communication between services
- Portability: of services by redeployment
- Reliability: resists failure at the system level as redundancy of infrastructure is easy to ensure

October 29, 2024

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2024] School of Engineering and Technology, University of Washington - Tacoma

L10.122

122



123