

Τ

### **OFFICE HOURS - FALL 2025**


- Thursdays:
  - •6:00 to 7:00 pm CP 229 & Zoom
- <u>Friday \*\*\* THIS WEEK \*\*\*</u>
  - ■11:00 am to 12:00 pm ONLINE via Zoom
- Or email for appointment
- > Office Hours set based on Student Demographics survey feedback
- \* Friday office hours may be adjusted or canceled due meeting conflicts or other obligations. Adjustments will be announced via Canvas.

October 30, 2025


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.2

2



3




4

Started	SS 562 - Online Daily Feedback Survey - 10/5 d: Oct 7 at 1:13am iz Instructions	
D	Question 1 0.5 pts  On a scale of 1 to 10, please classify your perspective on material covered in today's class:	
	1 2 3 4 5 6 7 8 9 10  Mostly Equal Mostly Review To Me New and Review New to Me	
D	Question 2 0.5 pts  Please rate the pace of today's class:	
	1 2 3 4 5 6 7 8 9 10  Slow Just Right Fast	
October 30, 202	TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma	L10.5

5

### MATERIAL / PACE Please classify your perspective on material covered in today's class (42 respondents, 28 in-person, 14 online): 1-mostly review, 5-equal new/review, 10-mostly new Average - 6.71 (↓ - previous 7.19) Please rate the pace of today's class: 1-slow, 5-just right, 10-fast Average - 5.45 (↓ - previous 5.49)


6




7

### FEEDBACK - 2 ■ There are 15 ways to deploy a 4-component application on the cloud, but how do we know which offers the best performance and lowest cost? For an application with multiple components "brute-force" testing may be necessary: D - Database M - Web Application Server F - File Server L - Logging Server Combining or separating individual components changes the total CPU, disk, and especially network I/O When two components that exchange data are on the same server, network I/O (data transfer) is faster Transfer may not require sending data over an external link ■ The Amazon "best practice" is to deploy every component with isolated infrastructure, this is known as "service isolation" TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] October 30, 2025 School of Engineering and Technology, University of Washington - Tacoma

8



9



10

### **SAMPLE QUESTION 3**

- In Tutorial 4, after creating a new AWS Lambda function in the AWS Management Console, and uploading the Java jar file, what must be done before attempting to call the function using the AWS CLI?
- A. Permission must be granted to write to the CloudWatch logs
- B. The function memory size and timeout needs to be adjusted
- C. The function handler must be updated
- D. A REST 'POST' endpoint must be created using the Amazon API Gateway
- E. All of the above

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.11

11

### TERM PROJECT PROPOSALS

- 14 Total term project proposals received
- Team 13 has uploaded proposal 3 times to Canvas
  - There should only be 1 proposal uploaded by the team lead
- Review over weekend
- Status & Feedback to be provided:
  - proposals accepted, or
  - revisions requested

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.12

12

# OBJECTIVES - 10/30 Questions from 10/28 Tutorials Questions Tutorial 6 - Serverless Databases - Next Week Class Activity 2 - Intro to Amazon EC2 AWS Overview and demo Class Activity 3 - Intro to AWS Lambda (Tutorial 4 Demo) Ch. 5: Cloud Enabling Technology

13

### TUTORIAL 3 - DUE OCT 30 (TEAMS OF 2) Best Practices for Working with Virtual Machines on Amazon EC2 https://faculty.washington.edu/wlloyd/courses/tcss562/tutorials/TCSS462\_562\_f2025\_tutorial\_3.pdf Creating a spot VM Creating an image from a running VM Persistent spot request Stopping (pausing) VMs EBS volume types Ephemeral disks (local disks) Mounting and formatting a disk Disk performance testing with Bonnie++ Cost Saving Best Practices TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

14

### **TUTORIAL 4 - DUE NOV 9**

Introduction to AWS Lambda with the Serverless Application Analytics Framework (SAAF)

https://faculty.washington.edu/wlloyd/courses/tcss562/tutorials/TCSS462\_562\_f2025\_tutorial\_4.pdf

- Set up Java development environment
- Introduction to Maven build files for Java
- Create and Deploy "hello" Java AWS Lambda Function
- Create API Gateway REST endpoint
- Sequential testing of "hello" AWS Lambda Function
  - API Gateway endpoint, AWS Lambda CLI Function invocation, AWS Function URL
- Profiling function performance with SAAF
- Concurrent function testing with faas\_runner
- Performance analysis using faas\_runner reports
- Two function pipeline development task: Caesar Cipher

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.15

15

### **TUTORIAL 5 - TO BE POSTED**

- Introduction to Lambda II: Working with Files in S3 and CloudWatch Events
- Customize the Request object (add getters/setters)
  - Why do this instead of HashMap?
- Import dependencies (jar files) into project for AWS S3
- Create an S3 Bucket
- Give your Lambda function(s) permission to work with S3
- Write to the CloudWatch logs
- Use of CloudTrail to generate S3 events
- Creating CloudWatch rule to capture events from CloudTrail
- Have the CloudWatch rule trigger a target Lambda function with a static JSON input object (hard-coded filename)
- Optional: for the S3 PutObject event, dynamically extract the name of the file put to the S3 bucket for processing

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.16


16


# OBJECTIVES - 10/30 Questions from 10/28 Tutorials Questions Tutorial 6 - Serverless Databases - Next Week Class Activity 2 - Intro to Amazon EC2 AWS Overview and demo Class Activity 3 - Intro to AWS Lambda (Tutorial 4 Demo) Ch. 5: Cloud Enabling Technology

17


### OBJECTIVES - 10/30 Questions from 10/28 Tutorials Questions Tutorial 6 - Serverless Databases - Next Week Class Activity 2 - Intro to Amazon EC2 AWS Overview and demo Class Activity 3 - Intro to AWS Lambda (Tutorial 4 Demo) Ch. 5: Cloud Enabling Technology

18





20



21

### **ONLINE CLOUD TUTORIALS**

- From the eScience Institute @ UW Seattle:
- https://escience.washington.edu/
- Online cloud workshops
- Introduction to AWS, Azure, and Google Cloud
- Task: Deploying a Python DJANGO web application
- Self-guided workshop materials available online:
- https://cloudmaven.github.io/documentation/
- AWS Educate provides access to many online tutorials / learning resources:
- https://aws.amazon.com/education/awseducate/

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

.10.22

22





24

### AWS EC2

- Elastic Compute Cloud
- Instance types: <a href="https://ec2instances.info">https://ec2instances.info</a>
  - On demand instance full price
  - Reserved instance contract based where customer guarantees VM rental for a fixed period of time (e.g. 1 year, 3 years, etc.)
     Deeper discounts with longer term commitments
  - Spot instance portion of cloud capacity reserved for low cost instances, when demand exceeds supply instances are randomly terminated with 2-minute warning
    - Users can make diverse VM requests using different types, zones, regions, etc. to minimize instance terminations
    - Developers can design for failure because often only 1 or 2 VMs in a cluster fail at any given time. They then need to be replaced.
  - Dedicated host reserved private HW (server)
  - Instance families -General, compute-optimized, memory-optimized, GPU, etc.

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.25

25

### **AWS EC2 - 2**

- Storage types
  - Instance storage ephemeral storage
    - Temporary disk volumes stored on disks local to the VM
    - Evolution: physical hard disk drives (HDDs)
    - Solid state drives (SSDs)
    - Non-volatile memory express (NVMe) drives (closer to DRAM speed)
  - EBS Elastic block store
    - Remotely hosted disk volumes
  - EFS Elastic file system
    - Shared file system based on network file system
    - VMs, Lambdas, Containers mount/interact with shared file system
    - Somewhat expensive

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.26

26

### **INSTANCE STORAGE**

- Also called ephemeral storage
- Persisted using images saved to S3 (simple storage service)
  - ~2.3¢ per GB/month on S3
  - 5GB of free tier storage space on S3
- Requires "burning" an image
- Multi-step process:
  - Create image files
  - Upload chunks to S3
  - Register image
- Launching a VM
  - Requires downloading image components from S3, reassembling them... is potentially slow
- VMs with instance store backed root volumes not pause-able
- Historically root volume limited to 10-GB max- faster imaging...

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.27

27

### **ELASTIC BLOCK STORE**

- EBS provides 1 drive to 1 virtual machine (1:1) (not shared)
- EBS cost model is different than instance storage (uses S3)
  - ~10¢ per GB/month for General Purpose Storage (GP2)
  - ~8¢ per GB/month for General Purpose Storage (GP3)
  - 30GB of free tier storage space
- EBS provides "live" mountable volumes
  - Listed under volumes
  - <u>Data volumes</u>: can be mounted/unmounted to any VM, dynamically at any time
  - Root volumes: hosts OS files and acts as a boot device for VM
  - In Linux drives are linked to a mount point "directory"
- Snapshots back up EBS volume data to S3
  - Enables replication (required for horizontal scaling)
  - EBS volumes not actively used should be snapshotted, and deleted to save EBS costs...

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.28

28

### **EBS VOLUME TYPES - 2**

- Metric: I/O Operations per Second (IOPS)
- General Purpose 2 (GP2)
  - 3 IOPS per GB, min 100 IOPS (<34GB), max of 16,000 IOPS</li>
  - 250MB/sec throughput per volume
- General Purpose 3 (GP3 new Dec 2020)
  - Max 16,000 IOPS, Default 3,000 IOPS
  - GP2 requires creating a 1TB volume to obtain 3,000 IOPS
  - GP3 all volumes start at 3000 IOPS and 125 MB/s throughput
  - 1000 additional IOPS beyond 3000 is \$5/month up to 16000 IOPS
  - 125 MB/s additional throughput is \$5/month up to 1000 MB/s throughput

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.29

29

### **EBS VOLUME TYPES - 3**

- Provisioned IOPS (IO1)
  - Legacy, associated with GP2
  - Allows user to create custom disk volumes where they pay for a specified IOPS and throughput
  - 32,000 IOPS, and 500 MB/sec throughput per volume MAX
- Throughput Optimized HDD (ST1)
  - Up to 500 MB/sec throughput
  - 4.5 ¢ per GB/month
- Cold HDD (SC1)
  - Up to 250 MB/sec throughput
  - 2.5 ¢ per GB/month
- Magnetic
  - Up to 90 MB/sec throughput per volume
  - 5 ¢ per GB/month

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.30

30

### **ELASTIC FILE SYSTEM (EFS)**

- EFS provides 1 volume to many client (1:n) shared storage
- Network file system (based on NFSv4 protocol)
- Shared file system for EC2, Fargate/ECS, Lambda
- Enables mounting (sharing) the same disk "volume" for R/W access across multiple instances at the same time
- Different performance and limitations vs. EBS/Instance store
- Implementation uses abstracted EC2 instances
- ~ 30 ¢ per GB/month storage default burstable throughput
- Throughput modes:
- Can modify modes only once every 24 hours
- Burstable Throughput Model:
  - Baseline 50kb/sec per GB
  - Burst 100MB/sec pet GB (for volumes sized 10GB to 1024 GB)
  - Credits .72 minutes/day per GB

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.31

31

### **ELASTIC FILE SYSTEM (EFS) - 2**

Burstable Throughput Rates

Information subject to revision

- Throughput rates: baseline vs burst
- Credit model for bursting: maximum burst per day


File System Size (GiB)	Baseline Aggregate Throughput (MiB/s)	Burst Aggregate Throughput (MiB/s)	Maximum Burst Duration (Min/Day)	% of Time File System Can Burst (Per Day)
10	0.5	100	7.2	0.5%
256	12.5	100	180	12.5%
512	25.0	100	360	25.0%
1024	50.0	100	720	50.0%
1536	75.0	150	720	50.0%
2048	100.0	200	720	50.0%
3072	150.0	300	720	50.0%
4096	200.0	400	720	50.0%


October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.32

32





34

### **AMAZON MACHINE IMAGES**

- AMIs
- Unique for the operating system (root device image)
- Two types
  - Instance store
  - Elastic block store (EBS)
- Deleting requires multiple steps
  - Deregister AMI
  - Delete associated data (files in S3)
- Forgetting both steps leads to costly "orphaned" data
  - No way to instantiate a VM from deregistered AMIs
  - Data still in S3 resulting in charges

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.35

35

### **EC2 VIRTUALIZATION - PARAVIRTUAL**

- 1<sup>st</sup>, 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup> generation → XEN-based
- 5<sup>th</sup> generation instances → AWS Nitro virtualization
- XEN two virtualization modes
- XEN Paravirtualization "paravirtual"
  - 10GB Amazon Machine Image base image size limit
  - Addressed poor performance of old XEN HVM mode
  - I/O performed using special XEN kernel with XEN paravirtual mode optimizations for better performance
  - Requires OS to have an available paravirtual kernel
  - PV VMs: will use common <u>AKI</u> files on AWS Amazon kernel Image(s)
    - Look for common identifiers

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.36

36

### **EC2 VIRTUALIZATION - HVM**

- XEN HVM mode
  - Full virtualization no special OS kernel required
  - Computer entirely simulated
  - MS Windows runs in "hvm" mode
  - Allows work around: 10GB instance store root volume limit
  - Kernel is on the root volume (under /boot)
  - No AKIs (kernel images)
  - Commonly used today (EBS-backed instances)

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.37

37

### **EC2 VIRTUALIZATION - NITRO**


- Nitro based on Kernel-based-virtual-machines
  - Stripped down version of Linux KVM hypervisor
  - Uses KVM core kernel module
  - I/O access has a direct path to the device
- Goal: provide indistinguishable performance from bare metal


October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma


L10.38

38






40




41



42





44

### INSPECTING INSTANCE INFORMATION

- EC2 VMs run a local metadata service
- Can query instance metadata to self discover cloud configuration attributes
- Find your instance ID:

```
curl http://169.254.169.254/
curl http://169.254.169.254/latest/
```

curl http://169.254.169.254/latest/meta-data/

curl http://169.254.169.254/latest/meta-data/instance-id

- ; echo
- ec2-get-info command
- Python API that provides easy/formatted access to metadata

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.45

45

### **SIMPLE STORAGE SERVICE (S3)**


- Key-value blob storage
- What is the difference vs. key-value stores (NoSQL DB)?
- Can mount an S3 bucket as a volume in Linux
  - Supports common file-system operations
- Provides eventual consistency
- Can store Lambda function state for life of container.

October 30, 2025


TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

.10.46


46



47



48



49

### LEGACY / SERVICE SPECIFIC CLI(S) sudo apt install ec2-api-tools Provides more concise output Additional functionality Define variables in .bashrc or another sourced script: export AWS\_ACCESS\_KEY={your access key} export AWS\_SECRET\_KEY={your secret key} ec2-describe-instances ec2-run-instances ec2-request-spot-instances EC2 management from Java: http://docs.aws.amazon.com/AWSJavaSDK/latest/javad oc/index.html Some AWS services have separate CLI installable by package TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma October 30, 2025 L10.50

50

### **AMI TOOLS**

- Amazon Machine Images tools
- For working with disk volumes
- Can create live copies of any disk volume
  - Your local laptop, ec2 root volume (EBS), ec2 ephemeral disk
- Installation:

https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ami-tools-commands.html

- AMI tools reference:
- https://docs.aws.amazon.com/AWSEC2/latest/UserGuide/ami--tools-commands.html
- Some functions may require private key & certificate files

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.51

51

### PRIVATE KEY AND CERTIFICATE FILE

- Install openssl package on VM
- # generate private key file

\$openssl genrsa 2048 > mykey.pk

# generate signing certificate file \$openssl req -new -x509 -nodes -sha256 -days 36500 -key mykey.pk -outform PEM -out signing.cert

- Add signing.cert to IAM | Users | Security Credentials | -- new signing certificate --
- From: http://docs.aws.amazon.com/AWSEC2/latest/UserGuide/set-up-ami-tools.html?icmpid=docs\_iam\_console#ami-tools-create-certificate

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.52

52

### PRIVATE KEY, CERTIFICATE FILE

- These files, combined with your AWS\_ACCESS\_KEY and AWS\_SECRET\_KEY and AWS\_ACCOUNT\_ID enable you to publish new images from the CLI
- Objective:
- 1. Configure VM with software stack
- 2. Burn new image for VM replication (horizontal scaling)
- An alternative to bundling volumes and storing in S3 is to use a containerization tool such as Docker. . .
- Create image script . . .

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.53

53

### SCRIPT: CREATE A NEW INSTANCE STORE IMAGE FROM LIVE DISK VOLUME

```
image=$1
echo "Burn image $image"
echo "$image" > image.id
mkdir /mnt/tmp
AWS_KEY_DIR=/home/ubuntu/.aws
export EC2_URL=http://ec2.amazonaws.com
export S3_URL=https://s3.amazonaws.com
export EC2_PRIVATE_KEY=${AWS_KEY_DIR}/mykey.pk
export EC2_CERT=${AWS_KEY_DIR}/signing.cert
export AWS_USER_ID={your account id}
export AWS_ACCESS_KEY={your aws access key}
export AWS_SECRET_KEY={your aws secret key}
ec2-bundle-vol -s 5000 -u ${AWS_USER_ID} -c ${EC2_CERT} -k ${EC2_PRIVATE_KEY} --ec2cert /etc/ec2/amitools/cert-ec2.pem --no-inherit -r x86_64 -p $image -i
/etc/ec2/amitools/cert-ec2.pem
cd /tmp
ec2-upload-bundle -b tcss562 -m $image.manifest.xml -a ${AWS_ACCESS_KEY} -s ${AWS_SECRET_KEY} --url http://s3.amazonaws.com --location US
ec2-register tcss562/$image.manifest.xml --region us-east-1 --kernel aki-
88aa75e1
                          TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025]
      October 30, 2025
                          School of Engineering and Technology, University of Washington - Tacoma
```

54

```
MAKE A DISK FROM AN IMAGE FILE
 ************* ON THE LOCAL COMPUTER ************
# create 1200 MB virtual disk = 1,258,291,200 bytes
sudo dd if=/dev/zero of=vhd.img bs=1M count=1200
# format the disk using the ext4 filesystem
sudo mkfs.ext4 vhd.img
# mount the disk at "/mnt"
sudo mount -t auto -o loop vhd.img /mnt
# check that the disk is mounted
df -h
# create a hello file (or copy data) to the new virtual disk
sudo echo "hello world !" > hello.txt
ls -1
cd
# unmount the virtual disk
sudo umount /mnt
                 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025]
  October 30, 2025
                 School of Engineering and Technology, University of Washington - Tacoma
```

### # compress the disk bzip2 vhd.img # push the disk image to S3 aws s3 cp vhd.img.bz2 s3://tcss562-f21-images

56

```
RESTORE ON THE CLOUD
                       ON THE AWS EC2 VM ************
  with the awscli installed and configured
# download the image from S3
aws s3 cp s3://tcss562-f21-images/vhd.img.bz2 vhd.img.bz2
# uncompress the image
bzip2 -d vhd.img.bz2
# we need to calculate the number of sectors for the
partition
# disk sectors are 512 bytes each
 divide the disk size by 512 to determine sectors
 sectors = 1258291200 / 512 = 2459648
# create a disk partition for this disk that is
 2459648 sectors in size using the ephemeral drive or
# a newly mounted EBS volume that is unformatted
sudo fdisk /dev/nvme1n1
                 TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025]
  October 30, 2025
                                                               L10.57
                 School of Engineering and Technology, University of Washington - Tacoma
```

### **PARTITION THE DISK** Welcome to fdisk (util-linux 2.34). Command (m for help): n Partition type p primary (0 primary, 0 extended, 4 free) e extended (container for logical partitions) Select (default p): p Partition number (1-4, default 1): 1 First sector (2048-97656249, default 2048): 2048 Created a new partition 1 of type 'Linux' and of size 1.2 GiB. Command (m for help): t Selected partition 1 Hex code (type L to list all codes): 83 Changed type of partition 'Linux' to 'Linux'. Command (m for help): w (to write and exit) TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] October 30, 2025 L10.58 School of Engineering and Technology, University of Washington - Tacoma

58

### COPY DATA TO NEW DISK PARTITION

```
# now check if the partition has been created.
# it should be listed as /dev/nvmelnlp1:
ls /dev/nvmeln1*

# now copy the data to the partition
sudo dd if=vhd.img of=/dev/nvmelnlp1

# mount the disk
sudo mount /dev/nvmelnlp1 /mnt

# and check if the hello file is there
cat /mnt/hello.txt

# we were able to copy the disk image to the cloud
# and we never had to format the cloud disk
# this examples copies a filesystem from a local disk
# to the cloud disk

October 30, 2025

| TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025]
| School of Engineering and Technology, University of Washington - Tacoma
```

59

### FOR MORE INFORMATION

- Example script:
- https://faculty.washington.edu/wlloyd/courses/tcss562/ examples/copy-disk-to-cloud.sh
- URLs:
- https://help.ubuntu.com/community/DriveImaging
- https://www.tecmint.com/create-virtual-harddisk-volume-inlinux/

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.60

60

### **COST SAVINGS MEASURES**

- From Tutorial 3:
- #1: ALWAYS USE SPOT INSTANCES FOR COURSE/RESEARCH RELATED PROJECTS
- #2: NEVER LEAVE AN EBS VOLUME IN YOUR ACCOUNT THAT IS NOT ATTACHED TO A RUNNING VM
- #3: BE CAREFUL USING PERSISTENT REQUESTS FOR SPOT INSTANCES
- #4: TO SAVE/PERSIST DATA, USE EBS SNAPSHOTS AND THEN
- #5: DELETE EBS VOLUMES FOR TERMINATED EC2 INSTANCES.
- #6: UNUSED SNAPSHOTS AND UNUSED EBS VOLUMES SHOULD BE PROMPTLY DELETED !!
- #7: USE PERSISTENT SPOT REQUESTS AND THE "STOP" FEATURE TO PAUSE VMS DURING SHORT BREAKS

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

L10.61

61

### **OBJECTIVES - 10/30**


- Questions from 10/28
- Tutorials Questions
- Tutorial 6 Serverless Databases Next Week
- Class Activity 2 Intro to Amazon EC2
- AWS Overview and demo
- Class Activity 3 Intro to AWS Lambda (Tutorial 4 Demo)
- Ch. 5: Cloud Enabling Technology

October 30, 2025

TCSS462/562:(Software Engineering for) Cloud Computing [Fall 2025] School of Engineering and Technology, University of Washington - Tacoma

.10.62


62



63



64



122