TCSS 562: SOFTWARE ENGINEERING FOR CLOUD COMPUTING

Intro to Cloud Computing & Term Project

Wes J. Lloyd
School of Engineering and Technology
University of Washington - Tacoma

1

FEEDBACK FROM 10/2

- Perspective on material: 6.35 (→ *mostly new to me*)
- Pace: 5.1 (~ just right)
- 20 respondents
- **Parallel message passing code is easier to debug than shared memory. How?**
- OpenMP (OPEN multiprocessing)– parallelism on a multi-core node
  - Provides constructs for thread creation, workload distribution, data-environment mgmt., thread synchronization, user-level routines and environment variables

2

FEEDBACK - 2

- MPI (message passing interface)
  - Provides parallelism between nodes of distributed systems
  - API provides explicit message passing calls that are easy to identify
    - Message passing is explicit (clearly shown in code using MPI methods) vs. implicit (no special methods)
    - Methods: MPI_bsend, MPI_send, MPI_ssend;
    - MPI_sendrecv, MPI_isend, MPI_issend;
    - MPI_recv, MPI_irecv
  - MPI data types – provide common mappings across different types of systems
  - MPI process communication: specify groupID and processID
  - IDs used to route messages in place of IP address
  - No explicit recovery for network partitions or process crashes

3

FEEDBACK - 3

- **Why do non-functional requirements (appear to) matter more?**
  - In distributed systems, we're often concerned about determining the extent to which a system provides a non-functional requirement.
  - Requires assessing system characteristics (e.g. performance)
  - Different the validating functional requirements where a system simply possesses a feature or not
  - Can evaluate degree of adherence to specific criteria
    - What is the average turnaround time for requests while processing ~10 concurrent requests in parallel?
    - How does turnaround time change as the number of concurrent requests processed in parallel increases?
    - New metrics may be needed to compare/contrast systems

4

FEEDBACK - 4

- Are we going to have in-class time to prepare for group presentation? (i.e. quick meeting between group members)
- Are you going to give us some topics that we should work on for our presentations?
  - Happy to provide suggestions for research papers, or cloud services for technology presentations
  - Groups should discuss together, and contact instructor before/while submitting proposed topics
- Coupling vs. cohesion in distributed systems

5

COUPLING AND COHESION

- **Object-oriented coupling**
- Degree of interdependence between software modules
- A measure of how connected two classes or modules are
- Captures the degree of the relationships between modules
- Coupling is usually contrasted with cohesion
- Low coupling often correlates with high cohesion
- High coupling often correlates with low cohesion
- **Object-oriented cohesion**
- Degree to which elements inside a class or module belong together
- Do the methods and data inside of a class interoperate with each other (***High cohesion***)? Or is the class a catch all bin of random functions (***Low cohesion***)?
  - E.g. "Util" class where random helper routines land… (***low cohesion***)

6

INTRODUCTION TO CLOUD COMPUTING

7

OBJECTIVES - 2

- **Introduction to Cloud Computing**
  - Why study cloud computing?
  - History of cloud computing
  - Business drivers
  - Cloud enabling technologies
  - Terminology
  - Benefits of cloud adoption
  - Risks of cloud adoption

8

WHY STUDY CLOUD COMPUTING?

- LINKEDIN - TOP IT Skills from job app data
  - #1 Cloud and Distributed Computing
  - https://learning.linkedin.com/week-of-learning/top-skills
  - #2 Statistical Analysis and Data Mining
- FORBES Survey – 6 Tech Skills That'll Help You Earn More
  - #1 Data Science
  - #2 Cloud and Distributed Computing
  - http://www.forbes.com/sites/laurencebradford/2016/12/19/6-tech-skills-thatll-help-you-earn-more-in-2017/

9

WHY STUDY CLOUD COMPUTING? - 2

- Computerworld Magazine



10

A BRIEF HISTORY OF CLOUD COMPUTING

- John McCarthy, 1961
  - Turing award winner for contributions to AI
- "If computers of the kind I have advocated become the computers of the future, then computing may someday be organized as a public utility just as the telephone system is a public utility… The computer utility could become the basis of a new and important industry…"

11

CLOUD HISTORY - 2

- Internet based computer utilities
- Since the mid-1990s
- Search engines: Yahoo!, Google, Bing
- Email: Hotmail, Gmail
- 2000s
- Social networking platforms: MySpace, Facebook, LinkedIn
- Social media: Twitter, YouTube
- Popularized core concepts
- Formed basis of cloud computing

12

CLOUD HISTORY: SERVICES - 1

- Late 1990s – Early Software-as-a-Service (SaaS)
  - Salesforce: Remotely provisioned services for the enterprise
- 2002 -
  - Amazon Web Services (AWS) platform: Enterprise oriented services for remotely provisioned storage, computing resources, and business functionality
- 2006 – **Infrastructure-as-a-Service (IaaS)**
  - Amazon launches Elastic Compute Cloud (EC2) service
  - Organization can "lease" computing capacity and processing power to host enterprise applications
  - Infrastructure

13

CLOUD HISTORY: SERVICES - 2

- 2006 – **Software-as-a-Service (SaaS)**
  - Google: Offers Google DOCS, "MS Office" like fully-web based application for online documentation creation and collaboration
- 2009 – **Platform-as-a-Service (PaaS)**
  - Google: Offers Google App Engine, publicly hosted platform for hosting scalable web applications on google-hosted datacenters

14

CLOUD COMPUTING NIST GENERAL DEFINITION

"Cloud computing is a model for enabling convenient, on-demand network access to a shared pool of configurable computing resources (networks, servers, storage, applications and services) that can be rapidly provisioned and reused with minimal management effort or service provider interaction"…

15

MORE CONCISE DEFINITION

"Cloud computing is a specialized form of distributed computing that introduces utilization models for remotely provisioning scalable and measured resources."

From Cloud Computing Concepts, Technology, and Architecture
Z. Mahmood, R. Puttini, Prentice Hall, 5th printing, 2015

16

BUSINESS DRIVERS FOR CLOUD COMPUTING

- Capacity planning
- Cost reduction
- Operational overhead
- Organizational agility

17

BUSINESS DRIVERS FOR CLOUD COMPUTING

- Capacity planning
  - Process of determining and fulfilling future demand for IT resources
  - Capacity vs. demand
  - Discrepancy between capacity of IT resources and actual demand
  - Over-provisioning: resource capacity exceeds demand
  - Under-provisioning: demand exceeds resource capacity
  - Capacity planning aims to minimize the discrepancy of available resources vs. demand

18



Dwight, The Office TV sitcom

19

BUSINESS DRIVERS FOR CLOUD - 2

- Capacity planning
  - Over-provisioning: is costly due to too much infrastructure
  - Under-provisioning: is costly due to potential for business loss from poor quality of service
- Capacity planning strategies
  - Lead strategy: add capacity in anticipation of demand (pre-provisioning)
  - Lag strategy: add capacity when capacity is fully leveraged
  - Match strategy: add capacity in small increments as demand increases
- Load prediction
  - Capacity planning helps anticipate demand flucations

20

CAPACITY PLANNING



21

CAPACITY PLANNING - 2

- Ca



22

BUSINESS DRIVERS FOR CLOUD - 3

- Cost reduction
  - IT Infrastructure acquisition
  - IT Infrastructure maintenance
- Operational overhead
  - Technical personnel to maintain physical IT infrastructure
  - System upgrades, patches that add testing to deployment cycles
  - Utility bills, capital investments for power and cooling
  - Security and access control measures for server rooms
  - Admin and accounting staff to track licenses, support agreements, purchases

23

BUSINESS DRIVERS FOR CLOUD - 4

- Organizational agility
  - Ability to adapt and evolve infrastructure to face change from internal and external business factors
  - Funding constraints can lead to insufficient on premise IT
  - Cloud computing enables IT resources to scale with a lower financial commitment

24

TECHNOLOGY INNOVATIONS LEADING TO CLOUD

- Cluster computing
- Grid computing
- Virtualization
- Others

25

CLUSTER COMPUTING

- Cluster computing (clustering)
  - Cluster is a group of independent IT resources interconnected as a single system
  - Servers configured with homogeneous hardware and software
    - Identical or similar RAM, CPU, HDDs
  - Design emphasizes redundancy as server components are easily interchanged to keep overall system running
    - Example: if a RAID card fails on a key server, the card can be swapped from another redundant server
  - Enables warm replica servers
    - Duplication of key infrastructure servers to provide HW failover to ensure high availability (HA)

26

GRID COMPUTING

- On going research area since early 1990s
- Distributed heterogeneous computing resources organized into logical pools of loosely coupled resources
- For example: heterogeneous servers connected by the internet
- Resources are heterogeneous and geographically dispersed
- Grids use middleware software layer to support workload distribution and coordination functions
- Aspects: load balancing, failover control, autonomic configuration management
- Grids have influenced clouds contributing common features: networked access to machines, resource pooling, scalability, and resiliency

27

GRID COMPUTING - 2

How Grid computing works ?



In general, a grid computing system requires:

- **At least one computer, usually a server, which handles all the administrative duties for the System**
- **A network of computers running special grid computing network software.**
- **A collection of computer software called middleware**

28

VIRTUALIZATION



29

VIRTUALIZATION



30

VIRTUALIZATION

- Simulate physical hardware resources via software
  - The virtual machine (virtual computer)
  - Virtual local area network (VLAN)
  - Virtual hard disk
  - Virtual network attached storage array (NAS)
- Early incarnations featured significant performance, reliability, and scalability challenges
- CPU and other HW enhancements have minimized performance GAPs

31

KEY TERMINOLOGY

- **On-Premise Infrastructure**
  - Local server infrastructure not configured as a cloud
- **Cloud Provider**
  - Corporation or private organization responsible for maintaining cloud
- **Cloud Consumer**
  - User of cloud services
- **Scaling**
  - **Vertical scaling**
    - Scale up: increase resources of a single virtual server
    - Scale down: decrease resources of a single virtual server
  - **Horizontal scaling**
    - Scale out: increase number of virtual servers
    - Scale in: decrease number of virtual servers

32

VERTICAL SCALING

- Reconfigure virtual machine to have different resources:
  - CPU cores
  - RAM
  - HDD/SDD capacity
- May require VM migration if physical host machine resources are exceeded



33

HORIZONTAL SCALING

- Increase (scale-out) or decrease (scale-in) number of virtual servers based on demand



34

HORIZONTAL VS VERTICAL SCALING

Horizontal Scaling	Vertical Scaling
Less expensive using commodity HW	Requires expensive high capacity servers

35

HORIZONTAL VS VERTICAL SCALING

Horizontal Scaling	Vertical Scaling
Less expensive using commodity HW	Requires expensive high capacity servers
IT resources instantly available	IT resources typically instantly available

36

HORIZONTAL VS VERTICAL SCALING

Horizontal Scaling	Vertical Scaling
Less expensive using commodity HW	Requires expensive high capacity servers
IT resources instantly available	IT resources typically instantly available
Resource replication and automated scaling	Additional setup is normally needed

37

HORIZONTAL VS VERTICAL SCALING

Horizontal Scaling	Vertical Scaling
Less expensive using commodity HW	Requires expensive high capacity servers
IT resources instantly available	IT resources typically instantly available
Resource replication and automated scaling	Additional setup is normally needed
Additional servers required	No additional servers required

38

HORIZONTAL VS VERTICAL SCALING

Horizontal Scaling	Vertical Scaling
Less expensive using commodity HW	Requires expensive high capacity servers
IT resources instantly available	IT resources typically instantly available
Resource replication and automated scaling	Additional setup is normally needed
Additional servers required	No additional servers required
Not limited by individual server capacity	Limited by individual server capacity

39

KEY TERMINOLOGY - 2

- Cloud services
  - Broad array of resources accessible "as-a-service"
  - Categorized as Infrastructure (IaaS), Platform (PaaS), Software (SaaS)
- Service-level-agreements (SLAs):
  - Establish expectations for: uptime, security, availability, reliability, and performance

40

GOALS AND BENEFITS

- **Cloud providers**
  - Leverage economies of scale through mass-acquisition and management of large-scale IT resources
  - Locate datacenters to optimize costs where electricity is low
- **Cloud consumers**
  - Key business/accounting difference:
  - **Cloud computing enables anticipated capital expenditures to be replaced with operational expenditures**
  - Operational expenditures always scale with the business
  - Eliminates need to invest in server infrastructure based on anticipated business needs
  - Businesses become more agile and lower their financial risks by eliminating large capital investments in physical infrastructure

41

CLOUD BENEFITS - 2

- On demand access to pay-as-you-go resources on a short-term basis (less commitment)
- Ability to acquire "unlimited" computing resources on demand when required for business needs
- Ability to add/remove IT resources at a fine-grained level
- Abstraction of server infrastructure so applications deployments are not dependent on specific locations, hardware, etc.
  - The cloud has made our software deployments more agile…

42

CLOUD BENEFITS - 3

- Example: Using 100 servers for 1 hour costs the same as using 1 server for 100 hours
- Rosetta Protein Folding: Working with a UW-Tacoma graduate student, we recently deployed this science model across 5,900 compute cores on Amazon for 2-days…
- ***What is the cost to purchase 5,900 compute cores?***
- Recent Dell Server purchase example:
  20 cores on 2 servers for $4,478…
- Using this ratio 5,900 cores costs $1.3 million (purchase only)

43

Gene Wilder, Charlie and the Chocolate Factory

44

CLOUD BENEFITS

- Increased scalability
  - Example demand over a 24-hour day →
- Increased availability
- Increased reliability



45

CLOUD ADOPTION RISKS

- **Increased security vulnerabilities**
  - Expansion of trust boundaries now include the external cloud
  - Security responsibility shared with cloud provider
- **Reduced operational governance / control**
  - Users have less control of physical hardware
  - Cloud user does not directly control resources to ensure quality-of-service
  - Infrastructure management is abstracted
  - Quality and stability of resources can vary
  - Network latency costs and variability

46

NETWORK LATENCY COSTS



47

CLOUD RISKS - 2

- **Performance monitoring of cloud applications**
  - Cloud metrics (AWS cloudwatch) support monitoring cloud infrastructure (network load, CPU utilization, I/O)
  - Performance of cloud applications depends on the health of aggregated cloud resources working together
  - User must monitor this aggregate performance
- **Limited portability among clouds**
  - Early cloud systems have significant "vendor" lock-in
  - Common APIs and deployment models are slow to evolve
  - Operating system containers help make applications more portable, but containers still must be deployed
- Geographical issues
  - Abstraction of cloud location leads to legal challenges with respect to laws for data privacy and storage

48

CLOUD: VENDOR LOCK-IN



49

TCSS 562 TERM PROJECT


50

TCSS 562 TERM PROJECT

- Build a serverless cloud native application
- Application provides a case study to design trade-offs:
- Projects will compare and contrast one or more trade-offs:
- **Service composition**
  - **Switchboard architecture**
    - Address COLD Starts
    - Infrastructure Freeze/Thaw cycle of AWS Lambda (FaaS)
  - Full service isolation, full service aggregation
- **Application flow control**
- **Programming Languages**
- **Alternate FaaS Platforms**
- **Data provisioning**

51

EXTRACT TRANSFORM LOAD DATA PIPELINE

- Service 1: **TRANSFORM**
- Read CSV file, perform some transformations
- Write out new CSV file
- Service 2: **LOAD**
- Read CSV file, load data into relational database
- Cloud DB (AWS Aurora), or local DB (Derby/SQLite)
  - Derby DB and/or SQLite code examples to be provided in Java

52

EXTRACT TRANSFORM LOAD DATA PIPELINE 2

- Service 3: **EXTRACT**
- Using relational database, apply filter(s) and/or functions to aggregate data to produce sums, totals, averages
- Output aggregations as JSON

53

SERVICE COMPOSITION





Other possible compositions: group by library, functional cohesion, etc.

54

SWITCH-BOARD ARCHITECTURE



Single deployment package with consolidated codebase (Java: one JAR file)

Entry method contains "switchboard" logic
Case statement that route calls to proper service

Routing is based on data payload
Check if specific parameters exist, route call accordingly

Goal: reduce # of COLD starts to improve performance

55

APPLICATION FLOW CONTROL

- **Serverless Computing:**
- AWS Lambda (FAAS: Function-as-a-Service)
- Provides HTTP/REST like web services
- Client/Server paradigm

- **Synchronous web service:**
- Client calls service
- Client blocks (freezes) and waits for server to complete call
- Connection is maintained in the "OPEN" state
- Problematic if service runtime is long!
  - Connections are notoriously dropped
  - System timeouts reached
- Client can't do anything while waiting unless using threads

56

APPLICATION FLOW CONTROL - 2

- **Asynchronous web service**
- Client calls service
- Server responds to client with OK message
- Client closes connection
- Server performs the work associated with the service
- Server posts service result in an external data store
  - AWS: S3, SQS (queueing service), SNS (notification service)

57

APPLICATION FLOW CONTROL - 3



58

PROGRAMMING LANGUAGE

- Function-as-a-Service platforms support hosting services code in multiple languages
- AWS Lambda- common: Java, Node.js, Python
  - Plus others: Go, PowerShell, C#, and Ruby
- Also Runtime API ("BASH") which allows deployment of any binary executable in any programming languages
- Jackson D, Clynch G. An Investigation of the Impact of Language Runtime on the Performance and Cost of Serverless Functions. In Proc. Of the 2018 IEEE/ACM International Conference on Utility and Cloud Computing Companion (UCC Companion) 2018 Dec 17 (pp. 154-160).
- http://faculty.washington.edu/wlloyd/courses/tcss562/papers/AnInvestigationOfTheImpactOfLanguageRuntimeOnThePerformanceAndCostOfServerlessFunctions.pdf

59

FAAS PLATFORMS

- Many commercial and open source FaaS platforms exist
- TCSS562 projects can choose to compare performance and cost implications of alternate platforms.

- Supported by SAAF:
- AWS Lambda
- Google Cloud Functions
- Azure Functions
- IBM Cloud Functions

60

DATA PROVISIONING

- Consider performance and cost implications of the data-tier design for the serverless application
- Use different tools as the relational datastore to support service #2 (LOAD) and service #3 (EXTRACT)

- **SQL / Relational:**
- Amazon Aurora (serverless cloud DB), Amazon RDS (cloud DB), DB on a VM (MySQL), DB inside Lambda function (SQLite, Derby)

- **NO SQL / Key/Value Store:**
- Dynamo DB, MongoDB, S3

61

QUESTIONS

62