



OBJECTIVES - 10/14 Questions from 10/12 Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture Cloud enabling technologies Terminology Benefits of cloud adoption Risks of cloud adoption ■ 2nd hour: Tutorial #0 - Getting Started with Amazon Web Services ■ Tutorial #3 - Best Practices for Working with Virtual Machines on Amazon EC2 Group project planning TCSS562:Software Engineering for Cloud Computing [Fall 2020] October 14, 2020 L5.2 School of Engineering and Technology, University of Washington - Tacoma





MATERIAL / PACE

- Please classify your perspective on material covered in today's class (16 respondents):
- 1-mostly review, 5-equal new/review, 10-mostly new
- Average 6.31 (\downarrow previous 7.21)
- Please rate the pace of today's class:
- 1-slow, 5-just right, 10-fast
- Average $5.38 (\downarrow \text{ previous } 5.5)$

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.5


FEEDBACK FROM 10/12


- More and more companies' web presence is dependent on a few cloud providers-- those providers (Amazon, Google, Microsoft and others) continue to grow from the success of the cloud but relatively few competitors in the cloud provider market means they could consider increasing costs significantly in the future.
- Is the cloud service model healthy for the marketplace?
- Wikipedia lists over 200+ cloud providers
- https://en.wikipedia.org/wiki/Category:Cloud_computing_providers
- A few companies have a majority of the market share

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.6





AMDAHL'S LAW

- Portion of computation which cannot be parallelized determines the overall speedup
- For an embarrassingly parallel job of fixed size
- Assuming no overhead for distributing the work, and a perfectly even work distribution

α: fraction of program run time which can't be parallelized (e.g. must run sequentially)

Maximum speedup with a large number of processors (N):

$$S = 1/\alpha$$

Where $\alpha = \sigma / (\pi + \sigma)$

Where σ = sequential time, π =parallel time

Where $T(1) = \sigma + \pi$

And $T(N) = \sigma + \pi / N$, where N = parallel computations performed

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.9

AMDAHL'S LAW

Alternate form (may see this form more often):

$$S = \frac{1}{(1-f) + \frac{f}{N}}$$

- f= fraction that is parallel
- N= number of processors

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.10

GUSTAFSON'S LAW

Calculates the <u>scaled speed-up</u> using "N" processors

$$S(N) = N + (1 - N) \alpha$$

N: Number d

α: fraction c (e.g. must simplified, we need to substitute for α...

arallelized

Can be use program

tion of

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.11

GUSTAFSON'S LAW

Calculates the <u>scaled speed-up</u> using "N" processors

$$S(N) = N + (1 - N) \alpha$$

N: Number of processors

α: fraction of program run time which can't be parallelized (e.g. must run sequentially)

Can be used to estimate runtime of parallel portion of program

• Where $\alpha = \sigma / (\pi + \sigma)$


• Where σ = sequential time, π =parallel time

■ → NEXT TIME will work to provide examples...

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.12



OBJECTIVES - 10/14

- Questions from 10/12
- Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture
 - Cloud enabling technologies
 - Terminology
 - Benefits of cloud adoption
 - Risks of cloud adoption
- 2nd hour:

Tutorial #0 - Getting Started with Amazon Web Services

- Tutorial #3 Best Practices for Working with Virtual Machines on Amazon EC2
- Group project planning

October 14, 2020

TCSS562:Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.14

TECHNOLOGY INNOVATIONS LEADING TO CLOUD

- Cluster computing
- Grid computing
- Virtualization
- Others

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.15

CLUSTER COMPUTING

- Cluster computing (clustering)
 - Cluster is a group of independent IT resources interconnected as a single system
 - Servers configured with homogeneous hardware and software
 - Identical or similar RAM, CPU, HDDs
 - Design emphasizes redundancy as server components are easily interchanged to keep overall system running
 - Example: if a RAID card fails on a key server, the card can be swapped from another redundant server
 - Enables warm replica servers
 - Duplication of key infrastructure servers to provide HW failover to ensure high availability (HA)

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.16


GRID COMPUTING


- On going research area since early 1990s
- Distributed heterogeneous computing resources organized into logical pools of loosely coupled resources
- For example: heterogeneous servers connected by the internet
- Resources are heterogeneous and geographically dispersed
- Grids use middleware software layer to support workload distribution and coordination functions
- Aspects: load balancing, failover control, autonomic configuration management
- Grids have influenced clouds contributing common features: networked access to machines, resource pooling, scalability, and resiliency


October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.17







VIRTUALIZATION

- Simulate physical hardware resources via software
 - The virtual machine (virtual computer)
 - Virtual local area network (VLAN)
 - Virtual hard disk
 - Virtual network attached storage array (NAS)
- Early incarnations featured significant performance, reliability, and scalability challenges
- CPU and other HW enhancements have minimized performance GAPs

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.21

OBJECTIVES - 10/14

- Questions from 10/12
- Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture
 - Cloud enabling technologies
 - Terminology
 - Benefits of cloud adoption
 - Risks of cloud adoption
- 2nd hour:

Tutorial #0 - Getting Started with Amazon Web Services

- Tutorial #3 Best Practices for Working with Virtual Machines on Amazon EC2
- Group project planning

October 14, 2020

TCSS562:Software Engineering for Cloud Computing [Fall 2020]
School of Engineering and Technology, University of Washington - Tacoma

L5.22

KEY TERMINOLOGY


- On-Premise Infrastructure
 - Local server infrastructure not configured as a cloud
- Cloud Provider
 - Corporation or private organization responsible for maintaining cloud
- Cloud Consumer
 - User of cloud services
- Scaling
 - Vertical scaling
 - Scale up: increase resources of a single virtual server
 - Scale down: decrease resources of a single virtual server
 - Horizontal scaling
 - Scale out: increase number of virtual servers
 - Scale in: decrease number of virtual servers


October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.23

PRECONFIGURE VIRTUAL Machine to have different resources: CPU cores RAM HDD/SDD capacity May require VM migration if physical host machine resources are exceeded TCSSS62: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma





HORIZONTAL VS VERTICAL SCALING			
Horizontal Scaling	Vertical Scaling		
Less expensive using commodity HW	Requires expensive high capacity servers		
IT resources instantly available	IT resources typically instantly available		
	TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma		

Horizontal Scaling Less expensive using commodity HW IT resources instantly available Resource replication and automated scaling Additional setup is normally needed TCSSS62: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

HORIZONTAL VS VERTICAL SCALING

Horizonta	al Scaling	Vertical Scaling	
Less expensive using commodity HW		Requires expensive high capacity servers	
IT resources instantly available		IT resources typically instantly available	ilable
Resource replication and automated scaling		Additional setup is normally needed	
Additional servers required		No additional servers required	k
October 14, 2020	TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma		

School of Engineering and Technology, University of Washington - Tacoma

HORIZONTAL VS VERTICAL SCALING

Horizontal Scaling	Vertical Scaling
Less expensive using commodity HW	Requires expensive high capacity servers
IT resources instantly available	IT resources typically instantly available
Resource replication and automated scaling	Additional setup is normally needed
Additional servers required	No additional servers required
Not limited by individual server capacity	Limited by individual server capacity

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma October 14, 2020 L5.30

KEY TERMINOLOGY - 2

- Cloud services
 - Broad array of resources accessible "as-a-service"
 - Categorized as Infrastructure (IaaS), Platform (PaaS), Software (SaaS)
- Service-level-agreements (SLAs):
 - Establish expectations for: uptime, security, availability, reliability, and performance

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.31

OBJECTIVES - 10/14

- Questions from 10/12
- Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture
 - Cloud enabling technologies
 - Terminology
 - Benefits of cloud adoption
 - Risks of cloud adoption
- 2nd hour:

Tutorial #0 - Getting Started with Amazon Web Services

- Tutorial #3 Best Practices for Working with Virtual Machines on Amazon EC2
- Group project planning

October 14, 2020

TCSS562:Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.32

GOALS AND BENEFITS

Cloud providers

- Leverage economies of scale through mass-acquisition and management of large-scale IT resources
- Locate datacenters to optimize costs where electricity is low

Cloud consumers

- Key business/accounting difference:
- Cloud computing enables anticipated capital expenditures to be replaced with operational expenditures
- Operational expenditures always scale with the business
- Eliminates need to invest in server infrastructure based on anticipated business needs
- Businesses become more agile and lower their financial risks by eliminating large capital investments in physical infrastructure

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.33

CLOUD BENEFITS - 2

- On demand access to pay-as-you-go resources on a short-term basis (less commitment)
- Ability to acquire "unlimited" computing resources on demand when required for business needs
- Ability to add/remove IT resources at a fine-grained level
- Abstraction of server infrastructure so applications deployments are not dependent on specific locations, hardware, etc.
 - The cloud has made our software deployments more agile...

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.34


CLOUD BENEFITS - 3


- Example: Using 100 servers for 1 hour costs the same as using 1 server for 100 hours
- Rosetta Protein Folding: Working with a UW-Tacoma graduate student, we recently deployed this science model across 5,900 compute cores on Amazon for 2-days...
- What is the cost to purchase 5,900 compute cores?
- Recent Dell Server purchase example: 20 cores on 2 servers for \$4,478...
- Using this ratio 5,900 cores costs \$1.3 million (purchase only)


October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.35








CLOUD ADOPTION RISKS

- Increased security vulnerabilities
 - Expansion of trust boundaries now include the external cloud
 - Security responsibility shared with cloud provider
- Reduced operational governance / control
 - Users have less control of physical hardware
 - Cloud user does not directly control resources to ensure quality-of-service
 - Infrastructure management is abstracted
 - Quality and stability of resources can vary
 - Network latency costs and variability

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.39



CLOUD RISKS - 2

Performance monitoring of cloud applications

- Cloud metrics (AWS cloudwatch) support monitoring cloud infrastructure (network load, CPU utilization, I/O)
- Performance of cloud applications depends on the health of aggregated cloud resources working together
- User must monitor this aggregate performance

Limited portability among clouds

- Early cloud systems have significant "vendor" lock-in
- Common APIs and deployment models are slow to evolve
- Operating system containers help make applications more portable, but containers still must be deployed


Geographical issues

 Abstraction of cloud location leads to legal challenges with respect to laws for data privacy and storage

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.41





OBJECTIVES - 10/14

- Questions from 10/12
- Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture
 - Cloud enabling technologies
 - Terminology
 - Benefits of cloud adoption
 - Risks of cloud adoption
- 2nd hour:

Tutorial #0 - Getting Started with Amazon Web Services

- Tutorial #3 Best Practices for Working with Virtual Machines on Amazon EC2
- Group project planning

October 14, 2020

TCSS562:Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.44

OBJECTIVES - 10/14

- Questions from 10/12
- Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture
 - Cloud enabling technologies
 - Terminology
 - Benefits of cloud adoption
 - Risks of cloud adoption
- 2nd hour:

Tutorial #0 - Getting Started with Amazon Web Services

- Tutorial #3 Best Practices for Working with Virtual Machines on Amazon EC2
- Group project planning

October 14, 2020

TCSS562:Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.45

OBJECTIVES - 10/14

- Questions from 10/12
- Introduction to Cloud Computing -based on book #1: Cloud Computing Concepts, Technology & Architecture
 - Cloud enabling technologies
 - Terminology
 - Benefits of cloud adoption
 - Risks of cloud adoption
- 2nd hour:


Tutorial #0 - Getting Started with Amazon Web Services

- Tutorial #3 Best Practices for Working with Virtual Machines on Amazon EC2
- Group project planning

October 14, 2020

TCSS562:Software Engineering for Cloud Computing [Fall 2020]
School of Engineering and Technology, University of Washington - Tacoma

L5.46



TCSS 562 TERM PROJECT

- Build a serverless cloud native application
- Application provides case study to investigate architecture/design trade-offs
 - Application provides a vehicle to compare and contrast one or more trade-offs

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.48

DESIGN TRADE-OFFS

- Service composition
 - Switchboard architecture:
 - compose services in single package
 - Address COLD Starts
 - Infrastructure Freeze/Thaw cycle of AWS Lambda (FaaS)
 - Full service isolation (each service is deployed separately)
- Application flow control
 - client-side, step functions, server-side controller, asynchronous hand-off
- Programming Languages
- Alternate FaaS Platforms

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.49

DESIGN TRADE-OFFS - 2

- Alternate Cloud Services (e.g. databases, queues, etc.)
 - Compare alternate data backends for data processing pipeline
- Performance variability (by hour, day, week, and host location)
 - Deployments (to different zones, regions)
- Service abstraction
 - Abstract one or more services with cloud abstraction middleware: Apache libcloud, apache jcloud; make code cross-cloud; measure overhead

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.50

OTHER PROJECT IDEAS

- Elastic File System (EFS)
 Performance & Scalability Evaluation
- Resource contention study using CpuSteal metric
- & others...

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.51

SERVERLESS APPLICATIONS

- Extract Transform Load Data Processing Pipeline
 - * >>>This is the STANDARD project<<< *</p>
 - Batch-oriented data
 - Stream-oriented data
- Image Processing Pipeline
 - Apply series of filters to images
- Stream Processing Pipeline
 - Data conversion, filtering, aggregation, archival storage Can use AWS Kinesis Data Streams and DB backend:
 - https://aws.amazon.com/getting-started/hands-on/build-serverless-real-time-data-processing-app-lambda-kinesis-s3-dynamodb-cognito-athena/
 - Kinesis data streams claim multiple GB/sec throughput
 - What throughput can Lambda ingest directly?
 - What is the cost difference?

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.52

EXTRACT TRANSFORM LOAD DATA PIPELINE

- Service 1: TRANSFORM
- Read CSV file, perform some transformations
- Write out new CSV file
- Service 2: LOAD
- Read CSV file, load data into relational database
- Cloud DB (AWS Aurora), or local DB (Derby/SQLite)
 - Derby DB and/or SQLite code examples to be provided in Java

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.53


DATA PIPELINE - 2


- Service 3: QUERY
- Using relational database, apply filter(s) and/or functions to aggregate data to produce sums, totals, averages
- Output aggregations as JSON

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.54





APPLICATION FLOW CONTROL

- Serverless Computing:
- AWS Lambda (FAAS: Function-as-a-Service)
- Provides HTTP/REST like web services
- Client/Server paradigm
- Synchronous web service:
- Client calls service
- Client blocks (freezes) and waits for server to complete call
- Connection is maintained in the "OPEN" state
- Problematic if service runtime is long!
 - Connections are notoriously dropped
 - System timeouts reached
- Client can't do anything while waiting unless using threads

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

5.57


APPLICATION FLOW CONTROL - 2

- Asynchronous web service
- Client calls service
- Server responds to client with OK message
- Client closes connection
- Server performs the work associated with the service
- Server posts service result in an external data store
 - AWS: S3, SQS (queueing service), SNS (notification service)

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.58



PROGRAMMING LANGUAGE COMPARISON

- FaaS platforms support hosting code in multiple languages
- AWS Lambda- common: Java, Node.js, Python
 - Plus others: Go, PowerShell, C#, and Ruby
- Also Runtime API ("BASH") which allows deployment of binary executables from any programming language
- August 2020 Our group's paper:
- https://tinyurl.com/y46eq6np
- If wanting to perform a language study either:
 - Implement in C#, Ruby, or multiple versions of Java, Node.js, Python
 - OR implement different app than TLQ (ETL) data processing pipeline

L5.60

October 14, 2020 TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

FAAS PLATFORMS

- Many commercial and open source FaaS platforms exist
- TCSS562 projects can choose to compare performance and cost implications of alternate platforms.
- Supported by SAAF:
- AWS Lambda
- Google Cloud Functions
- Azure Functions
- IBM Cloud Functions

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.61

DATA PROVISIONING

- Consider performance and cost implications of the data-tier design for the serverless application
- Use different tools as the relational datastore to support service #2 (LOAD) and service #3 (EXTRACT)
- SQL / Relational:
- Amazon Aurora (serverless cloud DB), Amazon RDS (cloud DB), DB on a VM (MySQL), DB inside Lambda function (SQLite, Derby)
- NO SQL / Key/Value Store:
- Dynamo DB, MongoDB, S3

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.62

PERFORMANCE VARIABILITY

- Cloud platforms exhibit performance variability which varies over time
- Goal of this case study is to measure performance variability (i.e. extent) for AWS Lambda services by hour, day, week to look for common patterns
- Can also examine performance variability by availability zone and region
 - Do some regions provide more stable performance?
 - Can services be switched to different regions during different times to leverage better performance?
- Remember that performance = cost
- If we make it faster, we make it cheaper...

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.63

ELASTIC FILE SYSTEM (AWS EFS)

- Traditionally AWS Lambda functions have been limited to 500MB of storage space
- Recently the Elastic File System (EFS) has been extended to support AWS Lambda
- The Elastic File System supports the creation of a shared volume like a shared disk (or folder)
 - EFS is similar to NFS (network file share)
 - Multiple AWS Lambda functions and/or EC2 VMs can mount and share the same EFS volume
 - Provides a shared R/W disk
 - Breaks the 500MB capacity barrier on AWS Lambda
- Downside: EFS is expensive: ~30 \(\psi / \text{GB/month} \)
- Project: EFS performance & scalability evaluation on Lambda

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.64

CPUSTEAL



- CpuSteal: Metric that measures when a CPU core is ready to execute but the physical CPU core is busy and unavailable
- Symptom of over provisioning physical servers in the cloud
- Factors which cause CpuSteal:
 - 1. Physical CPU is shared by too many busy VMs
 - 2. Hypervisor kernel is using the CPU
 - On AWS Lambda this would be the Firecracker MicroVM which is derived from the KVM hypervisor
 - 3. VM's CPU time share <100% for 1 or more cores, and 100% is needed for a CPU intensive workload.
- Man procfs press "/" type "proc/stat"
 - CpuSteal is the 8th column returned
 - Metric can be read using SAAF in tutorial #4

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.65

CPUSTEAL CASE STUDY

- On AWS Lambda (or other FaaS platforms), when we run functions, how much CpuSteal do we observe?
- How does CpuSteal vary for different workloads? (e.g. functions that have different resource requirements)
- How does CpuSteal vary over time hour, day, week, location?
- How does CpuSteal relate to function performance?

October 14, 2020

TCSS562: Software Engineering for Cloud Computing [Fall 2020] School of Engineering and Technology, University of Washington - Tacoma

L5.66

