

Stat 302  
Statistical Software and Its Applications  
Graphics

Yen-Chi Chen


Department of Statistics, University of Washington

Spring 2017

## General Remarks on R Graphics

- ▶ A well constructed graph is worth a thousand words.
- ▶ Many people use R mainly for obtaining effective graphs.
- ▶ You can annotate graphs in many ways.
- ▶ You can even use mathematical expressions in annotations.
- ▶ There are many generic plot commands.
- ▶ Many further commands add graphics elements to plots.
- ▶ We will focus on 4 graphs: scatter plot, histogram, QQ plot, and box plot.
- ▶ We will not have time to cover all the details so I highly recommend you to do some practices on your own.
- ▶ See also: R Graphics by Paul Murrell, Chapman & Hall/CRC.

## Scatter Plot: `plot(faithful)`



RStudio saves plots in various formats:  $\Rightarrow$  Plots  $\Rightarrow$  Export

## Comments on `plot(faithful)`


- ▶ `faithful` is a data frame with 2 columns:  
`eruptions` and `waiting`
- ▶ From the data frame nature of 2 columns the `plot` command knows to plot one column against the other.
- ▶ Normal usage is `plot(x, y)`  
with `x` and `y` numerical vectors of equal length.
- ▶ Note the resulting difference in the following commands

```
plot(faithful)
```

```
plot(faithful[,1],faithful[,2])
```


```
plot(faithful[,1],faithful[,2])
```

```
plot(faithful[,1],faithful[,2])
```




## xlab/ylab: labels

```
plot(faithful[,1],faithful[,2],  
     xlab="eruption length (min)",  
     ylab="waiting time to next eruption (min)")
```




```
main: title
```

```
plot(faithful[,1],faithful[,2],  
     main= "Old Faithful Dataset")
```



## pch: type of points


```
plot(faithful[,1],faithful[,2],  
     pch=20)
```






## pch: type of points

```
plot(faithful[,1],faithful[,2],  
     pch=15)
```




## col: color

```
plot(faithful[,1],faithful[,2],  
     pch=20, col="red")
```




col: color

```
plot(faithful[,1],faithful[,2],  
     pch=20, col="orchid")
```



## cex: size of points

```
plot(faithful[,1],faithful[,2],  
     pch=20, col="orchid", cex=2)
```




## Controlling Plot Options

- ▶ Many graphics functions allow fine tuning control as follows.
- ▶ Plot dimensions are controlled by `xlim=c(x1, x2)` and `ylim=c(y1, y2)`, using your `x1, x2, y1, y2`.
- ▶ Axis labels are controlled by `xlab="your x-label"` and `ylab="your y-label"`.
- ▶ Set the main plot title by `main="Your Main Title"`.
- ▶ Set the plot sub title by `sub="Your Sub Title"`.
- ▶ See `par` for many graphics control options, like
  - ▶ `cex, cex.axis, cex.main, cex.sub`  
character expansion factors.
  - ▶ `col, col.axis, col.lab, col.main, col.sub`  
specifying colors.
  - ▶ `font, font.axis, font.lab, font.main, font.sub`  
font choices, 1 = plain text (the default), 2 = bold face, 3 = italic and 4 = bold italic.
- ▶ We do not have time to cover all of them but please try to practice changing each of them.


## abline(a,b) : adding a line

```
plot(faithful[,1],faithful[,2],  
     pch=20, col="orchid")  
abline(a=33, b=11, lwd=3, col="limegreen")
```




## points() : adding points

```
plot(faithful[,1],faithful[,2],  
     pch=20, col="orchid")  
points(x=2:5, y=c(90,80,70,60),  
       pch=20, cex=2, col="royalblue")
```



## lines() : connecting points by lines

```
plot(faithful[,1],faithful[,2],  
     pch=20, col="orchid")  
lines(x=2:5, y=c(90,85,65,60),  
      lwd=3, col="blue")
```





## Augmentation to Plots


- ▶ Some commands only work after a plot has been initiated.
- ▶ `abline(a,b)` draws line with intercept  $a$  and slope  $b$ .
- ▶ `segments(...)` draws line segment(s) from  $P_1$  to  $P_2$ .
- ▶ `arrows(...)` draws arrow(s) from  $P_1$  to  $P_2$ .
- ▶ `lines(...)` draws curves through points by line segments.
- ▶ `points(...)` plots symbols (`pch`) at specified locations.
- ▶ `polygon(...)`, `rect(...)` draw polygons and rectangles.
- ▶ `text(...)` puts specified text at selected positions.
- ▶ `legend(...)` adds legends to plots.
- ▶ `mtext(...)` adds text to plot margins.
- ▶ and lots more  $\Rightarrow$  `help.start()`  $\Rightarrow$  An Introduction to R  $\Rightarrow$  12 Graphical procedures  $\Rightarrow$  [12.2 Low-level plotting commands](#)
- ▶ Please try to practice them on your own.

1. Try the following:

```
col_tmp <- rep("limegreen", nrow(faithful))
col_tmp[which(faithful$eruptions < 3)] <- "orchid"
plot(faithful, pch=16, col=col_tmp)
abline(v=3, lwd=3, col="brown")
```


2. Try to change limegreen into orange and repeat the same procedure. What happened?
3. Try to change which(faithful\$eruptions < 3) into which(faithful\$eruptions < 2). What happened?

# Histogram: `hist(faithful$waiting)`



## breaks : break point for histogram


```
hist(faithful$waiting,  
     breaks= seq(from=40,to=100, by=2))
```



→ the `by` in the `seq` now gives the bin width of the histogram. 20 / 41


## breaks : break point for histogram

```
hist(faithful$waiting,  
     breaks= seq(from=40,to=100, by=1))
```




col: color of the histogram

```
hist(faithful$waiting, col="skyblue",  
     breaks= seq(from=40,to=100, by=2))
```




col: color of the histogram

```
hist(faithful$waiting, col=c("skyblue", "blue"),  
     breaks= seq(from=40,to=100, by=2))
```



## A cool figure: think about what happened

```
hist_break <- seq(from=40,to=100, by=2)
col_break <- rep("pink",length(hist_break))
col_break[which(hist_break<70)] <- "limegreen"
hist(faithful$waiting, col= col_break,
     breaks= hist_break, main="A Cool Figure")
```






## Normal QQ-Plot – 1

```
x <- rnorm(300)
# x is a standard normal random sample, n=300
qqnorm(x,pch=16,cex=.5)
# makes QQ-plot of sample
qqline(x)
# adds a fitted line to the previous plot.
# line is fitted through 1st and 3rd quartiles
```


## Normal QQ-Plot – 2

```
x <- rnorm(300)
qqnorm(x, pch=16, cex=.5)
qqline(x)
```




## Normal QQ-Plot: waiting in the old faithful dataset

```
qqnorm(faithful$waiting, pch=15, cex=.5,  
        main="QQ plot for waiting time")  
qqline(faithful$waiting)
```



## Box Plots

```
boxplot(weight~feed,data=chickwts)  
# boxplot for variable weight, split  
# by the type of feed (factor)
```




## Comments on Box Plot

- ▶ The horizontal box lines  $\equiv$  3 quartiles  $Q(.25)$ ,  $Q(.5)$ ,  $Q(.75)$ .
- ▶ The dashed vertical lines extend to the **adjacent values**.
  - ▶ Compute the **interquartile range**  $IQR = Q(.75) - Q(.25)$ .
  - ▶ The **upper adjacent value** is the largest observation  $\leq Q(.75) + 1.5 \times IQR$
  - ▶ The **lower adjacent value** is the smallest observation  $\geq Q(.25) - 1.5 \times IQR$
- ▶ Points beyond adjacent values shown individually (outliers?)
- ▶ For  $\mathcal{N}(\mu, \sigma^2) \approx .35\%$  are beyond **each** adjacent value.
- ▶ `data=chickwts`  $\Rightarrow$  simpler reference to variables.
- ▶ `weight ~ feed` implies boxplots for the factor of `feed`.


## Box Plots: col

```
col_tmp <- c("lawngreen", "orchid", "orange",  
            "khaki", "steelblue", "violetred")  
boxplot(weight~feed, data=chickwts,  
        col = col_tmp)
```



## Box Plots: many inputs

```
boxplot(iris$Sepal.Length, iris$Sepal.Width,  
        iris$Petal.Length, names=c("Sepal.Length",  
        "Sepal.Width", "Petal.Length"),  
        main="Iris (partial)", ylab="cm")
```



→ try to change each argument a bit to understand their functions.

## Back to `plot()`

- ▶ The `plot()` function has some very power features.
- ▶ Here I will show you two features.



## Lake Huron Water Level: illustrating plot argument type

```
par(mfrow=c(1,3))




plot(LakeHuron,type="l",main='type="l"')
# points connected by lines

plot(LakeHuron,type="p",main='type="p"')
# only points are plotted

plot(LakeHuron,type="b",main='type="b"')
# both points and lines are plotted


# see ?plot for more on the type argument
```

# Lake Huron Plots: a time series dataset



# Visualizing a multivariate data

```
plot(iris,col=
  rep(c("red","blue","orange"),each=50))
```



- ▶ We indicated the interactive way within the RStudio interface.
- ▶ There are also various other ways by direct commands.
- ▶ `pdf(file="myplot.pdf", width=8,height=6)`  
opens pdf-file "myplot.pdf". `width`, `height` are in inches.
- ▶ Any subsequent graphics commands produce output to that file, until `dev.off()` is issued, or the R session terminates.
- ▶ Similar commands exist for other graphics formats  
⇒ `?Devices`  
for `tiff`, `jpeg`, `bmp`, `png`, `postscript`, `quartz` (Mac).

## More Powerful Graphics

- ▶ Add-on packages provide more graphics capabilities. We mention just two.
- ▶ These are too complex to delve into here. Good as projects.
- ▶ The `lattice` package.
- ▶ ⇒ Book: *Lattice: Multivariate Data Visualization with R*, Springer 2008, by Deepayan Sarkar, creator of the package.
- ▶ The `ggplot2` package, not covered here, but see *R Graphics Cookbook* by Winston Chang, O'Reilly, 2013.
- ▶ *Interactive and Dynamic Graphics for Data Analysis with R and GGobi*, Springer 2007, by Dianne Cook and Deborah Swayne.

1. Try the following:

```
hist(faithful$waiting,  
     breaks= seq(from=40,to=100, by=2),  
     col=1:8)
```

2. Change `col=1:8` into `col= c("red", "red", "blue")`.  
What happened to the histogram?
3. Try to color the histogram so that bins corresponding to `waiting` time less than 80 are red while the other bins are in blue color.
4. You can learn more in the following link: <https://cran.r-project.org/doc/manuals/r-release/R-intro.html#Graphics>

- ▶ `⇒ ?plotmath` gives documentation on it.
- ▶ `> demo(plotmath)` gives examples by commands and results.
- ▶ Murrell, P. and Ihaka, R. (2000)  
"An approach to providing mathematical annotation in plots."  
*Journal of Computational and Graphical Statistics*, 9, 582-599.

## Appendix: Normal Sample Histogram and Density

```
normalhist <- function(n=1000){  
  x <- rnorm(n)  
  xx <- seq(-4,4,.1)  
  hist(x,breaks=xx,probability=T,  
       main="normal histogram")  
  yy <- dnorm(xx)  
  lines(xx,yy,col="blue")  
  text(-4,.3,expression(varphi(x)==  
    over(1,sqrt(2*pi))*phantom(0)*  
    e^{-x^2/2}),adj=0,col="blue")  
}
```



### normal histogram

