



# Для сведения пациентов

Ортопедическое отделение



## После ортопедической операции

Пожалуйста, прочтите эту информацию до того, как уйти домой. Здесь собрана информация о диете, гигиене, уходе за раной и о том, на что нужно обращать внимание, когда вы окажетесь дома. Обратитесь к своему врачу или медсестре с любыми возникшими у вас вопросами.

Позвоните, если у вас будет наблюдаться одно из следующих состояний:

- Температура выше 101 °F;
- Откроется рана;
- Выделения из раны;
- Покрасневшая, болезненная рана;
- Увеличится отёк руки или ноги;
- Онемение, покалывание и/или потеря функции руки или ноги;
- Усиление боли, от которой не помогают обезболивающие средства;
- Какие-либо симптомы, которые вы полностью не понимаете.

При болях в груди или одышке звоните по телефону 911.

### Гигиена

После того, как вам снимут швы/скрепки, вы можете принимать душ, не закрывая послеоперационную рану.

В течение 2 недель после того, как вам снимут швы/скрепки, не погружайте послеоперационную рану в воду (например, в ванну).

### Уход за раной

Если вам не сняли швы/скрепки до того, как вы выписались из больницы, то хирург снимет их во время вашего первого послеоперационного посещения клиники.

Каждый день осматривайте рану и обратите внимание на следующее:

- закрылись ли края раны,
- нет ли выделений из раны, покраснения и болезненности вокруг неё.

### **Диета**

Питайтесь хорошо сбалансированными продуктами питания из всех групп: фруктами и овощами, зерновыми (макаронны, сиреал, хлеб, рис), молочными продуктами, мясом, рыбой или птицей. Для заживления раны особенно важны белки. Много белков содержится в:

- мясе, рыбе и птице
- молочных продуктах и яйцах
- бобовых (бобах, чечевице)

В связи с приёмом обезболивающих средств, лекарств, содержащих железо, и уменьшенной физической активности у вас могут начаться запоры. Чтобы предотвратить запоры:

- выпивайте ежедневно хотя бы 6 стаканов воды;
- ешьте свежие фрукты и овощи, продукты и каши из зерновых грубого помола;
- ешьте больше клетчатки - фруктов и овощей, хлеба из муки грубого помола и сиреала.

### **Важная дополнительная информация**

Если вам имплантировали искусственный сустав, то не забудьте сказать об этом вашему зубному врачу и другим врачам. Возможно, вам нужно будет принимать антибиотики перед стоматологическими процедурами или хирургическими вмешательствами, чтобы предотвратить инфицирование в искусственном суставе.

## У вас есть вопросы?

Ортопедическое отделение

Позвоните по тел.  
**(206) 548-4288**

Ваши вопросы важны.

Если у вас есть вопросы или вас что-то беспокоит, то позвоните своему врачу или в медицинское учреждение.

Позвоните нам, если у вас есть вопросы или вас что-либо беспокоит.

Центр по лечению костей и суставов  
(ортопедическая клиника)

(206) 548-4288

*Пон.-Пт. с 8 утра до 5 вечера*

**Дежурный резидент-ортопед**

(206) 548-6190

*После 5 вечера и в выходные дни*

**7 Southeast Nursing Unit**

(206) 548-4410

*круглосуточно*

**Реабилитационное отделение**

(206) 548-4840

*Пон.-Пт. с 8 утра до 5 вечера*

**Физиотерапия**

(206) 548-4828

*Пон.-Пт. с 8 утра до 5 вечера*

**Клиника спортивной медицины**

(206) 543-1550

*Пон.-Пт. с 8 утра до 4:30 вечера*

**Особые инструкции:**

UNIVERSITY OF WASHINGTON  
**MEDICAL CENTER**  
UW Medicine

**Orthopaedic Department**

1959 NE Pacific St. Seattle WA 98195  
Phone 206-548-4288

120005  
After Your Orthopaedic Surgery  
Russian  
© University of Washington Medical Center  
01/2002

# ***Patient Education***

---

***Orthopaedic Department***



# After Your Orthopaedic Surgery

**Please read this information before going home. This sheet gives you information about your diet, hygiene, wound care, and what to look for once you are at home. Talk with your nurse or doctor about any questions you may have.**

## **Call for Any of the Following Conditions:**

- Fever above 101°F
- Opening of incision
- Drainage from incision
- Reddened, tender incision
- Numbness, tingling and/or loss of function of arm or leg
- Increased pain not relieved by pain medication
- Any symptom you do not fully understand

**For chest pain or shortness of breath call 911.**

## **Hygiene**

You may shower with your incision uncovered after your staples/sutures are removed.

Do not soak your incision in water (as in a bathtub) for 2 weeks after your staples/sutures are removed.

## **Wound Care**

Staples/sutures are removed by the surgeon at your first post-operative clinic visit unless they are removed before you leave the hospital.

Look at your incision each day and note the following:

- wound edges are closed
- no drainage, or redness or tenderness around incision

## **Diet**

Eat a well balanced diet including foods from all food groups: fruits and vegetables, grains (pasta, cereal, bread, rice), dairy products, meats, fish and poultry. Protein is especially important for wound healing to occur. Good protein sources are:

- meat, fish, and poultry
- dairy products and eggs
- legumes (beans, lentils)

You may become constipated due to your pain medications, iron supplement, and reduced activity. To prevent constipation:

- drink at least 6 glasses of water per day
- eat fresh fruits and vegetables, whole grains and bran
- increase fiber intake with more fruits and vegetables, and whole grain breads and cereals

## **Additional Important Information**

If you have had an artificial joint placed, remember to tell your dentist and other doctors. To prevent infection in your artificial joint, you may need antibiotics before dental work or surgery.

## Questions?

Orthopaedic  
Department

Call 206-598-4288

Your questions are important. Call your doctor or health care provider if you have questions or concerns.

**For any questions or concerns, do not hesitate to call us.**

**Bone and Joint Center (Orthopaedic Clinic)**

206-598-4288

*M-F 8 a.m. to 5 p.m.*

**Orthopaedic Resident on call**

206-598-6190

*After 5 p.m. and on weekends*

**6 Southeast Nursing Unit**

206-598-4410

*24 hours/day*

**Occupational Therapy**

206-598-4840

*M-F 8 a.m. to 5 p.m.*

**Physical Therapy**

206-598-4828

*M-F 8 a.m. to 5 p.m.*

**Sports Medicine Clinic**

206-543-1550

*M-F 8 a.m. to 4:30 p.m.*

**Special Instructions:**

UNIVERSITY OF WASHINGTON  
**MEDICAL CENTER**

UW Medicine

**Orthopaedic Department**

Box 354740

1959 N.E. Pacific St., Seattle, WA 98195

206-598-4288