

Sheet1

**THIS IS AN EXAMPLE SPREADSHEET; DO NOT USE** *[for 1.1 through 1.7, enter 1 if that*

<b>MyLastName</b>	<b>MyFirstName</b>	<b>RespondID</b>	<b>DateAdministered</b>	<b>q1.1</b>	<b>q1.2</b>	
adolph	christopher	1	01/18/12		2	1
		2				
		3				
		4				
		5				
		6				
		7				
		8				
		9				
		10				

Sheet1

*number was checked, 2 if it was not; if 7 is checked, also type the supplied field in q1.7A] 1 for yes, 2 for no*

<b>q1.3</b>	<b>q1.4</b>	<b>q1.5</b>	<b>q1.6</b>	<b>q1.7</b>	<b>q1.7A</b>	<b>q2</b>	
2		1	2	2	2		2

Sheet1

1, 2, or 3  
q3

1

1, 2, 3, 4, or 5  
q4

3

1, 2, 3, 4, or 5  
q5

2

1 or 2  
q6

0 or more  
q6A

1

0 or more  
q7

7.5

1 or 2  
q8

4

1

Sheet1

<i>1 or 2</i> <b>q9</b>	<i>1 or 2</i> <b>q10</b>	<i>1, 2, or 3</i> <b>q11</b>	<i>1, 2, or 3</i> <b>q12</b>	<i>1, 2, 3, or 4</i> <b>q13</b>	<i>1, 2, 3, or 4</i> <b>q14</b>	<i>[for 15.1 through 15.1.1]</i> <b>q15.1</b>	
1	1	1	1	2	3	2	1

Sheet1

gh 15.6, enter 1 if that number was checked, 2 if it was not]

**q15.2**

2

**q15.3**

1

**q15.4**

2

**q15.5**

2

**q15.6**

1, 2, or 3

**q16**

2

1, 2, or 3

**q17**

2

1

Sheet1

<i>1 or 2</i>	<i>1, 2, 3, 4, or 5 A number</i>	<i>[for 21.1 to 21.7, enter 1 if that number was checked, 2 if ]</i>					
<b>q18</b>	<b>q19</b>	<b>q20</b>	<b>q21.1</b>	<b>q21.2</b>	<b>q21.3</b>	<b>q21.4</b>	
1	3	20	2	2	2	1	

*not; if another race is volunteered, record it in q21.7A]*

<b>q21.5</b>	<b>q21.6</b>	<b>q21.7</b>	<b>q21.7A</b>	<b>Notes</b>
2	2	2	2	