# Economics 483

# **Final Exam**

This is a closed book and closed note exam. However, you are allowed one page (double sided) of notes. Answer all questions and write all answers in a blue book. Each question is worth 5 points, and total points = 120.

### I. Matrix Algebra and Portfolio Math (20 points)

Let  $R_i$  denote the continuously compounded return on asset i (i = 1, ..., N) with  $E[R_i] = \mu_i$ ,  $var(R_i) = \sigma_i^2$  and  $cov(R_i, R_j) = \sigma_{ij}$ . Define the ( $N \times 1$ ) vectors  $\mathbf{R} = (R_1, ..., R_N)'$ ,  $\mathbf{\mu} = (\mu_1, ..., \mu_N)'$ ,  $\mathbf{m} = (m_1, ..., m_N)'$ ,

$$\Sigma = \begin{pmatrix} \sigma_1^2 & \sigma_{12} & \cdots & \sigma_{1N} \\ \sigma_{12} & \sigma_2^2 & \cdots & \sigma_{2N} \\ \vdots & \vdots & \ddots & \vdots \\ \sigma_{1N} & \sigma_{2N} & \cdots & \sigma_N^2 \end{pmatrix}.$$


Using simple matrix algebra, answer the following questions.

- a. Write down the optimization problem used to determine the global minimum variance portfolio assuming short sales are allowed. Let m denote the vector of portfolio weights in the global minimum variance portfolio.
- b. Give expressions for the expected return and variance on the global minimum variance portfolio.
- c. Write down the optimization problem used to determine an efficient portfolio with target return equal to  $\mu_0$  assuming short sales are allowed. Let x denote the vector of portfolio weights in this efficient portfolio.
- d. Write down the optimization problem used to determine the tangency portfolio, assuming short sales are allowed and the risk free rate is give by  $r_f$ . Let t denote the vector of portfolio weights in the tangency portfolio.

Efficient Portfolios (40 points)

The graph below shows the efficient frontier with three risky assets (Microsoft, Nordstrom and Starbucks), as well as the efficient frontier with T-bills and three risky assets.

#### **Portfolio Frontier**



Expected return and standard deviation values for specific assets are summarized in the table below (the mean for Microsoft is omitted on purpose – you will be asked to deduce it)

Asset	Mean (E[R])	Standard deviation	Weight in
		(SD(R))	tangency portfolio
Microsoft		10.06%	75%
Starbucks	2.85%	14.22%	41%
Nordstrom	0.15%	10.55%	-16%
T-Bills	0.5%	0%	
Tangency Portfolio	4.34%	9.3%	

- a. What are the equations that give the expected return and variance of efficient combinations of T-bills and the tangency portfolio?
- b. How much should be invested in T-bills and the tangency portfolio to create an efficient portfolio with the same expected return as Starbucks? Transfer the above graph to your blue book and indicate the location of this efficient portfolio on the graph.
- c. In the above portfolio, what are the shares of wealth invested in Microsoft, Nordstrom and Starbucks?
- d. What is the standard deviation of the efficient portfolio with the same expected return as Starbucks?

- e. How much should be invested in T-bills and the tangency portfolio to create an efficient portfolio with the same standard deviation as Starbucks? Transfer the above graph to your blue book and indicate the location of this efficient portfolio on the graph.
- f. In the above portfolio, what are the shares of wealth invested in Microsoft, Nordstrom and Starbucks?
- g. What is the expected return of the efficient portfolio with the same standard deviation as Starbucks?
- h. Suppose the beta of Microsoft with respect to the tangency portfolio is 0.982. That is,

$$\beta_{msft,tan} = \frac{\text{cov}(R_{msft}, R_{tan})}{\text{var}(R_{tan})} = 0.982$$

If the risk free rate is 0.5% per month, what is the monthly expected return on Microsoft?

III. Empirical Analysis of the single index model (25 points)

The following represents S-PLUS linear regression output from estimating the single index model for IBM and an equally weighted portfolio of 16 stocks using monthly continuously compounded return data over the 5 year period January 1983 – December 1987. In the regressions, the market index is a value weighted index of all stocks on the NYSE and the American stock exchange.

```
> summary(ibm.fit)
```


```
Call: lm(formula = IBM ~ MARKET, data = returns.df, subset =
61:120)
Residuals:
    Min    1Q    Median    3Q    Max
```

#### Coefficients:

```
Value Std. Error t value Pr(>|t|) (Intercept) 0.002 0.006 0.306 0.761 MARKET 0.657 0.103 6.388 0.000
```

Residual standard error: 0.0472 on 58 degrees of freedom Multiple R-Squared: 0.413

### SI regression for IBM



# > summary(port.fit)

Call: lm(formula = port ~ MARKET, data = returns.df, subset =
61:120)

#### Residuals:


Min 1Q Median 3Q Max -0.0845 -0.0207 -0.000799 0.0245 0.0662

#### Coefficients:

Value Std. Error t value Pr(>|t|) (Intercept) 0.002 0.004 0.451 0.654 MARKET 0.777 0.068 11.475 0.000

Residual standard error: 0.0311 on 58 degrees of freedom Multiple R-Squared: 0.694

# SI regression for portfolio



- a. For IBM and the equally weighted portfolio, what are the estimated values of  $\alpha$  and  $\beta$ , what are the estimated standard errors for these estimates, and what are the estimates of  $\sigma_{\varepsilon}$ ?
- b. Based on the estimated values of  $\beta$ , what can you say about the risk characteristics of IBM and the portfolio relative to the market index?
- c. For each regression, what is the proportion of market or systematic risk and what is the proportion of firm specific or unsystematic risk?
- d. Why should the portfolio have a greater proportion of systematic risk and a smaller value of  $\sigma_{\varepsilon}$  than IBM?
- e. For IBM and the portfolio, test the null hypothesis that  $\beta = 1$  against the alternative hypothesis that  $\beta \neq 1$  using a 5% significance level. What do you conclude?

#### IV. CAPM (35 points)

- a. What are the main assumptions underlying the CAPM?
- b. What is the security market line (SML) pricing relationship? Draw a graph showing this relationship, and indicate the intercept and slope.
- c. Suppose you have a history of returns on N assets for T months and a market index, and you estimate the excess returns single index model regression

$$R_{it} - r_{ft} = \alpha_i^* + \beta_i (R_{Mt} - r_{ft}) + \varepsilon_{it}$$

where  $r_f$  denotes the risk-free rate and  $R_{Mt}$  denotes the return on a value-weighted market index. How would you test the null hypothesis that the CAPM holds for every asset?

d. The following is Splus output of the excess returns single index (CAPM) regression for IBM using monthly data over the five year period Jan 1983 through Dec 1987. Using a 5% significance level, test the hypothesis that the CAPM holds for IBM? What do you conclude?

```
> summary(capm.fit)
```

Call: lm(formula = IBM ~ MARKET, data = excessReturns.df, subset
= 61:120)

Residuals:

Coefficients:

```
Value Std. Error t value Pr(>|t|)
(Intercept) 0.000 0.006 -0.004 0.997

MARKET 0.654 0.103 6.356 0.000
```

Residual standard error: 0.0472 on 58 degrees of freedom Multiple R-Squared: 0.411

d. The prediction test of the CAPM plots estimates of average excess returns  $\hat{\mu}_i - r_f$  against beta estimates  $\hat{\beta}_i$ . Based on these estimates one may estimate the simple linear regression equation

$$\hat{\mu}_i - r_f = \gamma_0 + \gamma_1 \hat{\beta}_i + error_i, i = 1,...,N$$


If the CAPM were true, what should the estimated values for  $\gamma_0$  and  $\gamma_1$  be?

e. The following graph plots estimates of average excess returns  $\hat{\mu}_i - r_f$  against beta estimates  $\hat{\beta}_i$  for 15 stocks based on monthly data over the five year period Jan 1983 through Dec 1987. Superimposed on the graph is an estimate of the security market line (SML) based on the simple linear regression

$$\hat{\mu}_i - r_f = \gamma_0 + \gamma_1 \hat{\beta}_i + error_i, i = 1,...,15$$

The average excess return on the market index over this period was 0.0031. If the CAPM were true, what should the estimated values for  $\gamma_0$  and  $\gamma_1$  be?

Estimated SML: Jan 1982 - Dec 1987



f. The least squares estimates of the SML presented in the previous question are summarized below. Using these estimates, test the null hypothesis that the CAPM is true using a 5% significance level.

```
> summary(sml.fit)
Call: lm(formula = mu.hat ~ betas)
Residuals:
     Min
              1Q Median
                              3Q
 -0.0252 -0.0047 0.00112 0.00936 0.0142
Coefficients:
            Value Std. Error t value Pr(>|t|)
(Intercept) 0.002 0.007
                             0.275
                                     0.788
     Betas 0.001 0.009
                             0.143
                                     0.888
Residual standard error: 0.0115 on 13 degrees of freedom
Multiple R-Squared: 0.00157
```