

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/Length
-----------	------	----------	---------------	-------------

Section 19: Knowledge Quiz

Section 19—which is a factual quiz about contraception—is administered only to respondents who are at least 15 years old.

The following questions examine your knowledge on pregnancy and birth control. This is not a test. Please answer each question to the best of your ability.

For each of the following statements, please tell me if you think it is true or false.

This section is administered if AGE ≥ 15.

1a. When a woman has sexual intercourse, almost all sperm die inside her body after about six hours.			H1KQ1A	num 1
1680	1	true		
2492	2	false <the correct answer>		
33	6	refused		
2039	7	legitimate skip [less than 15]		
259	8	don't know		
1	9	not applicable		
1b. How confident are you that your answer is correct?			H1KQ1B	num 1
1070	1	very		
1723	2	moderately		
1109	3	slightly		
373	4	not at all		
27	6	refused		
2039	7	legitimate skip [less than 15]		
162	8	don't know		
1	9	not applicable		
2a. When using a condom, the man should pull out of the woman right after he has ejaculated (come).			H1KQ2A	num 1
3147	1	true <the correct answer>		
1059	2	false		
38	6	refused		

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/Length
2039	7	legitimate skip <i>[less than 15]</i>		
219	8	don't know		
2	9	not applicable		
2b. How confident are you that your answer is correct?			H1KQ2B	num 1
1658	1	very		
1542	2	moderately		
800	3	slightly		
289	4	not at all		
32	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
143	8	don't know		
1	9	not applicable		
3a. Most women's periods are regular, that is, they ovulate (are fertile) fourteen days after their periods begin.			H1KQ3A	num 1
3075	1	true		
1108	2	false <the correct answer>		
34	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
247	8	don't know		
1	9	not applicable		
3b. How confident are you that your answer is correct?			H1KQ3B	num 1
1040	1	very		
1724	2	moderately		
1112	3	slightly		
402	4	not at all		
28	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
158	8	don't know		

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/Length
1	9	not applicable		
4a. Natural skin (lamb skin) condoms provide better protection against the AIDS virus than latex condoms.			H1KQ4A	num 1
832	1	true		
3304	2	false <the correct answer>		
30	6	refused		
2039	7	legitimate skip [less than 15]		
298	8	don't know		
1	9	not applicable		
4b. How confident are you that your answer is correct?			H1KQ4B	num 1
1813	1	very		
1133	2	moderately		
796	3	slightly		
501	4	not at all		
24	6	refused		
2039	7	legitimate skip [less than 15]		
197	8	don't know		
1	9	not applicable		
5a. When putting on a condom, it is important to have it fit tightly, leaving no space at the tip.			H1KQ5A	num 1
1814	1	true		
2429	2	false <the correct answer>		
27	6	refused		
2039	7	legitimate skip [less than 15]		
193	8	don't know		
2	9	not applicable		
5b. How confident are you that your answer is correct?			H1KQ5B	num 1
2501	1	very		

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/Length
1085	2	moderately		
510	3	slightly		
204	4	not at all		
23	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
141	8	don't know		
1	9	not applicable		
6a. Vaseline can be used with condoms, and they will work just as well.			H1KQ6A	num 1
1282	1	true		
2860	2	false <the correct answer>		
34	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
288	8	don't know		
1	9	not applicable		
6b. How confident are you that your answer is correct?			H1KQ6B	num 1
1830	1	very		
1144	2	moderately		
886	3	slightly		
396	4	not at all		
25	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
183	8	don't know		
1	9	not applicable		
7a. The most likely time for a woman to get pregnant is right before her period starts.			H1KQ7A	num 1
2370	1	true		
1824	2	false <the correct answer>		
31	6	refused		

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/Length
2039	7	legitimate skip <i>[less than 15]</i>		
239	8	don't know		
1	9	not applicable		
7b. How confident are you that your answer is correct?			H1KQ7B	num 1
1127	1	very		
1640	2	moderately		
1131	3	slightly		
373	4	not at all		
26	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
167	8	don't know		
1	9	not applicable		
8a. Even if the man pulls out before he ejaculates (even if ejaculation occurs outside of the woman's body), it is still possible for the woman to become pregnant.			H1KQ8A	num 1
3361	1	true <the correct answer>		
895	2	false		
34	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
174	8	don't know		
1	9	not applicable		
8b. How confident are you that your answer is correct?			H1KQ8B	num 1
2447	1	very		
1164	2	moderately		
548	3	slightly		
144	4	not at all		
29	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/Length
132	8	don't know		
1	9	not applicable		
9a. As long as the condom fits over the tip of the penis, it doesn't matter how far down it is unrolled.			H1KQ9A	num 1
472	1	true		
3747	2	false <the correct answer>		
35	6	refused		
2039	7	legitimate skip [less than 15]		
210	8	don't know		
1	9	not applicable		
9b. How confident are you that your answer is correct?			H1KQ9B	num 1
2328	1	very		
1204	2	moderately		
569	3	slightly		
190	4	not at all		
30	6	refused		
2039	7	legitimate skip [less than 15]		
143	8	don't know		
1	9	not applicable		
10a. In general, a woman is most likely to get pregnant if she has sex during her period, as compared with other times of the month.			H1KQ10A	num 1
1697	1	true		
2481	2	false <the correct answer>		
33	6	refused		
2039	7	legitimate skip [less than 15]		
253	8	don't know		
1	9	not applicable		
10b. How confident are you that your answer is correct?			H1KQ10B	num 1

In Home Questionnaire Code Book, S.19
Public Use Sample

Frequency	Code	Response	Variable Name	Type/ Length
1388	1	very		
1565	2	moderately		
967	3	slightly		
340	4	not at all		
28	6	refused		
2039	7	legitimate skip <i>[less than 15]</i>		
176	8	don't know		
1	9	not applicable		