

Closestion 1

One scale of 1 to 10, please classify your perspective on material covered in today's class:


1 2 3 4 5 6 7 8 9 10

mat 15 me to 10 m

4

6


3





FEEDBACK

- How does virtualization work?
- Two types of virtualization:
- Virtualization (2): as in abstraction to hide low-level details and restrict access through interface(s) provided by the operating system
- Virtualization (2): as it virtual machine technology which emulates a computer using a software program known as a hypervisor
- Oracle Virtual Box is a software hypervisor for running virtual machines (VMs)
- In this course, we are primarily focused on the first type


- How the CPU transitions from one program to another?
- This is known as a "context switch"
- This generally requires swapping out program state data with another programming and transferring control to the other program
- We will discuss further..


















12

Slides by Wes J. Lloyd











16

15



ABSTRACTION CHALLENGES

What level of abstraction?
How much of the underlying hardware should be exposed?
What if too much?
What if too little?
What are the correct abstractions?
Security concerns



VIRTUALIZING THE CPU

 Each running program gets its own "virtual" representation of the CPU
 Many programs seem to run at once
 Linux: 'top' command shows process list
 Windows: task manager

 October 5, 2021

Cotober 6, 2021

Cotober 6, 2021

Cotober 6, 2021

Cotober 6, 2021

Cotober 7, 20

19 20

```
## Simple Looping C Program

| #include <atdio.h>
| #include <atdib.h>
| #include <atdib.h>
| #include <asdib.h>
| #include <asdib.h>
| #include <asdib.h>
| #include <asdib.h>
| #include <assert.h>
```


22

21

```
VIRTUALIZATION THE CPU - 4

prompt> ./epu A & ; ./epu B & ; ./epu C & ; ./epu D & [1] 7353 [2] 7354 [3] 7355 [4] 7356 A [3] 7355 A [3] 7356 A [
```

MANAGING PROCESSES FROM THE CLI & - run a job in the background ■ fg - brings a job to the foreground ■ bg - sends a job to the background CTRL-Z to suspend a job CTRL-C to kill a job "jobs" command - lists running jobs ■ "jobs -p" command - lists running jobs by process ID ■ top -d .2 top utility shows active running jobs like the Windows task manager ■ top -H -d .2 display all processes & threads ■ top -H -p <pid> display all threads of a process alternative to top, shows CPU core graphs October 5, 2021 TCSS422: Operating Systems [Fall 2021] School of Engineering and Technology, University of Washington - Tacom.



VIRTUALIZING MEMORY

 Computer memory is treated as a large array of bytes
 Programs store all data in this large array

 Read memory (load)
 Specify an address to read data from

 Write memory (store)
 Specify data to write to an address

October 5, 2021

| TCSS422: Operating Systems [Fail 2021] | School of Engineering and Technology, University of Washington - Tacoma

| 12.26

25 26

```
# Program to read/write memory: (mem.c) (from ch. 2 pgs. 5-6)

| #include cunistd.h>
| #include catdib.h>
| #inclu
```

VIRTUALIZING MEMORY - 3

Output of mem.c (example from ch. 2 pgs. 5-6)

| Prompto / /neam | (2134) pendery address of p: 00200000 | (2134) p: 2 | (2134) p: 2 | (2134) p: 3 | (2134) p: 3 | (2134) p: 5 | (2134) p:

28

30

27

```
** Wultiple instances of mem.c

This example no longer works as advertised!

Ubuntu has been updated.

The ptr location is no longer identical. This was considered a security issue.

**IN THE BOOK: (int*)p appears to have the same memory location 00200000

**Why does modifying the value of *p in program #1 (PID 24113), not interfere with the value of *p in program #2 (PID 24114)?

TCS422: Operating Systems [Fall 2021]

**Cotober 5, 2021

**TCS5422: Operating Systems [Fall 2021]

**TCS5422: Operating Systems [Fall 2021]

**Cotober 5, 2021

**TCS5422: Operating Systems [Fall 2021]

**TCS5422: Operating Systems [Fall 2021]
```

Wirtual MEMORY

Key take-aways:

Each process (program) has its own virtual address space

The OS maps virtual address spaces onto physical memory

A memory reference from one process can not affect the address space of others.

Isolation


Physical memory, a shared resource, is managed by the OS


Cotober 5, 2021


Cotober 5, 20

29

Slides by Wes J. Lloyd








PERSISTENCE - 3


To write to disk, OS must:
Determine where on disk data should reside
Perform sys calls to perform I/O:
Read/write to file system (inode record)
Read/write data to file


OS provides fault tolerance for system crashes
Journaling: Record disk operations in a journal for replay
Copy-on-write: replicate shared data across multiple disks
- see ZFS filesystem
Carefully order writes on disk (especially spindle drives)

34

33







38

40

42

37

39

```
primed_CREATE(3) Linux Programmer's Manual PTREMO_CREATE(3)

MAME 

primed_Create - create a new thread

SYNOPSIS to 
giclose opthread.by 
sinclose opthread.com to primed_create(primed_t * drimed_com to pthread_attr_t * drime, 
wide * (* first / routing) (void *), void * drift; 
Compile and link with * sphread_create() for the sphread_create();

* It returns from sphread_create()).

* It is canceled (see pithread_create()).

* It is canceled (see pithread_create()).

* Any of the threads in the process calls catt(3), or the sain thread performs a return from nain(). This course the termination of all the sphread_create() is stiff the sphread_create().

* It is canceled (see pithread_create()).

* Any of the threads in the process calls catt(3), or the sain thread performs a return from nain(). This course the termination of all the sphread_create() is stiff to sphread_create().

* It is canceled (see pithread_create()).

* Any of the threads in the sphread_create().

* It is canceled (see pithread_create()).

* Any of the threads in the sphread_create().

* It is canceled (see pithread_create()).

* Any of the thread is the sphread_create().

* Any of the thread is the sphread_create().
```

CONCURRENCY - 4

Command line parameter argv[1] provides loop length
Defines number of times the shared counter is incremented

Loops: 1000

prompt: opc -o pthread pthread.c -Wall -pthread
prompt: //pthread 1000
Initial value : 0
Final value : 2000


Loops 100000


prompt: //pthread 100000
Initial value : 0
Final value : 143012 // hub??
prompt: //pthread 100000
Initial value : 0
Final value : 137298 // what ???


Octobers, 2021

CSS422: Operating Systems [Fall 2021]
School of Engineering and Technology, University of Washington - Taxoma

Slides by Wes J. Lloyd







OBJECTIVES - 10/5

**Questions from 9/30
C Review Survey
Student Background Survey
Virtual Machine Survey
Chapter 2: Operating Systems - Three Easy Pieces
Concepts of virtualization/abstraction
Three Easy Pieces: CPU, Memory, I/O
Concurrency
Operating system design goals
Chapter 4: Processes
Process states, context switches
Kernel data structures for processes and threads

Cotober 5, 2021

Costage: Pall 2021
Costage: Pall 2021
Cotober 5, 2021
Costage: Pall 2021
Cotober 5, 2021
Costage: Pall 2021
Cotober 5, 2021
Costage: Pall 2021
Costage: Pall 2021
Cotober 5, 2021
Costage: Pall 2021
Cotober 5, 2021
Costage: Pall 2

46

48


45






Slides by Wes J. Lloyd









VIRTUALIZING THE CPU ■ How should the CPU be shared? ■ Time Sharing: Run one process, pause it, run another ■ The act of swapping process A out of the CPU to run process B is called a: CONTEXT SWITCH How do we SWAP processes in and out of the CPU efficiently? Goal is to minimize overhead of the swap ■ OVERHEAD is time spent performing OS management activities that don't help accomplish real work October 5, 2021 L2.52


52





53 54


Slides by Wes J. Lloyd



56

58

55




OBJECTIVES - 10/5

Questions from 9/30
C Review Survey
Student Background Survey
Virtual Machine Survey
Chapter 2: Operating Systems - Three Easy Pieces
Concepts of virtualization/abstraction
Three Easy Pieces: CPU, Memory, I/O
Concurrency
Operating system design goals
Chapter 4: Processes
Process states, context switches
Kernel data structures for processes and threads

Cotober 5, 2021
Costage: parallel 1981 2021
Cotober 5, 2021
Cotober

57





PROCESS STATE TRANSITIONS


| Descheduled | Ready |
| Scheduled | Ready |
| I/O: initiate | I/O: done |
| I/O: done | I/O: done |
| October 5, 2021 | TCS5422: Operating Systems [Fail 2021] |
| School of Engineering and Technology, University of Washington - Taxoma | 12.60 |


60

Slides by Wes J. Lloyd










63




OBJECTIVES - 10/5 Questions from 9/30 C Review Survey Student Background Survey ■ Virtual Machine Survey Chapter 2: Operating Systems - Three Easy Pieces Concepts of virtualization/abstraction Three Easy Pieces: CPU, Memory, I/O Concurrency Operating system design goals ■ Chapter 4: Processes Process states, context switches Kernel data structures for processes and threads TCSS422: Operating Systems [Fall 2021] School of Engineering and Technology, U October 5, 2021 L2.66

66

65

Slides by Wes J. Lloyd



xv6: pedagogical implementation of Linux

= Simplified structures shown in book

// the registers xv6 will save and restore
// to stop and subsequently restart a process
struct context {
 int eip; // Index pointer register
 int esp; // Stack pointer register
 int esp; // Stack pointer register
 int exp; // Called the base register
 int exp; // Called the base register
 int exp; // Called the data register
 int exp; // Succe Index register
 int exp; // Succe Index register
 int exp; // Succe Index register
 int exp; // Destination index register
 int exp; // Succe Index reg

67 68

| Struct task struct, equivalent to struct proc
| The Linux process data structure
| Kernel data type (i.e. record) that describes individual Linux processes
| Structure is VERY LARGE: 10,000+ bytes
| Defined in: /usr/src/linux-headers-{kernel version}/include/linux/sched.h
| Ubuntu 20.04 w/ kernel version 5.11, LOC: 657 - 1394
| Ubuntu 20.04 w/ kernel version 4.4, LOC: 1391 - 1852

70

72

69

```
STRUCT TASK_STRUCT
PROCESS CONTROL BLOCK

Process Control
Block (PCB)

Key data regarding a
process


memory limits
list of open files

October 5, 2021

TXSS422: Operating Systems [Fall 2021]
School of Engineering and Technology, University of Washington - Tacoma

12.71
```

STRUCT TASK_STRUCT • Key elements (e.g. PCB) in Linux are captured in struct task_struct: (LOC from Linux kernel v 5.11) Process ID pid_t pid; LOC #857 ■ Process State "/* -1 unrunnable, 0 runnable, >0 stopped: */ volatile long state; LOC #666 ■ Process time slice how long the process will run before context switching Struct sched_rt_entity used in task_struct contains timeslice: struct sched_rt_entity rt; LOC #710 unsigned int time_slice; LOC #503 October 5, 2021 L2.72



LINUX STRUCTURES - 2

List of Linux data structures:
 http://www.tldp.org/LDP/tlk/ds/ds.html

Description of process data structures:
 https://learning.oreilly.com/library/view/linux-kernel-development/9780768696974/cover.html

3rd edition is online (dated from 2010):
 See chapter 3 on Process Management

Safari online - accessible using UW ID SSO login
 Linux Kernel Development, 3rd edition
 Robert Love
 Addison-Wesley

Cotobers, 2021

| TCSS422: Operating Systems [Fail 2021] | Shoot of Engineering and Technology, University of Washington - Taccoma

73 74

