


TCSS 558: APPLIED DISTRIBUTED COMPUTING

Processes: Clients & Servers

Wes J. Lloyd
School of Engineering
& Technology (SET)
University of Washington - Tacoma





OBJECTIVES – 2/9

- **Questions from 2/4**
- **Assignment 1: Key/Value Store**
 - Java Maven project template files posted
- **Midterm Thursday February 11**
- **Chapter 3: Processes**
 - Chapter 3.3: Clients
 - Chapter 3.4: Servers
- **Midterm Thursday February 11**
 - 2nd hour - Tuesday February 9 – practice midterm questions

February 9, 2021	TCSS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.2
------------------	---	-------

ONLINE DAILY FEEDBACK SURVEY

- Daily Feedback Quiz in Canvas – Available After Each Class
- Extra credit available for completing surveys **ON TIME**
- Tuesday surveys: due by ~ Wed @ 10p
- Thursday surveys: due ~ Mon @ 10p



February 9, 2021	TCSS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.3
------------------	---	-------

SURVEY QUESTIONS

- Survey has two questions:
- Be sure to add your questions about the previous class to the **second question**
- 1st question: After today's class, comment on any new concepts that you learned about?
 - Have been getting questions here...
- 2nd question: After today's class, what point(s) remain least clear to you?
 - >> Please add questions HERE

February 9, 2021	TCSS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.4
------------------	---	-------

TCSS 558 - Online Daily Feedback Survey - 1/5

Due Jan 6 at 10pm Points 1 Questions 4
Available Jan 5 at 1:30pm - Jan 6 at 11:59pm 1 day Time Limit None

Question 1 0.5 pts

On a scale of 1 to 10, please classify your perspective on material covered in today's class:

1 2 3 4 5 6 7 8 9 10

Mostly Review To Me Equal New and Review Mostly New To Me

Question 2 0.5 pts

Please rate the pace of today's class:

1 2 3 4 5 6 7 8 9 10

Slow Just Right Fast

February 9, 2021	TCSS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.5
------------------	---	-------

MATERIAL / PACE

- Please classify your perspective on material covered in today's class (21 respondents):
- 1-mostly review, 5-equal new/review, 10-mostly new
- **Average – 6.10 (↓ - previous 6.22)**
- Please rate the pace of today's class:
- 1-slow, 5-just right, 10-fast
- **Average – 5.71 (↓ - previous 5.74)**

February 9, 2021	TCSS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.6
------------------	---	-------

FEEDBACK FROM 2/4

- *I am not sure if I completely understand the Thread-level parallelism (TLP) equation. It would be helpful if you could show us an example of how to use it.*

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.7

THREAD-LEVEL PARALLELISM

- Metric – measures degree of parallelism realized by running system, by calculating average utilization:

$$TLP = \frac{\sum_{i=1}^N i \cdot c_i}{1 - c_0}$$

- C_i – fraction of time that i threads are executed simultaneously
- N – maximum threads that can execute at any one time
- C_0 – is the fraction of time that 0 threads are executed – CPU is idle...

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.8

FEEDBACK - 2

- Image a 4-core CPU, need to know:
 - fraction of time just 1 thread runs
 - fraction of time 2 threads run
 - fraction of time 3 threads run
 - fraction of time 4 threads run
- Divide by 1 minus fraction of time CPU is idle
- **Example:**
 - 4-virtual CPU Ubuntu 20.04 Virtual Machine
 - Firefox browser pointed at news website


February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.9

CALCULATE TLP:

- CPU 1: 16.8%
- CPU 2: 9.7%
- CPU 3: 9.4%
- CPU 4: 10.7%
- CPU idle: 53.4%



$$\frac{(1 \cdot .168) + (2 \cdot .097) + (3 \cdot .094) + (4 \cdot .107)}{1 - .534}$$

$$\frac{(.168) + (.194) + (.282) + (.428)}{.466}$$

$$TLP = \frac{\sum_{i=1}^N i \cdot c_i}{1 - c_0} = \frac{1.072}{.466} = 2.3 \text{ estimated TLP}$$

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.10

OBJECTIVES – 2/9

- Questions from 2/4
- **Assignment 1: Key/Value Store**
 - Java Maven project template files posted
- Midterm Thursday February 11
- Chapter 3: Processes
 - Chapter 3.3: Clients
 - Chapter 3.4: Servers
- Midterm Thursday February 11
 - 2nd hour - Tuesday February 9 – practice midterm questions

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.11

ASSIGNMENT 1

- **An extension of ~3-5 days is likely and will be posted**
- Sunday TCP/UDP/RMI Key Value Store
- Implement a “GenericNode” project which assumes the role of a client or server for a Key/Value Store
- Recommended in Java (11 or 8)
- Client node program interacts with server node to put, get, delete, or list items in a key/value store

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.12

OBJECTIVES – 2/9

- Questions from 2/4
- Assignment 1: Key/Value Store
 - Java Maven project template files posted
- **Midterm Thursday February 11**
- Chapter 3: Processes
 - Chapter 3.3: Clients
 - Chapter 3.4: Servers
- Midterm Thursday February 11
 - 2nd hour - Tuesday February 9 – practice midterm questions

February 9, 2021	TCCS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.13
------------------	---	--------

OBJECTIVES – 2/9

- Questions from 2/4
- Assignment 1: Key/Value Store
 - Java Maven project template files posted
- Midterm Thursday February 11
- Chapter 3: Processes
 - **Chapter 3.3: Clients**
 - Chapter 3.4: Servers
- Midterm Thursday February 11
 - 2nd hour - Tuesday February 9 – practice midterm questions

February 9, 2021	TCCS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.14
------------------	---	--------

CH. 3.3: CLIENTS



February 9, 2021	TCCS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.15
------------------	---	--------



TYPES OF CLIENTS

- Thick clients
 - Web browsers
 - Client-side scripting
 - Mobile apps
 - Multi-tier MVC apps
- Thin clients
 - Remote desktops/GUIs (very thin)

February 9, 2021	TCCS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.16
------------------	---	--------

CLIENTS

- Application specific protocol
 - Thick clients
 - Clients maintain local data
 - Middleware (APIs)
 - Clients synchronize data with remote nodes
 - Example: shared calendar application
- Application independent
 - Thin clients
 - Client acts as a remote terminal
 - Provides interface to user (GUI / UI)
 - Server houses entire application stack

February 9, 2021	TCCS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.17
------------------	---	--------


X WINDOWS

- Layered architecture to transport UI over network
- Remote desktop functionality for Linux/Unix systems
- X kernel acts as a server
 - Provides the **X protocol**: application level protocol
 - Xlib instances (client applications) exchange data and events with X kernels (servers)
 - Clients and servers on single machine → Linux GUI
 - Client and server communication transported over the network → remote Linux GUI

February 9, 2021	TCCS558: Applied Distributed Computing [Winter 2021] School of Engineering and Technology, University of Washington - Tacoma	L10.18
------------------	---	--------


X WINDOWS - 2

- Window manager:**
 - Application running atop of X-windows which provides flair
 - Many variants
 - Without X windows is quite bland



February 9, 2021 TCSS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma L10.19

- Layered architecture**
- X-kernel: low level interface/APIs for controlling screen, capturing keyboard and mouse events (X window Server)**
- Provided on Linux as Xlib**
- Provides network enabled GUI**
- Layering allows for use for custom window managers**



February 9, 2021 TCSS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma L10.20

EXAMPLE: VNC SERVER

- How to Install VNC server on Ubuntu EC2 Instance VM:**
- `sudo apt-get update`
- `# ubuntu 16.04`
- `sudo apt-get install ubuntu-desktop`
- `sudo apt-get install gnome-panel gnome-settings-daemon metacity nautilus gnome-terminal`
- `# on ubuntu 18.04`
- `sudo apt install xfce4 xfce4-goodies`
- `sudo apt-get install tightvncserver # both`
- Start VNC server to create initial config file**
- `vncserver :1`

February 9, 2021 TCSS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma L10.21

EXAMPLE: VNC SERVER – UBUNTU 16.04

- On the VM: edit config file: nano ~/.vnc/xstartup**
- Replace contents as below (Ubuntu 16.04):**

```
#!/bin/sh
export XKL_XMODMAP_DISABLE=1
unset SESSION_MANAGER
unset DBUS_SESSION_BUS_ADDRESS

[ -x /etc/vnc/xstartup ] && exec /etc/vnc/xstartup
[ -r $HOME/.Xresources ] && xrdm $HOME/.Xresources
xsetroot -solid grey

vncconfig -iconic &
gnome-panel &
gnome-settings-daemon &
metacity &
nautilus &
gnome-terminal &
```

February 9, 2021 TCSS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma L10.22

EXAMPLE: VNC SERVER – UBUNTU 18.04

- On the VM:**
- Edit config file: nano ~/.vnc/xstartup**
- Replace contents as below (Ubuntu 18.04):**

```
#!/bin/bash
xrdm $HOME/.Xresources
startxfce4 &
```

February 9, 2021 TCSS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma L10.23

VNC SERVER - UBUNTU 20.04 - GNOME

```
# install vnc server
sudo apt install tigervnc-standalone-server
Sudo apt install ubuntu-gnome-desktop
vncserver :1 # creates a config file
vncserver -kill :1 # stop server
vi ~/.vnc/xstartup # edit config file

#!/bin/sh
# Start Gnome 3 Desktop
[ -x /etc/vnc/xstartup ] && exec /etc/vnc/xstartup
[ -r $HOME/.Xresources ] && xrdm $HOME/.Xresources
vncconfig -iconic &
dbus-launch --exit-with-session gnome-session &

sudo systemctl start gdm # start gnome desktop
sudo systemctl enable gdm
vncserver :1 # restart vnc server
```

February 9, 2021 TCSS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma L10.24

EXAMPLE: VNC SERVER - 3

- On the VM: reload config by restarting server
 - `vncserver -kill :1`
 - `vncserver :1`
- Open port 22 & 5901 in EC2 security group:

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.25

EXAMPLE: VNC CLIENT

- On the client (e.g. laptop):
- Create SSH connection to securely forward port 5901 on the EC2 instance to your localhost port 5901
- This way your VNC client doesn't need an SSH key

```
ssh -i <ssh-keyfile> -L 5901:127.0.0.1:5901 -N -f -l <username> <EC2-instance ip_address>
```

- For example:

```
ssh -i mykey.pem -L 5901:127.0.0.1:5901 -N -f -l ubuntu 52.111.202.44
```

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.26

EXAMPLE: VNC CLIENT - 2

- On the client (e.g. laptop):
- Use a VNC Client to connect
- Remmina is provided by default on Ubuntu 16.04
- Can "google" for many others
- Remmina login:
- Chose "VNC" protocol
- Log into "localhost:5901"

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.27

REMOTE COMPUTER IN THE CLOUD

- EC2 instance with a GUI. . . !!!

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.28

THIN CLIENTS

- Thin clients
 - X windows protocol
 - A variety of other remote desktop protocols exist:

Remote desktop protocols include the following:

- Apple Remote Desktop Protocol (ARD) – Original protocol for Apple Remote Desktop on macOS machines.
- Appliance Link Protocol (ALP) – a Sun Microsystems-specific protocol featuring audio (play and record), remote printing, remote USB, accelerated video
- HP Remote Graphics Software (RGS) – a proprietary protocol designed by Hewlett-Packard specifically for high end workstation remoting and collaboration.
- Independent Computing Architecture (ICA) – a proprietary protocol designed by Citrix Systems
- NX technology (NoMachine NX) – Cross platform protocol featuring audio, video, remote printing, remote USB, H264-enabled.
- PC-over-IP (PCoIP) – a proprietary protocol used by VMware (licensed from Teradici)^[2]
- Remote Desktop Protocol (RDP) – a Windows-specific protocol featuring audio and remote printing
- Remote Frame Buffer Protocol (RFB) – A framebuffer level cross-platform protocol that VNC is based on.
- SPICE (Simple Protocol for Independent Computing Environments) – remote-display system built for virtual environments by Qumranet, now Red Hat
- Splashtop – a high performance remote desktop protocol developed by Splashtop, fully optimized for hardware (H.264) including Intel / AMD chipsets, NVIDIA of media codecs. Splashtop can deliver high frame rates with low latency, and also low power consumption.
- X Window System (X11) – a well-established cross-platform protocol mainly used for displaying local applications; X11 is network transparent

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.29

THIN CLIENTS - 2

- Applications should separate application logic from UI
- When application logic and UI interaction are tightly coupled many requests get sent to X kernel
- Client must wait for response
- Synchronous behavior and app-to-UI coupling adversely affects performance of WAN / Internet

- Protocol optimizations: reduce bandwidth by shrinking size of X protocol messages
- Send only differences between messages with same identifier
- Optimizations enable connections with 9600 kbps

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.30

THIN CLIENTS - 3

- Virtual network computing (VNC)
- Send display over the network at the pixel level (instead of X lib events)
- Reduce pixel encodings to save bandwidth – fewer colors
- Pixel-based approaches lose application semantics
- Can transport any GUI this way
- THINC**- hybrid approach
- Send video device driver commands over network
- More powerful than pixel based operations
- Less powerful compared to protocols such as X


February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.31

TRADEOFFS: ABSTRACTION OF REMOTE DISPLAY PROTOCOLS

- Tradeoff space: abstraction level of remote display protocols




February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.32

TRADEOFFS: ABSTRACTION OF REMOTE DISPLAY PROTOCOLS

- Tradeoff space: abstraction level of remote display protocols



- Generic – no app context
- Graphics data
- Higher network bandwidth
- Fewer colors
- Utilize graphics compression
- More network traffic
- Application context is available
- UI data/operations
- Lower network bandwidth
- More colors


February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.33

CLIENT ROLES IN PROVIDING DISTRIBUTION TRANSPARENCY

- Clients help enable distribution transparency of servers
- Replication transparency
 - Client aggregates responses from multiple servers
 - Only the client knows of replicas



February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.34

CLIENT ROLES IN PROVIDING DISTRIBUTION TRANSPARENCY - 2

- Location/relocation/migration transparency
 - Harness convenient naming system to allow client to infer new locations
 - Server inform client of moves / Client reconnects to new endpoint
 - Client hides network address of server, and reconnects as needed
 - May involve temporary loss in performance
- Replication transparency
 - Client aggregates responses from multiple servers
- Failure transparency
 - Client retries, or maps to another server, or uses cached data
- Concurrency transparency
 - Transaction servers abstract coordination of multithreading

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.35

WE WILL RETURN AT
2:55PM



OBJECTIVES – 2/9

- **Questions from 2/4**
- **Assignment 1: Key/Value Store**
 - Java Maven project template files posted
- **Midterm Thursday February 11**
- **Chapter 3: Processes**
 - Chapter 3.3: Clients
 - **Chapter 3.4: Servers**
- **Midterm Thursday February 11**
 - 2nd hour - Tuesday February 9 – practice midterm questions

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.37



CH. 3.4: SERVERS

L10.38

SERVERS

- Cloud & Distributed Systems – rely on **Linux**
- <http://www.zdnet.com/article/it-runs-on-the-cloud-and-the-cloud-runs-on-linux-any-questions/>
- IT is moving to the cloud. And, what powers the cloud?
 - **Linux**
- Uptime Institute survey - 1,000 IT executives (2016)
 - 50% of IT executives – plan to migrate majority of IT workloads to off-premise to cloud or colocation sites
 - 23% expect the shift in 2017, 70% by 2020...
- Docker on Windows / Mac OS X
 - Based on **Linux**
 - Mac: Hyperkit Linux VM
 - Windows: Hyper-V Linux VM

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.39

SERVERS - 2

- Servers implement a specific service for a collection of clients
- Servers wait for incoming requests, and respond accordingly
- **Server types**
 - **Iterative:** immediately handle client requests
 - **Concurrent:** Pass client request to separate thread
- Multithreaded servers are concurrent servers
 - E.g. Apache Tomcat
- **Alternative:** fork a new process for each incoming request
- **Hybrid:** mix the use of multiple processes with thread pools

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.40

END POINTS

- Clients connect to servers via:
IP Address and Port Number
- How do ports get assigned?
 - Many protocols support “default” port numbers
 - Client must find IP address(es) of servers
 - A single server often hosts multiple end points (servers/services)
 - When designing new TCP client/servers must be careful not to repurpose ports already commonly used by others

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.41

COMMON PORTS

packetlife.net

TCP/UDP Port Numbers			
7 Echo	554 RTSP	2745 Bagle.H	6891-6901 Windows Live
19 Chargen	546-547 DHCPv6	2967 Symantec AV	6970 Quicktime
20-21 FTP	560 rmonitor	3050 Syntbase AV	7212 GhostSurf
22 SSH/SCP	563 RNP over SSL	3074 XBOX Live	7648-7649 CU-SeeMe
23 Telnet	587 SMTP	3124 HTTP Proxy	8000 Internet Radio
25 SMTP	591 FileMaker	3127 MyDoom	8080 HTTP Proxy
42 WINS Replication	593 Microsoft DCOM	3128 HTTP Proxy	8086-8087 Kaspersky AV
43 WHOIS	631 Internet Printing	3222 GLBP	8118 Privoxy
49 TACACS	636 LDAP over SSL	3260 iSCSI Target	8200 VMware Server
53 DNS	639 MSDP (PIM)	3306 MySQL	8500 Adobe ColdFusion
67-68 DHCP/BOOTP	646 LDP (MPLS)	3389 Terminal Server	8767 TeamSpeak
69 TFTP	691 MS Exchange	3689 iTunes	8866 Bagle.H
70 Gopher	860 iSCSI	3690 Subversion	9100 HP JetDirect
79 Finger	873 rsync	3724 World of Warcraft	9101-9103 Bacula
80 HTTP	902 VMware Server	3784-3785 Ventrilo	9119 MXit
88 Kerberos	989-990 FTP over SSL	4333 mSQL	9800 WebDAV
102 MS Exchange	993 IMAP4 over SSL	4444 Bester	9898 Dabber
110 POP3	995 POP3 over SSL	4664 Google Desktop	9988 Rbot/Spybot
113 ident	1025 Microsoft RPC	4672 RMI	9999 Urchin
119 NNTP (Usenet)	1026-1029 Windows Messenger	4899 Radmin	10000 Webmin
123 NTP	1080 SOCKS Proxy	5000 UWP	10000 BackupExec
135 Microsoft RPC	1080 RDP	5001 Slingbox	10113-10116 NetIQ
137-139 NetBIOS	1194 OpenVPN	5001 Iperf	11371 OpenPGP
143 IMAP4	1214 Kazaa	5004-5005 RTP	12035-12036 Second Life
161-162 SNMP	1241 Nessus	5050 Yahoo! Messenger	12345 NetBus
177 XDMCP	1311 Dell OpenManage	5060 SIP	13770-13771 NetBackup
178 BGP	1337 RACF	5190 Aircrack	14562 SunGard

TYPES OF SERVERS

- **Daemon server**
 - Example: NTP server
- **Superserver**
- **Stateless server**
 - Example: Apache server
- **Stateful server**
- **Object servers**
- **EJB servers**

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.43

NTP EXAMPLE

- **Daemon servers**
 - Run locally on Linux
 - Track current server end points (outside servers)
 - Example: network time protocol (ntp) daemon
 - Listen locally on specific port (ntp is 123)
 - Daemons routes local client traffic to the configured endpoint servers
 - University of Washington: time.u.washington.edu
 - Example "ntpq -p"
 - Queries local ntp daemon, routes traffic to configured server(s)

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.44

SUPERSERVER

- **Linux inetd / xinetd**
 - Single superserver
 - Extended internet service daemon
 - Not installed by default on Ubuntu
 - Intended for use on server machines
 - Used to configure box as a server for multiple internet services
 - E.g. ftp, pop, telnet
 - inetd daemon responds to multiple endpoints for multiple services
 - Requests fork a process to run required executable program
- Check what ports you're listening on:
 - `sudo netstat -tap | grep LISTEN`

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.45

INTERRUPTING A SERVER

- **Server design issue:**
 - Active client/server communication is taking place over a port
 - How can the server / data transfer protocol support interruption?
- Consider transferring a 1 GB image, how do you pass a unrelated message in this stream?
 1. **Out-of-band** data: special messages sent in-stream to support interrupting the server (*TCP urgent data*)
 2. Use a separate connection (different port) for admin control info
- Example: sftp secure file transfer protocol
 - Once a file transfer is started, can't be stopped easily
 - Must kill the client and/or server

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.46

STATELESS SERVERS

- Data about state of clients is not stored
- Example: web application servers are typically stateless
 - Also function-as-a-service (FaaS) platforms
- Many servers maintain information on clients (e.g. log files)
- Loss of stateless data doesn't disrupt server availability
 - Losing log files typically has minimal consequences
- **Soft state:** server maintains state on the client for a limited time (*to support sessions*)
- Soft state information expires and is deleted

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.47

STATEFUL SERVERS

- Maintain persistent information about clients
- Information must be explicitly deleted by the server
- Example:
 - File server - allows clients to keep local file copies for RW
- Server tracks client file permissions and most recent versions
 - Table of (client, file) entries
- If server crashes data must be recovered
- Entire state before a crash must be restored
- Fault tolerance - Ch. 8

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.48

STATEFUL SERVERS - 2

- Session state
 - Tracks series of operations by a single user
 - Maintained temporarily, not indefinitely
 - Often retained for multi-tier client server applications
 - Minimal consequence if session state is lost
 - Clients must start over, reinitialize sessions
- Permanent state
 - Customer information, software keys
- Client-side cookies
 - When servers don't maintain client state, clients can store state locally in "cookies"
 - Cookies are not executable, simply client-side data

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.49

OBJECT SERVERS

- **OBJECTIVE:** Host objects and enable remote client access
- Do not provide a specific service
 - Do nothing if there are no objects to host
- Support adding/removing hosted objects
- Provide a home where objects live
- Objects, *themselves*, provide "services"
- Object parts
 - State data
 - Code (methods, etc.)
- Transient object(s)
 - Objects with limited lifetime (< server)
 - Created at first invocation, destroyed when no longer used (i.e. no clients remain "bound").
 - Disadvantage: initialization may be expensive
 - Alternative: preinitialize and retain objects on server start-up

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.50

OBJECT SERVERS - 2

- Should object servers isolate memory for object instances?
 - Share neither code nor data
 - May be necessary if objects couple data and implementation
- Object server threading designs:
 - Single thread of control for object server
 - One thread for each object
 - Servers use separate thread for client requests
- Threads created on demand **vs.** Server maintains pool of threads
- What are the tradeoffs for creating server threads on demand vs. using a thread pool?

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.51

EJB – ENTERPRISE JAVA BEANS

- EJB- specialized Java object hosted by a EJB web container
- 4 types: stateless, stateful, entity, and message-driven beans
- Provides "middleware" standard (framework) for implementing back-ends of enterprise applications
- EJB web application containers integrate support for:
 - Transaction processing
 - Persistence
 - Concurrency
 - Event-driven programming
 - Asynchronous method invocation
 - Job scheduling
 - Naming and discovery services (JNDI)
 - Interprocess communication
 - Security
 - Software component deployment to an application server


February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.52

APACHE WEB SERVER

- Highly configurable, extensible, platform independent
- Supports TCP HTTP protocol communication
- Uses hooks – placeholders for group of functions
- Requests processed in phases by hooks
- Many hooks:
 - Translate a URL
 - Write info to log
 - Check client ID
 - Check access rights
- Hooks processed in order enforcing flow-of-control
- Functions in replaceable modules




February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.53

SERVER CLUSTERS

- Hosted across an LAN or WAN
- Collection of interconnected machines
- Can be organized in tiers:
 - Web server → app server → DB server
 - App and DB server sometimes integrated



February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.54

LAN REQUEST DISPATCHING

- Front end of three tier architecture (logical switch) provides distribution transparency – hides multiple servers
- Transport-layer switches: switch accepts TCP connection requests, hands off to a server
 - Example: hardware load balancer (F5 networks – Seattle)
 - HW Load balancer - OSI layers 4-7
- Network-address-translation (NAT) approach:
 - All requests pass through switch
 - Switch sits in the middle of the client/server TCP connection
 - Maps (rewrites) source and destination addresses
- Connection hand-off approach:
 - TCP Handoff:** switch hands of connection to a selected server


February 9, 2021

TCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.55

LAN REQUEST DISPATCHING - 2

- Who is the best server to handle the request?
- Switch plays important role in distributing requests
- Implements load balancing
- Round-robin** – routes client requests to servers in a looping fashion
- Transport-level** – route client requests based on TCP port number
- Content-aware request distribution** – route requests based on inspecting data payload and determining which server node should process the request



February 9, 2021

TCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.56

WIDE AREA CLUSTERS

- Deployed across the internet
- Leverage resource/infrastructure from Internet Service Providers (ISPs)
- Cloud computing simplifies building WAN clusters
- Resource from a single cloud provider can be combined to form a cluster
- For deploying a cloud-based cluster (WAN), what are the implications of deploying nodes to:**
 - (1) a single availability zone (e.g. us-east-1e)?
 - (2) across multiple availability zones?

February 9, 2021

TCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.57

WAN REQUEST DISPATCHING

- Goal: minimize network latency using WANs (e.g. Internet)
- Send requests to nearby servers
- Request dispatcher: routes requests to nearby server
- Example:** Domain Name System
 - Hierarchical decentralized naming system
- Linux: find your DNS servers:


```
# Find you device name of interest
nmcli dev
# Show device configuration
nmcli device show <device name>
```

February 9, 2021

TCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.58


DNS LOOKUP

- First query local server(s) for address
- Typically there are (2) local DNS servers
 - One is backup
- Hostname may be cached at local DNS server
 - E.g. www.google.com
- If not found, local DNS server routes to other servers
- Routing based on components of the hostname
- DNS servers down the chain mask the client IP, and use the originating DNS server IP to identify a local host
- Weakness:** client may be far from DNS server used. Resolved hostname is close to DNS server, but not necessarily close to the client

February 9, 2021

TCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.59



DNS: LINUX COMMANDS

- `nslookup <ip addr / hostname>`
- Name server lookup – translates hostname or IP to the inverse
- `traceroute <ip addr / hostname>`
- Traces network path to destination
- By default, output is limited to 30 hops, can be increased

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.61

DNS EXAMPLE – WAN DISPATCHING

- Ping www.google.com in WA from wireless network:
 - nslookup: 6 alternate addresses returned, choose (74.125.28.147)
 - Ping 74.125.28.147: Average RTT = **22.458 ms (11 attempts, 22 hops)**
- Ping www.google.com in VA (us-east-1) from EC2 instance:
 - nslookup: 1 address returned, choose 172.217.9.196
 - Ping 172.217.9.196: Average RTT = 1.278 ms (11 attempts, 13 hops)
- From VA EC2 instance, ping WA [www.google](http://www.google.com) server
- Ping 74.125.28.147: Average RTT 62.349ms (11 attempts, 27 hops)
- Pinging the WA-local server is ~60x slower from VA
- From local wireless network, ping VA us-east-1 google :
- Ping 172.217.9.196: Average RTT=81.637ms (11 attempts, 15 hops)

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.62

DNS EXAMPLE – WAN DISPATCHING

- Ping www.google.com in WA from wireless network:
 - nslookup: 6 alternate addresses returned, choose (74.125.28.147)

Latency to ping VA server in WA: ~3.63x
WA client: local-google 22.458ms to VA-google 81.637ms

Latency to ping WA server in VA: ~48.7x
VA client: local-google 1.278ms to WA-google 62.349!

- From local wireless network, ping VA us-east-1 google :
- Ping 172.217.9.196: Average RTT=81.637ms (11 attempts, 15 hops)

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.63

OBJECTIVES – 2/9

- **Questions from 2/4**
- **Assignment 1: Key/Value Store**
 - Java Maven project template files posted
- Midterm Thursday February 11
- Chapter 3: Processes
 - Chapter 3.3: Clients
 - Chapter 3.4: Servers
- Midterm Thursday February 11
- **2nd hour - Tuesday February 9 – practice midterm questions**

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.64

PRACTICE MIDTERM

- Envisioned as a class activity
- Form groups using Zoom breakout rooms
- Each group works on 2 assigned questions
- Group submits PDF solution by end of day today
 - Late submission accepted through 5pm Wednesday
- Instructor shares best solutions provided from the class submission via Canvas by Wednesday morning
 - Subject to updates for late submissions
- All students have access to solutions for review and practice
- Follow link:
<https://bit.ly/3p8aLzH>

February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.65

QUESTIONS



February 9, 2021

TCCS558: Applied Distributed Computing [Winter 2021]
School of Engineering and Technology, University of Washington - Tacoma

L10.66