



1



2




3




4


# OBJECTIVES - 1/3 Course Introduction Syllabus Demographics Survey AWS Cloud Credits Survey Chapter 1 - What is a distributed system? Design goals of distributed systems: Accessibility: resource sharing & availability Distribution transparency Openness Scalability Activity: Design goals of distributed systems (Thursday?) January 3, 2023 CSSSSS: Applied Distributed Computing [Winter 2023] School of Engineering and Technology, University of Washington - Tacoma

5





6





8






10

TCS	SS 558 - 0	Onlin	e Da	ily Fe	edba	ack S	urve	У	
	Jan 6 at 10pm able Jan 5 at 1		<b>ints</b> 1 Jan 6 at	•	estions m 1 day		ime Lim	it None	e
	Question 1								0.5 pts
	On a scale of 1 to 10, please classify your perspective on material covered in today's class:								
	1 2	3	4	5	6	7	8	9	10
	Mostly Review To Me		Ne	Equal w and Rev	riew				Mostly New to Me
	Question 2								0.5 pts
	Please rate the pace of today's class:								
	1 2	3	4	5	6	7	8	9	10


11

OBJECTIVES - 1/3							
<ul><li>Course Introduction</li><li>Syllabus</li></ul>							
<ul> <li>Demographics Survey</li> <li>AWS Cloud Credits Survey</li> </ul>							
■ Chapter 1 - What is a distributed system?							
<ul> <li>Design goals of distributed systems:</li> <li>Accessibility: resource sharing &amp; availability</li> <li>Distribution transparency</li> <li>Openness</li> <li>Scalability</li> </ul>							
■ Activity: Design goals of distributed systems (Thursday?)							
January 3, 2023  TCSS558: Applied Distributed Computing [Winter 2023] School of Engineering and Technology, University of Washington - Tacoma							

12




13





14







16







18







20





22





24

## WHAT IS A DISTRIBUTED SYSTEM?

- Definition:
- A <u>collection of autonomous computing elements</u> that appears to users as a single coherent system.
- How nodes collaborate / communicate is key
- Nodes
  - Autonomous computing elements
  - Implemented as hardware or software processes
- Single coherent system
  - Users and applications perceive a single system
  - Nodes collaborate, and provide "abstraction"

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.25

25

# CHARACTERISTICS OF DISTRIBUTED SYSTEMS - 1

- **#1:** Collection of autonomous computing elements
  - Node synchronization
  - Node coordination
  - Overlay networks enable node connectivity
- #2: Single coherent system

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.26

26

# C1: COLLECTION OF AUTONOMOUS COMPUTING ELEMENTS: NODE SYNCHRONIZATION

- Nodes behave/operate independently
- Maintain separate clocks (notion of time)
  - There is no global clock
- Nodes must address <u>synchronization</u> and <u>coordination</u>

Node synchronization and coordination...

Subject of chapter 6

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.27

27

# C1: COLLECTION OF AUTONOMOUS COMPUTING ELEMENTS: NODE COORDINATION

- Must manage group membership
- Nodes can join/leave the group
- Authorized vs. unauthorized nodes
- Open group: any node is allowed to join the distributed system
- Closed group: communication & membership is restricted
  - Admission control: supports mechanism to enable nodes to join/leave the group

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.28

28

# C1: COLLECTION OF AUTONOMOUS COMPUTING **ELEMENTS: OVERLAY NETWORKS**

- Overlay means "on top of" another network
- Typically the internet
- Nodes in a collection communicate only with other nodes in the system
- The set of neighbors may be dynamic, or may even be known only implicitly (i.e., requires a lookup).
- Structured: each node has a well-defined set of neighbors with whom it can communicate (tree, ring).
- Unstructured: each node has references to randomly selected other nodes from the system.
- Always connected, communication paths are available


TCSS558: Applied Distributed Computing [Winter 2023] January 3, 2023

School of Engineering and Technology, University of Washington - Tacoma

29

# C1: COLLECTION OF AUTONOMOUS COMPUTING ELEMENTS: OSI MODEL


- Open systems interconnect:
- Standardization of the functionalities in a communication system via abstract layers



TCSS558: Applied Distributed Computing [Winter 2023] January 3, 2023

11 30 School of Engineering and Technology, University of Washington - Tacoma

30



# CHARACTERISTIC 2: SINGLE COHERENT SYSTEM


- Collection of nodes operates the same, regardless of where, when, and how interaction between a user and the system takes place
- Distribution transparency:
- From the user's perspective, they can't discern how the distributed system is implemented
  - The method and fact that the system is distributed is hidden
- What are some examples of transparent distributed systems that you frequently use?

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.32

32



# C2: SINGLE COHERENT SYSTEM DISTRIBUTION TRANSPARENCY - 2


- Partial failures: when part of a distributed system fails
- Hiding partial failures and their recovery is challenging
- Leslie Lamport, a distributed system is:
  - ".. one in which the failure of a computer you didn't even know existed can render your own computer unusable"


January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.34

34





36

# DESIGN GOALS OF DISTRIBUTED SYSTEMS

- Accessibility: support for sharing resources
- Distribution transparency: the idea that how a system is distributed is hidden from users
- Openness: avoid vendor lock-in
- Scalability: ability to adapt and perform well with an increased or expanding workload or scope

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.37

37

# **OBJECTIVES - 1/3**


- Course Introduction
- Syllabus
- Demographics Survey
- AWS Cloud Credits Survey
- Chapter 1 What is a distributed system?
- Design goals of distributed systems:
  - Accessibility: resource sharing & availability
    - Distribution transparency
    - Openness
    - Scalability
- Activity: Design goals of distributed systems (Thursday?)

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.38

38



# **OBJECTIVES - 1/3** Course Introduction Syllabus Demographics Survey AWS Cloud Credits Survey ■ Chapter 1 - What is a distributed system? Design goals of distributed systems: • Accessibility: resource sharing & availability Distribution transparency Openness Scalability Activity: Design goals of distributed systems (Thursday?) TCSS558: Applied Distributed Computing [Winter 2023] January 3, 2023 L1.40 School of Engineering and Technology, University of Washington - Tacoma

40

## **DISTRIBUTION TRANSPARENCY**

- In distributed systems, aspects of the implementation are hidden from users
- End users can simply use / consume the resource (or system) without worrying about the implementation details
- Technology aspects required to implement the distribution are abstracted from end users
- The distribution is <u>transparent</u> to end users.
- End users are not aware of certain mechanisms that do not appear in the distributed system because transparency confines details into layer(s) below the one users interact with. (abstraction through layered architectures)
- Users perceive the system as a single entity even though it's implementation is spread across a collection of devices.

January 3, 2023 TCSS558: Applied Distributed Computing [Winter 2023] School of Engineering and Technology, University of Washington - Tacoma

L1.41

41

# **DISTRIBUTION TRANSPARENCY - 2**

- Types of distribution transparency
- Object is a resource or a process

- Object is a resource of a process								
Transparency	Description							
Access		Hide differences in data representation and how an object is accessed.						
Location	Hide where an object is located							
Relocation	Hide that an object may be moved to another location while in use							
Migration	Hide that an object may move to another location							
Replication	Hide that an object is replicated							
Concurrency	Hide than an object may be shared by several independent users							
Failure	Hide the failure and recovery of an object							
January 3, 2023		TCSS558: Applied Distributed Computing [Winter 2023] School of Engineering and Technology, University of Washington - Tacoma	L1.42					

42

## **DISTRIBUTION TRANSPARENCY - 3**

- Location transparency:
- Provided with Uniform resource locator (URLs) ...
- Location is abstract: no client reconfiguration needed for relocation
- Users can't tell where an object physically is
- Example: during covid-19 students have location transparency from instructor enabled by Zoom
- Relocation transparency:
- Resource(s) can migrate from one server to another
- Initiated by the distributed system, possibly for maintenance
- Should a resource move while in use, users are unable to notice
- Example: Student changes Zoom client from laptop to cell phone instructor does not notice
- Migration transparency:
- Feature offered by distributed systems
- Users are unaware if a resource possesses the ability to move to a different location

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.43

43

## **DISTRIBUTION TRANSPARENCY - 4**

- Replication transparency:
- Hide the fact that several copies of a resource exist
- What if a user is aware of, or has to interact with the copies?
- Reasons for replication:
- Increase availability
- Improve performance
- Fault tolerance: a replica can take over when another fails

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.44

44

## **DISTRIBUTION TRANSPARENCY - 5**

- Concurrency transparency:
- Concurrent use of resources requires synchronization w/ locks
- Transactions are often used
- Having concurrency transparency implies the client is unaware of locking mechanisms, etc.
- No special knowledge is needed
- Failure transparency:
- Masking failures is one of the hardest issues in dist. systems
- How do we tell the difference between a failed process and a very slow one?
- When do we need to "fail over" to a replica?
- Subject of chapter 8...

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

1.45

45

# DEGREES OF DISTRIBUTION TRANSPARENCY

- Full distribution transparency may be impractical
- Communication latencies cannot be hidden
- Completely hiding failures of networks and nodes is impossible
  - Difference between slow computer and failing one
  - Transactions: did operation complete before crash?
- Full transparency will lead to slower performance:
  - Performance vs. transparency tradeoff
- Synchronizing replicas with a master requires time
- Immediately commit writes in fear of device failure

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.46

46

# DEGREES OF DISTRIBUTION TRANSPARENCY - 2

- Abstracting location when user desires to interact intentionally with local resources / systems
- **Exposing** the distribution may be good:
  - Location-based-services (find nearby friends)
  - Help a user understand what's going on
  - When a server doesn't respond for a long time is it far away?
  - Users in different times zones?
- Can you think of examples where distribution is not hidden?
  - Eventual consistency
  - Many online systems no longer update instantaneously
  - Users are getting accustomed to delays

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.47

47

# **OBJECTIVES - 1/3**

- Course Introduction
- Syllabus
- Demographics Survey
- AWS Cloud Credits Survey
- Chapter 1 What is a distributed system?
- Design goals of distributed systems:
  - Accessibility: resource sharing & availability
  - Distribution transparency
  - Openness
  - Scalability
- Activity: Design goals of distributed systems (Thursday?)

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.48

48

#### **OPENNESS**

- Capability of a system consisting of components that are easily used by, or integrated into other systems
- Key aspects of openness:
- Interoperability, portability, extensibility
- Interoperability: ability for components from separate systems to work together (different vendors?)
- Though implementation of a common interface
- How could we measure interoperability of components?

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.49

49

# OPENNESS - 2

- Portability: degree that an application developed for distributed system A can be executed without modification on distributed system B
- How could we evaluate portability of a component?
- What percentage of portability is expected?
- The degree of portability will also reflect the reusability of the software

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.50

50

## **OPENNESS - 3**

- Extensibility: easy to reconfigure, add, remove, replace components from different developers
- Example: replace the underlying file system of a distributed system
- To be open, we would like to separate policy from mechanism
- Policy may change
- Mechanism is the technological implementation
- Avoid coupling policy and mechanism
- Enables flexibility
- Similar to separation of concerns, modular/00 design principle

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.51

51

# **ENABLING OPENNESS**

- Interfaces: provide general syntax and semantics to interact with distributed components
- Services expose interfaces: functions, parameters, return values
- Semantics: describe what the services do
  - Often informally specified (via documentation)
- General interfaces enable alternate component implementations

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.52

52

## SEPARATING POLICY FROM MECHANISM

- Example: web browser caching
- Mechanism: browser provides facility for storing documents
- Policy: Users decide which documents, for how long, ...
- Goal: Enable users to set policies dynamically
- For example: browser may allow separate component plugin to specify policies
- Tradeoff: management complexity vs. policy flexibility
- Static policies are inflexible, but are easy to manage as features are barely revealed.
- AWS Lambda (Function-as-a-Service) abstracts configuration polices from the user resulting in management simplicity

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.53

53

#### **OPENNESS EXAMPLE**

- Which of the following designs is more open?
- Acme software corporation hosts a set of public weather web services (e.g. web service API)
- DESIGN A: API is implemented using MS .NET Remoting
- NET Remoting is a mechanism for communicating between objects which are not in the same process. It is a generic system for different applications to communicate with one another. .NET objects are exposed to remote processes, thus allowing inter process communication. The applications can be located on the same computer, different computers on the same network, or on computers across separate networks.

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

1.54

54

# **OPENNESS EXAMPLE - 2**


- **DESIGN B**: API is implemented using Java RMI
- The Java Remote Method Invocation (RMI) is a Java API that performs remote method invocation to allow Java objects to be distributed across different Java program instances on the same or different computers. RMI is the Java equivalent of C remote procedure calls, which includes support for transfer of serialized Java classes and distributed garbage-collection.
- **DESIGN C**: API is implemented as HTTP/RESTful web interface
- A RESTful API is an API that uses HTTP requests to GET, PUT, POST and DELETE data. RESTful APIs are referred to as a RESTful web services

January 3, 2023


TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma


L1.55

55



56





58

# **SCALABILITY DIMENSIONS**

- Size scalability: distributed system can grow easily without impacting performance
  - Supports adding new users, processes, resources
- Geographical scalability: users and resources may be dispersed, but communication delays are negligible
- Administrative scalability: Policies are scalable as the distributed system grows to support more users... (security, configuration management policies are agile enough to deal with growth) Goal: have administratively scalable systems!
- Most systems only account for size scalability
- One solution is to operate multiple parallel independent nodes

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.59

59

## **SIZE SCALABILITY**

- Centralized architectures have limitations
- At some point a single central coordinator/arbitrator node can't keep up
  - Centralized server: limited CPU, disk, network capacity
- Scaling requires surmounting bottlenecks

Lloyd W, Pallickara S, David O, Lyon J, Arabi M, Rojas K. Migration of multi-tier applications to infrastructure-as-a-service clouds: An investigation using kernel-based virtual machines. InGrid Computing (GRID), 2011 12th IEEE/ACM International Conference on 2011 Sep 21 (pp. 137-144). IEEE.

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.60

60

# **GEOGRAPHIC SCALABILITY**

- Nodes dispersed by great distances
  - Communication is slower, less reliable
  - Bandwidth may be constrained
- How do you support synchronous communication?
  - Latencies may be higher
  - Synchronous communication may be too slow and timeout
  - WAN links can be unreliable

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.61

61

#### **ADMINISTRATIVE SCALABILITY**


- Conflicting policies regarding usage (payment), management, and security
- How do you manage security for multiple, discrete data centers?
- Grid computing: how can resources be shared across disparate systems at different domains, etc. ?


January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.62

62





64

## **APPROACHES TO SCALING - 3**

- Replication and caching make copies of data available at different machines
- Replicated file servers and databases
- Mirrored web sites
- Web caches (in browsers and proxies)
- File caches (at server and client)
- **LOAD BALANCER** (or proxy server)
  - Commonly used to distribute user requests to nodes of a distributed system

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.65

65

## PROBLEMS WITH REPLICATION

- Having multiple copies leads to inconsistency (cached or replicated)
- Modifying one copy invalidates all of the others
- Keeping copies consistent requires global synchronization
- Global-synchronization prohibits large-scale up
  - Best to synchronize just a few copies or synchronization latency becomes too long, entire system slows down!
  - Consider how synchronization time increases with system size
- Can these inconsistencies be tolerated?
- 1. Current temperature and wind speed from weather.com
- 2. Bank account balance for a read only statement
- Bank account balance for a transfer/withdrawal transaction

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.66

66

## **DEVELOPING DISTRIBUTED SYSTEMS**

- Developing a distributed system is a formidable task
- Many issues to consider:
- Reliable networks do not exist
- Networked communication is inherently insecure

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

L1.67

67

# FALSE ASSUMPTIONS ABOUT DISTRIBUTED SYSTEMS


- The network is reliable
- ■The network is secure
- ■The network is homogeneous
- The topology does not change
- Latency is zero
- Bandwidth is infinite
- Transport cost is zero
- There is one administrator

January 3, 2023

TCSS558: Applied Distributed Computing [Winter 2023]
School of Engineering and Technology, University of Washington - Tacoma

.68

68



69